

SUMMARY OF LITIGATION CASES

handled by

Warren F. Davis, Ph.D.

Davis Associates, Inc.
43 Holden Road
Newton, MA 02465-1909

Tel. 617-244-1450 – FAX 617-964-4917

May 18, 2018

CONTENTS

Stanley cases - Active	2
Stanley cases - Inactive	15
Horton cases - Active	47
Horton cases - Inactive	52
Besam/Assa Abloy cases - Active	62
Besam/Assa Abloy cases - Inactive	66
Gyro-Tech/Lanson/NABCO cases - Active	86
Gyro-Tech/Lanson/NABCO cases - Inactive	88
Dor-O-Matic/Ingersoll-Rand/LCN Closers cases - Active	93
Dor-O-Matic/Ingersoll-Rand/LCN Closers cases - Inactive	96
Keane Monroe/KM Systems, Inc./Record USA, Inc., cases - Active	102
Keane Monroe/KM Systems, Inc./Record USA, Inc., cases - Inactive	104
Boon Edam, Inc. cases - Active	105
Boon Edam, Inc. cases - Inactive	107
Miscellaneous cases - Industrial Roll Up	111
Miscellaneous cases - Manual	114
Miscellaneous cases - Other	116

Stanley cases – Active

Case:	Lucy Allen <i>vs.</i> Wells Community Hospital, The Stanley Works, and Automated Entrances, Inc.; State of Indiana, Wells County Circuit Court, Cause No. 90C01-9604-CP-48				Seq. No. 1
Attorney:	Daniel J. Sigler ZWICK & SIGLER 227 South Second Street P. O. Box 231 Decatur, IN 46733-1666				219-728-9666
Equipment:	Stanley sliding door with Stan-Ray™ and Stan-Guard™ sensors.				
Description:	93 year old woman struck and knocked down by prematurely closing sliding door.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Carmela M. Vitale and Alberto Vitale <i>v.</i> Dayton Hudson Corporation, d/b/a Target Stores, and The Stanley Works and Stanley Magic-Door, Inc.				Seq. No. 2
Attorney:	Douglas D. Small FOLEY & SMALL 1002 East Jefferson Blvd. South Bend, IN 46617-3106				219-288-7676
Equipment:	Stanley double swinging doors equipped with dual Sentrex™ sensors per panel per side and, apparently, BEA, Inc. K-band microwave motion sensors.				
Description:	Elderly woman struck while using a walker exiting a Target store through the interior set of swinging doors of vestibule.				
Deposition:	6/18/99	Trial:		Outcome:	May have settled.

Case:	Elsie Wolf <i>v.</i> Best Western Seaway Inn, The Stanley Works, a/k/a Stanley Access Technology, and Dor-O-Matic of the Gulf states.				Seq. No. 3
Attorney:	Mark W. Davis DAVIS & FEDER 2210 Pass Road Gulfport, MS 39501-4905				601-863-6000
Equipment:	Stanley biparting sliding door using Stan-Guard™ presence sensor and Stan-Ray™ microwave motion sensor, and motion sensor of another manufacturer.				
Description:	Plaintiff was struck, knocked down and permanently injured by prematurely closing doors on attempting to enter the Best Western Seaway Inn.				
Deposition:	4/22/98	Trial:		Outcome:	May have settled.

Case:	Helen Kubach <i>v.</i> Rite Aid, Inc.				Seq. No. 4
Attorney:	Kent B. Schneider Herman Cahn & Schneider L.L.P. 1301 East Ninth Street, Suite 500 Cleveland, OH 44114-1876				216-781-5515
Equipment:	Stanley bi-parting sliding door actuated by K-band Stan-Ray™, and Stan-Guard™ sensors.				
Description:	Elderly woman struck by sliding door as she entered Rite Aid store on August 28, 1999.				
Deposition:		Trial:		Outcome:	

Stanley cases – Active

Case:	Pacini <i>v.</i> Stanley Magic Door, Inc.				Seq. No. 5
Attorney:	John W. Caldwell, Jr. Bond, Botes & Caldwell, P.C. P. O. Box 220630 El Paso, TX 79913-2630				915-544-3500
Equipment:	Stanley sliding door at entrance to hospital.				
Description:	Elderly woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	

Case:	Deborah Silver, <i>et al.</i> <i>v.</i> Walgreens Eastern Co., Inc. Middlesex Superior Court Civil Action No. 01-0401				Seq. No. 6
Attorney:	Leslie E. Bloomenthal Bloomenthal & Associates, P.C. 50 Congress Street, Suite 710 Boston, MA 02109-4002				617-523-5000
Equipment:	Stanley Dura-Glide™ sliding door with BEA, Inc., motion sensors and Stan-Guard™ presence sensor.				
Description:	Woman in 30's struck by sliding door as she was entering building.				
Deposition:		Trial:		Outcome:	

Case:	Julia Cain <i>vs.</i> Revco Discount Drug Centers, <i>et al.</i> Court of Common Pleas, Summit County, OH; Case No. CV2002-08-4542				Seq. No. 7
Attorney:	Frank G. Forchione 500 Courtyard Centre 116 Cleveland Avenue, NW Canton, OH 44702-1729				330-453-7676
Equipment:	Stanley bi-folding door actuated by microwave motion sensors and IR presence sensor.				
Description:	Woman struck repeatedly by bi-folding door as she was entering store on August 27, 2000.				
Deposition:	9/17/04	Trial:		Outcome:	

Case:	Helen Pritchard <i>v.</i> Target Stores, Inc., Stanley Works, Inc., and Stanley Security Solutions, Inc.; In the Circuit Court of the City of Chesapeake, Virginia; Case No. CL05001594-00				Seq. No. 8
Attorney:	David A. Hearne Outland, Gray, O'Keefe & Hubbard 112 Coastal Way Chesapeake, VA 23320-4604				757-547-0171
Equipment:	Stanley swinging door with Stan-Ray™ X-band motion sensor and BEA, Inc., Bodyguard™ and LO-21.				
Description:	Elderly woman struck by swinging door while entering Target store.				
Deposition:		Trial:		Outcome:	

Stanley cases – Active

Case:	Jenen Klunck <i>vs.</i> K-mart				Seq. No. 9
Attorney:	Edward R. Blumberg Deutsch & Blumberg, P.A. 100 North Biscayne Boulevard, Suite 2802 Miami, FL 33132-2393				305-358-6329
Equipment:	Stanley sliding door.				
Description:	Woman stuck and injured by “back” edge of sliding door as it opened.				
Deposition:		Trial:		Outcome:	

Case:	Kikuko Zutrau Miyazaki <i>v.</i> The Stanley Works and CVS Corporation Middlesex County Massachusetts, Middlesex Superior Court, C.A. No.: 06-1903				Seq. No. 10
Attorney:	David P. Angueira Swartz & Swartz 10 Marshall Street Boston, MA 02108-2490				617-742-1900
Equipment:	Stanley bi-folding door with BEA, Inc., VG-037/87 microwave motion sensors, Stanley Stan-Guard™ presence sensor and Optex Technologies, Inc., Pro-Swing™ (OA-603) presence sensor.				
Description:	Woman struck and injured by closing door.				
Deposition:	3/28/08	Trial:	10/7/08	Outcome:	

Case:	Mable Jo Grost <i>v.</i> Stanley Access Technologies, L.L.C., and Safeway, Inc., d/b/a Tom Thumb Food & Pharmacy				Seq. No. 11
Attorney:	James D. Loftis Loftis & Associates, P.A. 225 North Peters, Suite 1 Norman, OK 73069-7232				405-366-1400
Equipment:	Stanley Dura-Glide™ 2000 bi-parting slider with hold open beams and BEA, Inc., Wizard™ sensors.				
Description:	80 year old woman struck while entering Safeway, Inc., store.				
Deposition:		Trial:		Outcome:	

Case:	Ronald Turtora <i>v.</i> Stanley Access Technologies, <i>et al.</i> ; Superior Court of New Jersey Law Division, Monmouth County, Docket No. MON-L-2819-05				Seq. No. 12
Attorney:	Thomas F. Shebell, III Shebell & Shebell, L.L.C. West Shore Plaza 1398 Highway 35 South Ocean, NJ 07712-3522				732-663-1122
Equipment:	Key operated Stanley bi-parting sliding door utilizing Stanley Stan-Guard™ presence sensor and a Detection Systems/Bosch DS150i passive far infrared (thermal) request-to-exit sensor. No other sensors.				
Description:	Door closed on, and injured, Plaintiff while standing on threshold.				
Deposition:		Trial:		Outcome:	

Stanley cases – Active

Case:	Joseph Ford <i>v.</i> K-Mart & The Stanley Works; U.S. District Court; District of New Jersey; Civil Action No. 1:06-CV-2251 (RBK)				Seq. No. 13
Attorney:	David K. Long David K. Long & Associates 1555 Zion Road, Suite 100 Northfield, NJ 08225-1860				609-645-8585
Equipment:	Stanley Magic Swing™ door with Sentrex™ sensors.				
Description:	Man struck by leading edge of the subject door as he was about to clear the door closing path.				
Deposition:		Trial:		Outcome:	

Case:	Dorothy Hopper <i>v.</i> K-Mart Corp., Stoner Electric, Inc., Halma Holdings, Inc., The Stanley Works, and BEA, Inc.; Circuit Court, Multnomah County, Oregon; Case No. 0608-08345				Seq. No. 14
Attorney:	Joshua Shulman Law Office of Joshua Shulman, LLC 520 SW Sixth Avenue, Suite 920 Portland, OR 97204-1513				503-224-2424
Equipment:	Stanley dual panel swinging door originally actuated by control mats.				
Description:	87 year old woman struck by door while entering K-Mart.				
Deposition:		Trial:		Outcome:	

Case:	Mona Asbed <i>vs.</i> St. John's Mercy Medical Center; Circuit Court of St. Louis County, MO Cause No. 07CC-002506; Division 8				Seq. No. 15
Attorney:	Thomas P. Germeroth Kolker and Germeroth, L.L.C. 7730 Carondelet Avenue, Suite 310 St. Louis, MO 63105-3328				314-727-4529
Equipment:	Stanley Dura-Glide™ 5300 telescoping door with SU-50 and Stan-Ray™ (X-band) motion sensors and Stan-Guard™ presence sensor.				
Description:	Closed on woman, knocking her down.				
Deposition:	3/30/11	Trial:		Outcome:	

Case:	Carol A. McCowan as Personal Representative of the Estate of Mary C. Walker, Deceased, and Carol A. McCowan and James T. Walker, Individually as Statutory Wrongful Death Beneficiaries of Mary C. Walker, Deceased, <i>v.</i> Albertson's, Inc., Continental Automatic Doors of El Paso, Inc., and Stanley Access Technologies, Inc.; In County Court Number Three; El Paso, Texas; Cause No. 2007-3423				Seq. No. 16
Attorney:	Leon Schydlower Attorney at Law 303 Texas Avenue, 9th Floor El Paso, TX 79901-1456				915-532-0900
Equipment:	Stanley Dura-Glide™ 3000 door.				
Description:	Elderly woman stuck by sliding door and consequently died.				
Deposition:		Trial:		Outcome:	

Stanley cases – Active

Case:	Gertrude V. Hill <i>v.</i> The Stanley Works; In the Circuit Court for Davidson County, Tennessee at Nashville; Case No. 3 08 0284				Seq. No. 17
Attorney:	Rocky McElhaney Rocky McElhaney Law Firm 1311 Sixth Avenue North Nashville, TN 37208-2603				615-425-2500
Equipment:	Stanley Double Diamond™ sliding door with hold open beams.				
Description:	Woman in late 80's using walker struck by sliding door while exiting from Home Depot store.				
Deposition:	11/20/08	Trial:		Outcome:	

Case:	Leila Haines <i>vs.</i> Carriage House Motor Inn, Ltd., John Does 1-6, and ABC Corporations 1-6 In the Court of Queen's Bench of Alberta, Judicial District of Calgary, Canada Action No.: 0701-08846				Seq. No. 18
Attorney:	Paul Newcombe Newcombe Law Office 303, 6707 - Elbow Drive, S.W. Calgary, Alberta Canada T2V 0E5				403-253-2100
Equipment:	Stanley Dura-Glide™ 3000, dual hold open beams, Stanley SU-050 microwave motion sensors, and Stan-Guard™ presence sensor.				
Description:	Woman using cane struck while entering through inner door of vestibule.				
Deposition:		Trial:		Outcome:	

Case:	Kathleen A. Maerten <i>vs.</i> Rite Aid Corporation Superior Court of New Jersey, Law Division; Burlington County; Docket No. BUR-L-882-07				Seq. No. 19
Attorney:	Uri H. Taenzer Taenzer, Ettenson, Stockton & Aberant, P.C. 123 North Church Street Moorestown, NJ 08057-2424				856-235-1234
Equipment:	Stanley sliding door.				
Description:	Door closed on woman as she was entering through the inner door of a vestibule.				
Deposition:		Trial:		Outcome:	

Case:	Tommie Lou Baxter <i>v.</i> SJS Management d/b/a Holiday Inn Express, <i>et al.</i> In the Circuit Court of Saline County Arkansas, Third Division; Cause No. CV-08-1198-3				Seq. No. 20
Attorney:	J. Brandt Thorson Mayfield Weedon, L.L.P. 208 North Green Street, Suite 200 Longview, TX 75601-7321				903-757-9600
Equipment:	Stanley bi-parting sliding door.				
Description:	Woman struck by subject door and seriously injured while entering building.				
Deposition:		Trial:		Outcome:	

Stanley cases – Active

Case:	Frederick L. Kozlowski and Farrah Mahan <i>v.</i> Rite Aid of Pennsylvania, Inc.; Court of Common Pleas, Philadelphia County, Pennsylvania; November Term, 2009; No. 2216				Seq. No. 21
Attorney:	Anthony J. Giosa Giosa & Hetznecker, P.C. 1900 Spruce Street Philadelphia, PA 19103-6697				215-735-6464
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.				
Description:	Man struck and injured by door while exiting.				
Deposition:		Trial:		Outcome:	

Case:	David A. Geissinger <i>v.</i> Lowe's Home Centers, Inc., <i>et al.</i> Case No. 10-47027-NO				Seq. No. 22
Attorney:	Eric C. Grimm Williams, Hughes & Cook, PLLC 120 West Apple Avenue P. O. Box 599 Muskegon, MI 49443-0599				231-726-4857
Equipment:	Stanley Double-Diamond™ sliding door.				
Description:	Door closed on plywood on carrying rack, injuring Plaintiff.				
Deposition:		Trial:		Outcome:	

Case:	Estate of Frank Palo, deceased, by Rose Palo, <i>vs.</i> Home Depot, Stanley Access Technologies; Stanley Inc.; Stanley Works, Inc.; ABC Corps #1-10, John Does #1-10, and Jane Does #1-10; U.S. District Court, District of New Jersey; Civil Action No. 3:09-cv-6175				Seq. No. 23
Attorney:	Peter J. DeFrank Gill & Chamas, L.L.C. P. O. Box 760 Woodbridge, NJ 07095-0760				732-510-2311
Equipment:	Stanley Dura-Glide™ 3000 bi-parting slider with Optex OA-203C presence sensors, SU-100 motion sensors and dual hold open beams.				
Description:	Man using cane struck and knocked down by door while entering Home Depot and died as a consequence.				
Deposition:		Trial:		Outcome:	

Case:	Kay L. Winningham and Mike Winningham <i>vs.</i> United States of America, Murray Womble, Inc., Door Controls, Inc., and Stanley Access Technologies, L.L.C U.S. District Court for the Eastern District of Oklahoma; Case No. CIV 11-135-JHP				Seq. No. 24
Attorney:	James T. Branam Dennis & Branam 115 West Main Street Antlers, OK 74523-2029				580-298-5082
Equipment:	Stanley SB600 bi-folding door with VG-037/87/C motion sensor(s) and Optex ProSwing™ presence sensor.				
Description:	Door opened into woman, knocking her down and causing her injuries.				
Deposition:	11/16/12	Trial:		Outcome:	

Stanley cases – Active

Case:	Joyce Griego <i>vs.</i> ABQ South LLC, Automatic Door Distributors, Inc.; ISBS, LLC; and Stanley Access Technologies, LLC, a division of The Stanley Works; 2 nd Judicial District Court, Bernalillo County, NM; Case No.: CV-2010-05294			Seq. No. 25
Attorney:	Alexander A. Wold Alexander Wold & Associates, P.C. 302 Silver Avenue, S.E. Albuquerque, NM 87102-3546			505-242-3444
Equipment:	Stanley Dura-Glide™ 2000 single panel sliding door. ID = A379973			
Description:	Woman injured when door panel allegedly fell off track.			
Deposition:	12/5/11	Trial:		Outcome:

Case:	Linda Howe <i>v.</i> Stanley Access Technologies, LLC, <i>et al.</i> Court of Common Pleas, Luzerne County, PA, Case No. 872 of 2012			Seq. No. 26
Attorney:	Stephen A. Seach The Seach Law Offices 30 North Old Turnpike Road, Suite B Drums, PA 18222-1915			570-359-3283
Equipment:	Stanley bi-parting Dura-Glide™ 2000 sliding door.			
Description:	Woman employee of The Home Depot stuck and injured by door as she was leaving the building.			
Deposition:		Trial:		Outcome:

Case:	Irene E. Stephens <i>v.</i> The Stanley Works, Inc., n/k/a Stanley Black & Decker, Inc.; In the Circuit Court for the 19 th Judicial Circuit in and for Indian River County, Florida; Case No. 312010CA074454			Seq. No. 27
Attorney:	Louis B. Vocelle Vocelle & Berg, LLP 3333 20th Street Vero Beach, FL 32960-2469			772-562-8111
Equipment:	Stanley Dura-Glide™ automatic sliding door.			
Description:	78 year old woman using a walker injured when door closed on her as she attempted to enter the building.			
Deposition:		Trial:		Outcome:

Stanley cases – Active

Case:	Wendy O'Neill v. Strand Development Company, LLC, Stanley Access Technologies, LLC, and BEA, Inc.; In the Court of Common Pleas, Fifteenth Judicial Circuit; State of South Carolina, County of Horry; Case No.: 2012-CP-26-09402			Seq. No. 28
Attorney:	Daniel A. Hunnicutt Law Office of Daniel Hunnicutt P. O. Box 1735 Conway, SC 29528-1735			843-488-2424
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door with dual BEA, Inc., Wizard™ II sensors and Stanley Stanguard™ presence sensor. Unknown if Stanguard™ operational.			
Description:	Woman barefoot. Inner door of vestibule hit ankle and tore right Achilles tendon.			
Deposition:	6/19/14 7/23/14	Trial:		Outcome:

Case:	Estate of Betty Tracey, Deceased, v. Walgreen, et al.			Seq. No. 29
Attorney:	Michael J. Ebin Michael J. Ebin, Esquire 2461 1st Avenue North St. Petersburg, FL 33713-8820			727-321-4443
Equipment:	Stanley Dura-Glide™ 2000 single panel sliding door with BEA, Inc., Eagle™ motion sensors.			
Description:	86 year old woman pushing shopping cart knocked down and injured by door as she entered building.			
Deposition:		Trial:		Outcome:

Case:	Mary M. Iacono vs. Omni Hotels Management Corporation et al.; In the 215th Judicial District Court of Harris County, Texas; Case No.: 2013-29901			Seq. No. 30
Attorney:	Hugh J. Howerton Law Office of Hugh J. Howerton 13030 Rummel Creek Houston, TX 77079-3729			713-984-9848
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door apparently lacking hold open beams.			
Description:	Elderly woman using walker struck by door and injured.			
Deposition:		Trial:		Outcome:

Case:	Ellen Halloran v. CVS Pharmacy, Inc.; Supreme Court of the State of New York; Index No. 153578/2014			Seq. No. 31
Attorney:	Robert M. Salzman Salzman & Salzman 26 Court Street, Suite 2207 Brooklyn, NY 11242-1122			718-624-2395
Equipment:	Stanley Dura-Glide™ 5300 bi-parting telescoping sliding door actuated by Stanley SU-100 microwave motion sensors and a Stanley Stanguard™ presence sensor. No hold open beams.			
Description:	Woman with MS using 2 canes moving very slowly. Door closed on her hands causing her to fall and be seriously injured as she tried to exit from the CVS store.			
Deposition:		Trial:		Outcome:

Stanley cases – Active

Case:	Yvonne Schwartz <i>et al.</i> v. WalMart Canada and Stanley Black & Decker Canada Corporation c.o.b. Stanley Access Technologies and Active Automated Doors, Ltd.; Superior Court of Justice, Ontario, Canada; Court File No. 13-58786				Seq. No. 32
Attorney:	Kevin Butler Diamond & Diamond 1081 Carling Avenue, Suite 704 Ottawa, ON K1Y 4G2 Canada				416-256-1600
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with BEA, Inc., Eagle™ motion sensors, a Stanguard™ presence sensor and a single hold open beam.				
Description:	47 year old woman struck and injured by door while entering WalMart.				
Deposition:		Trial:		Outcome:	

Case:	Louanne Kay <i>vs.</i> City of Largo; Circuit Court of the Sixth Judicial Circuit, Pinellas County, Florida; Case No. 16-02279-CI-19				Seq. No. 33
Attorney:	Jeffrey K. Chambers Chambers Law Group, P.A. 520 Fourth Street North, Ste. 101 St. Petersburg, FL 33701-2389				727-896-2167
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.				
Description:	Woman struck by sliding door resulting in fractured hip.				
Deposition:		Trial:		Outcome:	

Case:	Priscilla Simpson and John Simpson <i>v.</i> Road to Hana, Inc., d/b/a Healthy Living, Stanley Access Technologies, LLC and The Royea Group, LLC, d/b/a Access Door Automation; State of Vermont; Superior Court, Civil Division, Chittenden Unit; Docket No. 385-4-15 Cncv.				Seq. No. 34
Attorney:	Robert J. Kaplan Kaplan and Kaplan 95 Saint Paul Street, Suite 405 Burlington, VT 05401-4486				802-651-0013
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with BEA, Inc., Eagle™ motion sensors OEM'd to Stanley, Stanguard™ presence sensor and dual hold open beams.				
Description:	74 year old woman using a cane knocked down and injured by door when it closed upon her as she was exiting through the exterior door.				
Deposition:	2/1/17	Trial:		Outcome:	

Stanley cases – Active

Case:	Diane B. Rose, as Representative of Estate of Blanche R. Johnson <i>v.</i> Cape Ann Savings Bank and Stanley Access Technologies, LLC; Superior Court, Essex County, Massachusetts; Civil Action No. 1577CV01637				Seq. No. 35
Attorney:	Neil Rossman Rossman & Rossman 8 Essex Center Drive, Suite 6 Peabody, MA 1960-2911				978-717-5701
Equipment:	Stanley low energy dual panel swinging door.				
Description:	90 year old woman attempting to re-enter through interior door struck and subsequently died from being struck by door.				
Deposition:		Trial:		Outcome:	Settled with CASB for \$110,000 on or about 10/8/17.

Case:	Mary Jean Carrico Thompson <i>vs.</i> Lexington II MOB Owners, LLC, <i>et al.</i> and Mary Wolfe <i>vs.</i> Lexington II MOB Owners, LLC, <i>et al.</i> ; Commonwealth of Kentucky, Fayette Circuit Court, 9th Division; Civil Action No. 16-CI-0260 and Civil Action No. 15-CI-04018				Seq. No. 36
Attorney:	Robert M. Brooks Boehl Stopher & Graves, LLP 400 West Market Street, Suite 2300 Louisville, KY 40202-3366				502-589-5980
Equipment:	Stanley Dura-Glide™ 3000 single panel slider with Stan-Ray™ X-band microwave motion sensors, Stanguard™ presence sensor, and single hold open beam.				
Description:	Thompson using walker struck and knocked down while attempting to exit through exterior door of vestibule.				
Deposition:	4/24/17	Trial:		Outcome:	

Case:	Patricia Cahill <i>vs.</i> LM Fruit & Produce, Inc.				Seq. No. 37
Attorney:	Stephen M. O'Shea Martin, Magnuson, McCarthy & Kenny 101 Merrimac Street, Suite 700 Boston, MA 02114-4776				617-227-3240
Equipment:	Stanley single panel Dura-Glide™ 2000 sliding door with Stanley Stanguard™ presence sensor and SU-100 motion sensors. May have dual hold open beams.				
Description:	85 year old woman pushing shopping cart struck, knocked down and injured having approached the subject door from a steep angle.				
Deposition:		Trial:		Outcome:	

Stanley cases – Active

Case:	Glenda Berg <i>vs.</i> Bed Bath & Beyond, Inc.; Stanley Black & Decker, Inc., and Stanley Access Technologies, LLC.; United States District Court, District of Hawaii; Civil Case No.: 1:15-cv-00361 HG-KSC				Seq. No. 38
Attorney:	David G. Geffen David Geffen Law Firm 1717 4th Street, 3rd Floor Santa Monica, CA 90401-3319				310-434-1111
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stanguard™ presence sensor and BEA, Inc., VG-087C (Stanley SU-050) motion sensors. No hold open beams at the time of the incident.				
Description:	Woman using crutches struck and injured while exiting through the subject door.				
Deposition:	5/10/17	Trial:		Outcome:	

Case:	Michelle Kerban <i>vs.</i> Kohl's Department Stores, Inc., and D.H. Pace Company, Inc., Jointly and Severally; U.S. District Court, Western District of Michigan, Northern Division; Case No. 2-16-cv-168-GJQ-TPG				Seq. No. 39
Attorney:	Phillip B. Toutant Numinen, DeForge & Mathieu, P.C. 105 Meeske Avenue Marquette, MI 49855-3101				906-226-2580
Equipment:	Stanley low-energy button-operated swinging door.				
Description:	Elderly woman struck from behind by door, knocked down and sustained intracranial bleed, but survived.				
Deposition:		Trial:		Outcome:	

Case:	Roberta Kay Kompoltowicz, Personal Representative of Estate of Lucille L. Eaton <i>v.</i> Marshalls of MA, Inc., and Stanley Access Technologies, LLC; In The Circuit Court for the Twelfth Judicial Circuit in and for Sarasota County, Florida; Case No.: 2015-CA-001966 NC				Seq. No. 40
Attorney:	Kari A. Metzger Metzger Law Group, P.A. 3018 W. Horatio Street Tampa, FL 33609-4122				813-288-2650
Equipment:	Stanley bi-parting Dura-Glide™ 3000 with SU-100 motion sensors, Stanley Stanguard™ presence sensor, and dual hold open beams.				
Description:	Wrongful death case. Woman using cane entering through exterior door.				
Deposition:	11/2/17	Trial:	4/30/18 Daubert	Outcome:	

Stanley cases – Active

Case:	Gary L. Greene <i>vs.</i> Wal-Mart Stores, Inc., Stanley Black & Decker, Inc., Stanley Access Technologies, LLC; Wal-Mart Stores, Inc., Counter-Plaintiff <i>vs.</i> D. H. Pace Company, Inc., Counter-Defendant; U.S. District Court , Southern District of Iowa, Central Division; Case No.: 4:17-cv-00121.			Seq. No. 41
Attorney:	Thomas P. Frerichs Frerichs Law Office, P.C. 106 East 4th Street P. O. Box 328 Waterloo, IA 50704-0328			319-236-7204
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stanley StanVision™ sensors.			
Description:	Man struck by sliding exterior door as he attempted to exit from the store.			
Deposition:		Trial:		Outcome:

Case:	Shirley Dein <i>v.</i> The TJX Companies, Inc.; Palm Beach County Court; 15th Judicial Circuit, Florida; Case No. 50-2016CA014267			Seq. No. 42
Attorney:	Gregory T. Anderson Anderson, Mayfield, Hagan & Thron, P.A. 1800 S. Australian Avenue, Suite 350 West Palm Beach, FL 33409-6457			561-688-0098
Equipment:	Stanley single panel Dura-Glide™ sliding door.			
Description:	Approx. 80 year old woman using walker struck and injured while attempting to exit through exterior vestibule door.			
Deposition:		Trial:		Outcome:

Case:	Ronald Robbins and Mary Sue Robbins <i>v.</i> Mercy Hospital Oklahoma City, Inc., and Mercy Clinic Oklahoma Communities, Inc., District Court of Oklahoma County, Oklahoma; Case No.: CJ-2017-6777			Seq. No. 43
Attorney:	Kent R. McGuire McGuire Law Firm 3847 South Boulevard, Suite 200 Edmond, OK 73013-5497			405-513-5658
Equipment:	Stanley bi-parting Dura-Glide™ 2000 sliding door.			
Description:	Man in 80's using a cane struck by door while exiting through exterior door..			
Deposition:		Trial:		Outcome:

Stanley cases – Active

Case:	Estate of Evelyn M. Derginer/Betty J. Gillitzer, Personal Representative, and Betty J. Gillitzer, individually			Seq. No. 44
Attorney:	Scott B. Taylor Urban & Taylor 4701 N. Port Washington Road, Floor 4 Milwaukee, WI 53212-1050			414-906-1700
Equipment:	Stanley Dura-Glide™ 3000 bi-parting door.			
Description:	96 year old woman entering exterior door of vestibule. Knocked down, broke hip and died 5 days later. Not using or requiring a walking aid. Wrongful death case.			
Deposition:		Trial:		Outcome:

Stanley cases – Inactive

Case:	Gloria Jones <i>v.</i> Thrifty Corporation, Stanley Magic Door, Inc., and Does 2 through 20, inclusive.				Seq. No. 45
Attorney:	Eric Bryan Seuthe LAW OFFICE of SEUTHE and MATUSEK 509 South Beverly Drive Beverly Hills, CA 90212-4514				310-277-8020 x1
Equipment:	Stanley Dura-Glide™ 3000 with a single hold open beam and Stan-Ray™ microwave motion sensors.				
Description:	Woman in 60's trapped in the closing door sustained injuries as she attempted to extricate herself.				
Deposition:		Trial:		Outcome:	Case settled. Amount of settlement undisclosed.

Case:	Patsy Turoso, <i>et al.</i> <i>vs.</i> Stanley Magic Door and Handy Andy Home Improvement, Cuyahoga County Ohio, Court of Common Pleas, Case No. 233865.				Seq. No. 46
Attorney:	Edward S. Molnar 920 Terminal Tower Cleveland, OH 44113				216-241-0300
Equipment:	Stanley Dura-Glide™ 2000 with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensors.				
Description:	84 year old man struck by premature closing of sliding door.				
Deposition:	1/26/94	Trial:		Outcome:	Settled approx. 10/1/94 for \$50,000 to plaintiff.

Case:	Estate of Seymour Wenner <i>v.</i> Georgetown University Hospital, Georgetown University, Stanley Magic-Door, Inc., and The Stanley Works.				Seq. No. 47
Attorney:	Kenneth M. Trombly, P.C. 1825 K Street, N.W., Suite 901 Washington, DC 20006				202-887-5000
Equipment:	Double set of Stanley swinging doors equipped with Stan-Ray™ microwave motion sensors and Sentrex™ infrared sensors.				
Description:	80 year old man using walker struck on swing side of door when door triggered to open by another pedestrian				
Deposition:		Trial:		Outcome:	Settled on, or about, 11/1/94 for a confidential amount.

Case:	Hooker, Beverly <i>i/a/a/g</i> of Brian Hooker, a minor <i>v.</i> Food Lion, Inc. and Stanley Magic Door, Inc.				Seq. No. 48
Attorney:	William L. Bromagen BLACKWELL & WALKER 2400 SunBank International Center One Southeast Third Avenue Miami, FL 33131-1774				305-995-5586
Equipment:	Stanley bi-parting sliding door with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensor.				
Description:	6 year old child fell in doorway and was struck by closing door.				
Deposition:	8/8/94	Trial:		Outcome:	Defense settled 9/22/94 for \$35,000 to plaintiff.

Stanley cases – Inactive

Case:	Robert Connolly <i>v.</i> CAMC				Seq. No. 49
Attorney:	Greg R. Lord 910 Quarrier Street, Suite 312 P.O. Box 3601 Charleston, WV 25336				800-416-9013 304-345-3232
Equipment:	Stanley bi-parting sliding door with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensor				
Description:	Man in early 50's struck on head and shoulder by prematurely closing door				
Deposition:		Trial:		Outcome:	Case settled in favor of plaintiff. Amount undisclosed.

Case:	Payless Drug Stores <i>v.</i> the Stanley Works				Seq. No. 50
Attorney:	Thomas F. Smock JONES, JONES, CLOSE and BROWN 300 South Fourth Street, Suite 700 Las Vegas, NV 89101-6026				702-385-4202
Equipment:	Stanley Dura-Glide™ 2000 with Stan-Ray™ motion sensor and Stan-Guard™ presence sensor.				
Description:	Elderly woman broke hip when struck by closing door.				
Deposition:		Trial:		Outcome:	Case brought by Effie May Hunt settled by defendants Payless and Stanley for \$90,000 with agreement to subsequent arbitration of apportionment between them. Trial occurred before plaintiff's expert Warren Davis was retained. Participated in arbitration 3/28/95. Arbitrator let stand the 50-50 apportionment of the \$90,000 settlement between Payless and Stanley.

Case:	Trudy Balizer & Joel Balizer <i>v.</i> Staples, Inc., The Stanley Works, Stanley Magic Door, Inc., and Islandia Development, Co.				Seq. No. 51
Attorney:	Stephen Kunken 6165 Jericho Turnpike Commack, NY 11725-2835				516-462-5950
Equipment:	Stanley swinging door with Sentrex™ and Stan-Ray™ sensors.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Settled in favor of plaintiff. Amount undisclosed.

Stanley cases – Inactive

Case:	Elizabeth Gay <i>vs.</i> Malone & Hyde, Inc., d/b/a Super 1 Foods and Stanley Magic Door, Inc.; Commonwealth of Kentucky, 25th Judicial Circuit; Madison Circuit Court, Division II; No. 92-CI-00432				Seq. No. 52
Attorney:	Richard W. Hay 203 West Columbia Street P. O. Box 1124 Somerset, KY 42502				606-679-2214
Equipment:	Stanley bi-parting sliding door with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensor.				
Description:	Elderly woman struck by prematurely closing door.				
Deposition:	5/12/93	Trial:	6/22/93	Outcome:	Jury awarded \$40,000 to plaintiff.

Case:					Seq. No. 53
Attorney:	J. Michael Koch J. MICHAEL KOCH & ASSOCIATES 9201 Silverdale Way, N.W. P. O. Box 368 Silverdale, WA 98383				206-692-5551
Equipment:	Stanley bi-parting sliding door with one Stan-Ray™ microwave motion sensor and a hold open beam (IR photobeam) sensor.				
Description:	Door closed prematurely on plaintiff.				
Deposition:		Trial:	Tried about 6/28/93	Outcome:	Defendant prevailed. I was retained only for a few hours consulting by telephone.

Case:	Kull <i>v.</i> Stanley Magic Door, Inc. and San Joaquin Hospital				Seq. No. 54
Attorney:	James E. Noriega ETCHEVERRY, RODRIQUEZ & NORIEGA Commonwealth Plaza 3300 Truxtun Avenue, Suite 350 Bakersfield, CA 93301				805-322-7900
Equipment:	Stanley bi-parting sliding door with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensor.				
Description:	Elderly woman using walker struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Case settled 6/2/93 for \$385,000 to plaintiff.

Stanley cases – Inactive

Case:	Ball <i>v.</i> Stanley Works, <i>et al.</i> , Civil Action No. 94-9069				Seq. No. 55
Attorney:	Keith A. Pittman BUTLER, WOOTEN, OVERBY, CHEELEY, PEARSON & FRYHOFFER P. O. Box 95068 2719 Buford Highway Atlanta, GA 30347				404-321-1700
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stan-Ray™ microwave motion sensors and Stan-Guard™ infrared presence sensor.				
Description:	84 year old woman struck by prematurely closing door at St. Joseph Hospital in Atlanta, GA and broke left femur.				
Deposition:		Trial:		Outcome:	Case settled for an amount that was ordered confidential. However, it is known that the amount is in the \$60,000 to \$70,000 range.

Case:	Lindsey Kiefer <i>v.</i> Wegman's Food Market and Stanley Access Technologies, Centre County, Pennsylvania; CCP No. 2007-5154				Seq. No. 56
Attorney:	James R. Rosato, Jr. Rosato Law Offices 133 East Lancaster Avenue Downingtown, PA 19335-2917				610-873-1819
Equipment:	Stanley dual panel Magic-Swing™ swinging door.				
Description:	Door failed to open properly for man entering store.				
Deposition:		Trial:		Outcome:	Resolved on, or about, 5/28/10 for an undisclosed amount.

Case:	Pamela P. Labbe and Brian R. Labbe <i>v.</i> Shaw's Supermarkets, Inc.				Seq. No. 57
Attorney:	David M. Sanders Two Pine Avenue P.O. Box 271 Livermore Falls, ME 04254-0271				207-897-5775
Equipment:	Stanley swinging door actuated by Larco control mats.				
Description:	Woman in early 30's struck while standing on swing side mat.				
Deposition:	8/6/96	Trial:		Outcome:	Case settled in 3/97 in favor of plaintiff for an undisclosed amount.

Stanley cases – Inactive

Case:	Angela Koonce <i>v.</i> Stanley Magic Doors				Seq. No. 58
Attorney:	David L. Norvell THE NORVELL LAW FIRM 1401 Central Ave., NW, Suite B P.O. Box 1426 Albuquerque, NM 87103-1426				505-242-1600
Equipment:	Stanley swinging door using control mats.				
Description:	Woman struck while standing on swing side mat.				
Deposition:	5/8/95	Trial:		Outcome:	Case settled in favor of plaintiff for an undisclosed amount.

Case:	Mary Francis Grimes <i>v.</i> Randalls Foor & Drug, Inc. and Stanley Magic-Door				Seq. No. 59
Attorney:	George W. Wilhite GEORGE W. WILHITE & ASSOCIATES, INC. 17101 Kuykendahl Road, Suite A Houston, TX 77068-1629				713-537-2171
Equipment:	Stanley bi-parting sliding door.				
Description:	Woman struck repeatedly by prematurely closing door.				
Deposition:	9/22/95	Trial:		Outcome:	Case settled in favor of plaintiff for an undisclosed amount.

Case:	Sally Becker <i>v.</i> The Kroger Co., Stanley Access Technologies and Stanley Magic Door, Inc. U.S. District Court; Southern District of Indiana, Indianapolis Division; Cause No. IP94-624-C				Seq. No. 60
Attorney:	Thomas J. Young YOUNG & RILEY 277 East 12th Street Indianapolis, IN 46202				317-639-2000 317-639-2889
Equipment:	Stanley Dura-Glide™ sliding door with Stan-Ray™ motion and Stan-Guard™ presence sensors.				
Description:	Woman in 80's struck by prematurely closing door leading to extensive injuries.				
Deposition:		Trial:		Outcome:	Defense settled 4/3/95 for \$25,000 to plaintiff.

Case:	Catherine Hayes <i>v.</i> the Mount Auburn Hospital, Stanley Magic Door, Inc., The Stanley Works and Stanley Magic Door Division of The Stanley Works, Civil Action No. 89-3122, Middlesex Superior Court, Commonwealth of Massachusetts				Seq. No. 61
Attorney:	Edson H. Rafferty RAFFERTY, POLICH & SHAW 545 Concord Avenue, Suite 10 Cambridge, MA 02138-1122				617-864-1600
Equipment:	Stanley automatic sliding door with Stan-Ray™ motion and Stan-Guard™ presence sensors.				
Description:	Eighty year old woman shattered hip when struck by sliding door.				
Deposition:		Trial:		Outcome:	Defense settled for \$200,000 to plaintiff.

Stanley cases – Inactive

Case:	Alice King <i>v.</i> Stanley Magic Door, Inc. and City of Cedar Rapids, Iowa				Seq. No. 62
Attorney:	Robert S. Hatala CRAWFORD, SULLIVAN, READ, ROEMERMAN & BRADY, P.C. IES Tower 200 First Street, S.E., Suite #1910 Cedar Rapids, IA 52401-1454				319-364-0171
Equipment:	Stanley Dura-Glide™ 3000 sliding door with Stanley Stan-Guard™ IR presence sensor and Stanley Stan-Ray™ microwave motion sensors.				
Description:	Ninety year old woman struck by prematurely closing door, broke hip and died of complications.				
Deposition:		Trial:		Outcome:	Case settled in 3/97 for a confidential amount.

Case:	Margaret Ramsay <i>v.</i> Dollar General Corporation; U.S. District Court, Eastern Division of Michigan, Southern Division; USDC Case No. 2:09-cv-12103				Seq. No. 63
Attorney:	Brian A. Kutinsky Mindell, Malin & Kutinsky 25505 West Twelve Mile Road, Suite 1000 Southfield, MI 48034-1811				248-353-5595
Equipment:	Stanley single panel swing door with Sentrex™ sensors and Stanley Stan-Ray™ X-band motion sensor				
Description:	Door closed on elderly woman as she attempted to exit through subject door.				
Deposition:	2/2/10	Trial:		Outcome:	Settled on, or about, 3/19/10 for an undisclosed amount.

Case:	William S. Curry <i>v.</i> Eddie Storer, Airport Manager; Natrona County International Airport; Natrona County International Airport Board; Builders Service Bureau, Incorporated; Stanley Magic-door, Inc., a Division of Stanley Works; and BEA, Inc.				Seq. No. 64
Attorney:	Donald E. Chapin, Charles S. Chapin CROWELL and CHAPIN, P.C. First Interstate Bank Bldg., Suite 600 104 South Wolcott Casper, WY 82601				307-234-7321
Equipment:	Stanley Dura-Glide™ 2000 with Stan-Guard™ infrared presence sensor and BEA, Inc. VG017-A microwave motion sensors.				
Description:	Elderly man using walker struck by premature closing of sliding door.				
Deposition:	12/1-2/93 1/13/94	Trial:	#1: 3/3-4/94 #2: 1/20/95	Outcome:	First trial ended in hung jury. Second trial jury concluded the door had not struck the plaintiff and therefore found for the defense.

Stanley cases – Inactive

Case:	Sylvia Hanawitt <i>v.</i> Publix Supermarkets, Inc., and Stanley Access Technologies, Inc.				Seq. No. 65
Attorney:	Kenneth Segal HOFFMAN and SEGAL, P.A. 9070 Kimberly Boulevard, Suite 57 Boca Raton, FL 33434-2861				407-482-2000
Equipment:	Stanley Dura-Glide™ bi-parting sliding door with Stan-Guard™ and (presumably) Stan-Ray™ motion sensors.				
Description:	Elderly woman struck by door as she exited a Publix supermarket. Fractured hip and then had a (non-fatal) heart attack				
Deposition:		Trial:		Outcome:	Case settled in favor of plaintiff for approximately \$45,000.

Case:	Washburn <i>v.</i> Hillcrest Medical Center and Stanley Magic Door.				Seq. No. 66
Attorney:	Terry Todd BARKLEY & RODOLF 401 South Boston Avenue, Suite 2700 Tulsa, OK 74103-4063				918-599-9991
Equipment:	Stanley Dura-Glide™ 2000 with Stan-Ray™ and Stan-Guard™ sensors.				
Description:	Elderly woman using walker. Outside-in door struck walker as woman attempted to enter the building. Knocked down and to the left, never having entered the building. Door repeatedly struck walker after fall until door disabled. Defective Stan-Guard™ replaced immediately after accident.				
Deposition:		Trial:		Outcome:	Defense settled on April 22, 1996. Amount believed to be between \$62,000 and \$63,000 plus medical expenses.

Case:	Rose Tessier <i>v.</i> Martins Foods of South Burlington, Inc. Franklin Superior Court docket No. S163-95-Fc				Seq. No. 67
Attorney:	David M. Yarnell KISSANE, YARNELL, CRONIN, BUGBEE & COUNOS Two North Main Street St. Albans, VT 05478-1668				802-524-9546
Equipment:	Stanley Magic Swing™, Model No. SM300, SN A8801081, apparently actuated by control mats.				
Description:	Plaintiff reports she got about halfway through the automatic door, when it closed on her and knocked her down.				
Deposition:		Trial:		Outcome:	Resolved through mediation.

Case:	Eula C. Clark and Devon Clark <i>v.</i> The Stanley Works, Inc., <i>et al.</i>				Seq. No. 68
Attorney:	Jeffrey K. Peraldo DONALDSON & HORSLEY, P.A. 208 West Wendover Avenue Greensboro, NC 27401-1307				910-273-3812
Equipment:	Stanley Magic Swing™ door with Sentrex™.				
Description:	61 year old woman stuck on swing side of door.				
Deposition:	7/7/98	Trial:		Outcome:	Settled in early March, 1999, in favor of Plaintiff for an amount that is confidential.

Stanley cases – Inactive

Case:	Margarita Placencia <i>vs.</i> Stanley <i>et al.</i>				Seq. No. 69
Attorney:	Andres O. Rico Nakagawa & Rico 2535 Capitol Oaks Drive, Suite 130 Sacramento, CA 95833-2944				916-923-2800
Equipment:	Stanley bi-parting sliding door.				
Description:	Elderly woman stuck by prematurely closing door on September 11, 1998. Incident on videotape.				
Deposition:		Trial:		Outcome:	Case settled on or about July 28, 2000.

Case:	Grete Eisenstein <i>v.</i> K-Mart and Stanley Magic Door				Seq. No. 70
Attorney:	Michael J. Kowalski Hourigan, Kluger, Spohrer & Quinn 8 West Market Street, Suite 700 Wilkes Barre, PA 18701-1867				570-825-9401
Equipment:	Stanley swinging door with Stan-Ray™ microwave motion sensor and Sentrex™ presence sensor, one head per door panel side.				
Description:	Elderly woman stuck by prematurely closing door while exiting from K-Mart store on April 30, 1997.				
Deposition:		Trial:	7/18/00	Outcome:	Jury awarded plaintiff \$230,000 plus additional delay damages.

Case:	Paul Palek, Sr. <i>v.</i> Mountainside Hospital, <i>et al.</i> Superior Court of New Jersey, Law Division, Essex County; Docket No. ESX-L-6597-99				Seq. No. 71
Attorney:	Frank P. Arleo Arseneault & Krovatin 560 Main Street Chatham, NJ 07928-2119				973-736-8660
Equipment:	Stanley bi-parting sliding door.				
Description:	Woman struck by prematurely closing door on July 16, 1997				
Deposition:	4/24/01	Trial:		Outcome:	Case settled on 5/8/01.

Case:	Evelyn Fanion <i>vs.</i> CVS Pharmacy				Seq. No. 72
Attorney:	Christopher Lambert Rodio & Ursillo, Ltd. 86 Weybosset Street, Floor 4 Providence, RI 02903-2800				401-331-6400
Equipment:	Stanley single-panel swinging door actuated by unidirectional K-band Stan-Ray™ microwave motion sensor on approach and dual Sentrex™ sensors on each side of door panel.				
Description:	Woman struck by swinging door as she exited CVS pharmacy				
Deposition:	2/7/02	Trial:		Outcome:	Settled approximately 2/28/02

Stanley cases – Inactive

Case:	David A. Bryant <i>vs.</i> Mt. Vernon Towers Condominium Association, The Stanley Works and Carolina Door Controls, Inc.; State Court of Fulton County, State of Georgia; Case No. 99VS159570J				Seq. No. 73
Attorney:	Christopher B. Lyman Kilpatrick & Stockton 1100 Peachtree Street N.E., Suite 2800 Atlanta, GA 30309-4530				404-815-6537
Equipment:	Stanley bi-parting sliding door actuated by push button, and Stan-Ray™ and Stan-Guard™ sensors.				
Description:	Door struck 92 year old man using walker while exiting building on June 2, 1999. Incident on videotape.				
Deposition:	10/6/00	Trial:		Outcome:	Settled on, or about, April 29, 2002

Case:	Gudrun S. Wirell <i>v.</i> Ukrops Supermarkets, <i>et al.</i>				Seq. No. 74
Attorney:	Thomas J. McNally Emroch & Kilduff, L.L.P. 3600 West Broad Street, Suite 700 Richmond, VA 23230-4995				804-358-1568
Equipment:	Stanley swinging door with Sentrex™ sensors, replaced with BEA DK-12				
Description:	89 year old woman sustained femoral neck hip fracture when struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Settled for \$125,000 to Plaintiff on July 16, 2003.

Case:	Mary B. Higgins <i>v.</i> Stanley Magic Door, Inc. and Bread and Circus, Inc. Commonwealth of Mass., Suffolk Superior Court; Civil Action 96-7119A				Seq. No. 75
Attorney:	David P. Angueira Swartz & Swartz 10 Marshall Street Boston, MA 02108-2490				617-742-1900
Equipment:	Stanley sliding door with Stan-Guard™ and Stan-Ray™ sensors.				
Description:	87 year old woman struck by prematurely closing door. Accident resulted in cerebral bleeding and intermittent coma.				
Deposition:	3/30/00	Trial:	12/18/01	Outcome:	Jury found for defendants. Settled in, or about, March, 2003, prior to re-trial.

Case:	Toolan <i>v.</i> The Stanley Works, <i>et al.</i>				Seq. No. 76
Attorney:	Noah H. Kushlefsky Kreindler & Kreindler 100 Park Avenue New York, NY 10017-5590				212-687-8181
Equipment:	Stanley Dura-Glide™ 3000 series door equipped with BEA, Inc. VG-087 unidirectional K-band microwave motion sensors, Stan-Guard™ presence sensor and a single hold open beam.				
Description:	Woman struck by sliding door as she entered CVS store on December 28, 1996.				
Deposition:		Trial:		Outcome:	Settled on, or about, June 4, 2004.

Stanley cases – Inactive

Case:	Laura Kick <i>vs.</i> Wal-Mart Stores, Inc.; Stanley Technologies; Besam Automated Entrance Systems				Seq. No. 77
	General No. 01 L 995				
Attorney:	Richard S. Kopsick Gibson & Kopsick, Ltd. 415 Washington Street, Suite 103 Waukegan, IL 60085-5564				847-263-5100
Equipment:	Stanley swinging doors with Sentrex™ II sensors.				
Description:	87 year old man struck by door while leaving Wal-Mart store.				
Deposition:		Trial:		Outcome:	Settled for \$250,000 to Plaintiff on 8/25/04.

Case:	Trinidad & Domingo Ontiveros <i>vs.</i> Daughters of Charity Health Services of Austin and Stanley Works, Inc. Cause No. 97-03669 261-th Judicial District Court, Travis County, Texas				Seq. No. 78
Attorney:	Kevin R. Madison 1609 Shoal Creek Boulevard, Suite #300 Austin, TX 78701-1022				512-708-1650
Equipment:	Stanley biparting sliding door with microwave motion sensors and IR presence sensor.				
Description:	70 year old woman struck by prematurely closing door on final follow up consultation after successful arthroscopic knee surgery. Fractured femur and now no longer able to walk unassisted.				
Deposition:		Trial:		Outcome:	Settled in 2000 for approx. \$250,000 to Plaintiff.

Case:	Elizabeth Ray <i>v.</i> Lloyd Nolan Hospital, Stanley Magic-Door				Seq. No. 79
	Civil Action No. CV-95-520				
Attorney:	Leila H. Watson CORY, WATSON, CROWDER & PETWAY, P.C. 300 21st Street North, Suite 900 Birmingham, AL 35203-3322				205-328-2200
Equipment:	Stanley 4000 series Weatherwise™ biparting sliding door installed in 1984.				
Description:	Woman in 80's broke hip when struck by handicapped area door at hospital.				
Deposition:		Trial:		Outcome:	Settled in favor of Plaintiff.

Case:	Geraldine Frahm <i>v.</i> Ala Moana Shopping Center d/b/a General Growth, <i>et al.</i>				Seq. No. 80
	Circuit Court of the First Circuit, State of Hawaii; Civil No. 03-1-0148-01-GWBC				
Attorney:	Charles W. Crumpton Stanton Clay Chapman Crumpton & Iwamura Attorneys at Law 700 Bishop Street, Suite 2100 Honolulu, HI 96813-4120				808-535-8400
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door.				
Description:	Elderly woman struck and injured by sliding door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 9/9/04 for approx. \$100,000.

Stanley cases – Inactive

Case:	Jean and Albert Schlien <i>v.</i> Jewel Food Stores, Inc., <i>et al.</i> Circuit Court, Cook County, Illinois; No. 02 L 65012				Seq. No. 81
Attorney:	James E. Gierach Law Office of James E. Gierach, P.C. 9759 Southwest Highway Oak Lawn, IL 60453-3661				708-424-1600
Equipment:	Stanley Magic Swing™ door with Sentrex-III sensors and Stan-Ray™ X-band microwave motion sensors.				
Description:	79 year old woman struck and injured by sliding door while attempting to enter Jewel store.				
Deposition:		Trial:		Outcome:	Settled on 6/28/05 for \$330,000 with approx. \$100,000 medical lien.

Case:	Beatrice Verkuil <i>vs.</i> Best Buy Stores, L.P., <i>et al.</i> In the 191st District Court of Dallas County, Texas; Cause No. 04-02328-J				Seq. No. 82
Attorney:	Edward H. Moore, Jr. The Cochran Firm Dallas, L.L.P. 3811 Turtle Creek Boulevard, Suite 1400 Dallas, TX 75219-4492				214-651-4260
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door with MS-SEDCO D38 microwave motion sensor on approach side, Stanley Stan-Ray™ on egress side and Stanley Stan-Guard™ presence sensor.				
Description:	Woman struck by door while trying to enter store.				
Deposition:		Trial:		Outcome:	Settled on, or about, September 1, 2005.

Case:	Jean McMillen <i>v.</i> Big Lots Stores, Inc., <i>et al.</i> U.S. District Court, Southern District of Mississippi, Southern Division; Cause No. 1:04CV817GRo				Seq. No. 83
Attorney:	W. Harvey Barton Law Office of W. Harvey Barton 3007 Magnolia Street Pascagoula, MS 39567-4126				228-769-2070
Equipment:	Stanley Dura-Glide™ biparting sliding door with BEA, Inc., "Eagle" microwave motion sensors and "Crystal" presence sensors.				
Description:	77 year old woman using walker struck and injured by door while entering store.				
Deposition:	12/19/05	Trial:		Outcome:	Plaintiff deceased. Case settled on, or about, 5/20/06.

Case:	Lucille Halpern, <i>et vir. v.</i> Wadsworth CVS, Inc., and Stanley Access Technologies, Inc., <i>et al.</i> ; Court of Common Pleas for Philadelphia County, First Judicial District of Pennsylvania; June term, 2004; No. 3841				Seq. No. 84
Attorney:	Howard R. Maniloff Tabas & Rosen, P.C. 1845 Walnut Street Philadelphia, PA 19103-4708				215-569-5050
Equipment:	Stanley single panel Magic Swing™ door with dual Stanley Sentrex III™ sensors.				
Description:	Elderly, legally blind woman struck and seriously injured on back side of opening door.				
Deposition:	1/27/06	Trial:		Outcome:	Settled on, or about, 6/6/06.

Stanley cases – Inactive

Case:	Catherine H. McLaughlin <i>vs.</i> The Stanley Works, Inc., <i>et al.</i> U.S. District Court, Eastern District of Pennsylvania; No. 04-CV-1630			Seq. No. 85
Attorney:	Frank A. Rothermel Bernhardt & Rothermel, P.C. 1515 Market Street, Suite 1540 Philadelphia, PA 19102-1917			215-568-0100
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding doors with Stanley SU-50 motion sensors and Stan-Guard™ IR presence sensor.			
Description:	Woman in mid-50's struck by sliding door while attempting to enter Acme store where she worked.			
Deposition:		Trial:	Testified at binding arbitration on 7/25/06	Outcome:

Case:	Anne Seebeck <i>v.</i> Harris-Teeter, Inc., <i>et al.</i> ; Guilford County Superior Court Case No. 05 CVS 9195			Seq. No. 86
Attorney:	Robert C. Cone Tuggle Duggins & Meschan, P.A. 228 West Market Street P. O. Box 2888 Greensboro, NC 27402-2888			336-271-5218
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.			
Description:	Woman struck while attempting to exit through door.			
Deposition:		Trial:		Outcome: Settled on, or about, 8/9/06 for a confidential amount.

Case:	James Skinner <i>v.</i> Lowe's Home Centers, Inc., and The Stanley Works; District Court of Massachusetts, Civil Action No.: 06-cv-11439-JLT			Seq. No. 87
Attorney:	Robert S. Ovoian Attorney at Law 120 North Main Street, Suite 306 Attleboro, MA 02703-2248			508-226-4342
Equipment:	Stanley bi-parting sliding door with Stanley Stan-Guard™ presence sensor, dual hold open beams and BEA, Inc., "Eagle" K-band microwave motion sensors OEM'd to Stanley. Door set up for unidirectional traffic into store.			
Description:	Elderly man using walker struck and seriously injured while attempting to exit through open entrance door.			
Deposition:		Trial:		Outcome: Settled on or about 4/17/08 for a confidential amount.

Stanley cases – Inactive

Case:	Isolina Perez <i>vs.</i> Albertson's Inc., d/b/a Jewel-Osco and The Stanley Works Circuit Court of the Nineteenth Judicial Circuit, Lake County, Illinois; Case No. 05 L 505				Seq. No. 88
Attorney:	Bogdan Martinovich Ray & Glick, Ltd. 611 South Milwaukee Avenue Libertyville, IL 60048-3256				847-970-3845
Equipment:	Stanley single-panel swinging door with Stan-Ray™ X-band motion sensor, and BEA, Inc., SuperScan™ infrared and MS-SEDCO D14-1 ultrasonic presence sensors.				
Description:	Door opened into, and injured, woman standing behind the door.				
Deposition:	3/19/07	Trial:		Outcome:	Settled on 8/10/07 for a confidential amount.

Case:	Jeanette Devoti <i>v.</i> Smith's Food and Drug Stores, Stanley Access Technologies, LLC, and Automated Door, Inc.				Seq. No. 89
Attorney:	David B. Martinez Martinez, Hart & Thompson, P.C. 1801 Rio Grande Blvd., NW Albuquerque, NM 87104-2566				505-343-1776
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.				
Description:	Woman in 80's struck and injured by inner door of vestibule while attempting to enter Smith's-Kroger store.				
Deposition:		Trial:		Outcome:	Settled on or about 7/25/12.

Case:	Frances R. Garson and Warfield Garson, wife and husband <i>vs.</i> North Pittsburgh Hotel, LLC d/b/a Pittsburgh Marriott North, Winegardner & Hammons, Inc., Eagle Realty Investments, Inc., and Stanley Access Technologies LLC Common Pleas of Butler County, Pennsylvania, Civil Division; Case No.: 2006-10999				Seq. No. 90
Attorney:	Timothy Conboy Caroselli, Beachler, McTiernan & Conboy LLC 312 Boulevard of the Allies, Eighth Floor Pittsburgh, PA 15222-1916				412-391-9860
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stan-Guard™, BEA, Inc., Eagle™ motion sensors and hold open beam.				
Description:	80 year old woman struck by back edge of sliding door panel as it opened.				
Deposition:		Trial:		Outcome:	Settled on or about 12/3/07 for a confidential amount.

Stanley cases – Inactive

Case:	Geraldine and Albert Peterson <i>v.</i> Wilcox Pharmacy, Inc., Richard W. Moore Construction, Inc., and The Stanley Works, Inc. Superior Court, Rutland County, Vermont; Docket No. 701-10-05RDCV				Seq. No. 91
Attorney:	John L. Kellner O'Neil Kellner & Green, P.C. 159 Bank Street, Suite 200 P. O. Box 5359 Burlington, VT 05402-5359				802-865-4700
Equipment:	Stanley Dura-Glide™ 2000 single slider with SU-50 microwave motion sensor and Stan-Guard presence sensor.				
Description:	Woman struck by back edge of sliding panel as door opened while standing next to building.				
Deposition:		Trial:		Outcome:	Settled on 9/14/07 for a confidential amount.

Case:	Dorris P. Spencer <i>vs.</i> The Stanley Works, <i>et al.</i> ; Circuit Court of Shelby County, Tennessee; No. CT-006831-05 Div. VIII				Seq. No. 92
Attorney:	Mark P. Ledbetter Taylor, Halliburton & Ledbetter 254 Court Avenue, Suite 305 Memphis, TN 38103-2361				901-523-8153
Equipment:	Stanley Dura-Glide™ 3000 sliding door with SU-100 motion sensors, Stan-Guard™ presence sensor and a single hold open beam.				
Description:	Woman struck by door while entering building.				
Deposition:	9/11/08	Trial:		Outcome:	Settled on 9/15/08 for an undisclosed amount.

Case:	Patricia Rupnik <i>vs.</i> K-mart Corporation, The Stanley Works, <i>et al.</i> Circuit Court of Rutherford County, TN; No. 56030				Seq. No. 93
Attorney:	Matthew E. Wright Craft & Sheppard, P.L.C. Shiloh Building, Suite 233 214 Centerview Drive Brentwood, TN 37027-5274				615-309-1707
Equipment:	Stanley double swinging door.				
Description:	Women struck by right hand interior swinging door while entering the K-mart.				
Deposition:		Trial:		Outcome:	Settled on, or about, 11/22/08 for \$325,000.

Stanley cases – Inactive

Case:	Annette Farrin <i>vs.</i> Rite Aid				Seq. No. 94
Attorney:	Daniel G. Kagan Berman & Simmons, P.A. 129 Lisbon Street P. O. Box 961 Lewiston, ME 04243-0961				207-784-3576
Equipment:	Stanley single slider with BEA, Inc., "Eagle" microwave motion sensors and Stanley Stan-Guard™ presence sensor.				
Description:	Woman entering store was pinned against the frame as the door continued to open and close on her.				
Deposition:		Trial:		Outcome:	Case abandoned.

Case:	Flora Carzeal Ammons <i>vs.</i> Wade's Food Center, Inc., d/b/a Piggly Wiggly No. 2, Mid-South Automatic Door, BEA, Inc., and Stanley Access Technologies, LLC; Circuit Court for McMinn County, Tennessee, at Athens; Docket No. 16593				Seq. No. 95
Attorney:	W. Holt Smith 209 Tellico Street North Madisonville, TN 37354-1188				423-442-4012
Equipment:	Stanley Dura-Glide™ 3000 bi-sliding door with Stanley SU-50 microwave motion sensors and Stan-Guard™ presence sensor.				
Description:	Small, elderly woman entering store through sliding door. Knocked down by door as it closed. Broke hip and suffered medical complications.				
Deposition:	5/29/07	Trial:		Outcome:	Unknown

Case:	Debbie Heft, Executrix of Estate of Rose Heft, Deceased, <i>v.</i> The Stanley Works, Weis/Kings Supermarket and CT Corporation System; Court of Common Pleas; Lehigh County, Pennsylvania; Civil Action-Law No. 2005-C-425				Seq. No. 96
Attorney:	Jerry R. Knafo Knafo Law Offices 4201 Tilgham Street Allentown, PA 18104-4429				610-432-2221
Equipment:	Stanley Dura-Glide™ 2000 sliding door with SU-50 microwave motion sensors and Stan-Guard™ presence sensor.				
Description:	75 year old woman using cane struck from behind. Broke hip.				
Deposition:		Trial:		Outcome:	Arbitrated on, or about, 5/4/09 for \$808,000 to plaintiff.

Stanley cases – Inactive

Case:	Enrique O. Chapa and Maria Enedina Chapa <i>vs.</i> H. E. Butt Grocery Company, L.P., <i>et al.</i> 38th Judicial District; Uvalde County, TX; Cause No. 06-12-25552-CV				Seq. No. 97
Attorney:	Marco A. Salinas Knickerbocker, Heredia, Jasso & Stewart, P.C. 468 Main Street Eagle Pass, TX 78852-4509				830-773-9228
Equipment:	Stanley slider with Stanley Stan-Guard™ presence sensor.				
Description:	Man struck by door at H.E.B. Grocery was a stroke victim.				
Deposition:		Trial:		Outcome:	Settled for a substantial, but confidential, amount on, or about, March 31, 2009.

Case:	Laurie R. Witzke <i>vs.</i> Office Depot, Inc., and The Stanley Works, Inc. District Court, Tulsa County, OK; Case No. CJ 2002-05816				Seq. No. 98
Attorney:	Terry A. Simonson Vestal & Simonson 1515 East 71st Street, Suite 309 Tulsa, OK 74136-5040				918-524-4677
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding doors with Stan-Ray™ motion sensors and Stan-Guard™ IR presence sensor.				
Description:	Elderly woman using walker struck by prematurely closing door as she was entering store, causing her to fall backward against the Plaintiff, knocking Plaintiff down and causing Plaintiff's injuries.				
Deposition:	5/19/04	Trial:		Outcome:	Dismissed on July 14, 2008.

Case:	Estate of Javier Barajas, Deceased <i>v.</i> KMart Holding Corporation a/k/a KMart Corporation In the Circuit Court of Cook County, Illinois; Court No. 04 L 2725				Seq. No. 99
Attorney:	Thomas E. Pakenas Dale & Pakenas 641 West Lake Street, Suite 400 Chicago, IL 60661-1007				312-258-1800
Equipment:	Stanley double swinging door with BEA, Inc., BodyGuard™ and LO-21.				
Description:	Man struck and broke hip while attempting to enter K-Mart.				
Deposition:	9/13/07	Trial:		Outcome:	Settled on, or about, 10/08 for \$1,800,000.

Stanley cases – Inactive

Case:	Esther Speirs and Stanley Speirs <i>v.</i> Marriott International, Inc., The Stanley Works, Inc., and/or Stanley Magic Door, <i>et al.</i> ; U.S. District Court, Eastern District of Pennsylvania Civil Action No. 07-3610				Seq. No. 100
Attorney:	Ralph P. Catalano Sentry Office Plaza, Suite 100 216 Haddon Avenue Westmont, NJ 08108-2809				856-858-1115
Equipment:	Stanley bi-parting sliding door with Stan-Guard™ presence sensor, Stanley Stan-Ray™ X-band microwave motion sensor on exterior side and Stanley SU-100 microwave motion sensor in interior side.				
Description:	Door closed on woman as she was entering through the outer door of a vestibule.				
Deposition:		Trial:		Outcome:	Settled on March 19, 2010, for \$50,000.

Case:	Bernard Starr <i>et al.</i> <i>v.</i> Hebrew Home of Greater Washington, Inc., <i>et al.</i> In the Circuit Court of Maryland for Montgomery County; Case No. 296990 V				Seq. No. 101
Attorney:	Stephen F. Brennwald Brennwald & Robertson, L.L.P. 922 Pennsylvania Avenue, SE Washington, DC 20003-2140				301-928-7727
Equipment:	Stanley Dura-Glide™ 2000 bi-parting slider.				
Description:	Door closed on and knocked down a woman exiting who was using a cane.				
Deposition:	10/8/09	Trial:		Outcome:	Settled on 7/17/09 for an undisclosed amount.

Case:	Marjorie A. Rettino <i>vs.</i> American Entrance Service, Stanley Access Technologies, <i>et al.</i> Court of Common Pleas; April Term 2007; No. 002496				Seq. No. 102
Attorney:	Kevin M. Malloy DiSandro & Malloy, P.C. 1760 Market Street, Suite 1201 Philadelphia, PA 19103-4120				215-587-9900
Equipment:	Stanley Dura-Glide™ 3000 sliding door with Stan-Ray™ (X-band) motion sensors and Stan-Guard™ presence sensor.				
Description:	94 year old woman struck and knocked down by closing door.				
Deposition:		Trial:		Outcome:	Settled on 10/20/08. Amount unknown.

Stanley cases – Inactive

Case:	Mary K. Seely, Personal Representative of Mark L. Tingen <i>v.</i> Home Depot U.S.A., Inc., Stanley Black & Decker, Inc., and Stanley Access Technologies, L.L.C.; U.S. District Court for the Eastern District of Virginia, Alexandria Division; Case No. 1:10-cv-01243 LMB/IDD				Seq. No. 103
Attorney:	J. Scott Krein Krein Law Firm 4000 Genesee Place, Suite 117 Prince William, VA 22192-8302				703-580-8377
Equipment:	Stanley Double-Diamond™ door with SU-100 microwave motion sensors, Optex OA-203C presence sensors and dual Telco hold open beams.				
Description:	Door closed on man using a walker while attempting to exit from the Home Depot store.				
Deposition:		Trial:		Outcome:	Settled on 8/12/11 for a confidential amount.

Case:	Linda Cline and Gary Cline <i>v.</i> Lowe's Home Centers, Inc., The Stanley Works, Stanley Access Technologies, LLC, David Craw, and John Doe; Circuit Court of Logan County, West Virginia, Civil Action No. 2:10-0489				Seq. No. 104
Attorney:	Pamela A. Lambert Law Office of Pamela Lambert P. O. Drawer 926 Gilbert, WV 25621-0926				304-664-3096
Equipment:	Stanley dual-panel Magic-Swing™ door with BEA, Inc., Eagle™ motion sensor and Stanley Sentrex™ presence sensors.				
Description:	Elderly woman using cane entering Lowe's. Door opened suddenly causing her to fall into the store.				
Deposition:		Trial:		Outcome:	Settled on, or about, 8/22/11 for an as yet unknown amount.

Case:	Lila Kos <i>vs.</i> Besam US, Inc., and Target Corporation; U.S. District Court for the Southern District of Florida; Case No.: 11-60889-CIV-Dimitrouleas				Seq. No. 105
Attorney:	Joseph I. Lipsky Law Office of Joseph I. Lipsky, P.A. 1200 South Pine Island Road, Suite 320 Plantation, FL 33324-4463				954-693-0073
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with BEA, Inc., Wizard™ sensors.				
Description:	90 year old woman struck and injured when attempting to enter building through subject door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 2/2/12 for an as yet unknown amount.

Stanley cases – Inactive

Case:	George Pritchard <i>vs.</i> Stanley Access Technologies, LLC, and Wal-Mart Stores East, LLP U. S. District Court, District of Massachusetts, Docket No. 1:08-cv-11762				Seq. No. 106
Attorney:	John L. Collins Hamel, Waxler, Allen & Collins 7 North Sixth Street P. O. Box 6000 New Bedford, MA 02740-6000				508-993-8000
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.				
Description:	Plaintiff ran into edge of door as it closed on him while exiting from building.				
Deposition:	8/12/10	Trial:		Outcome:	Summary judgment for Defendants on 1/27/11.

Case:	Mary Goolsby <i>vs.</i> Bed, Bath & Beyond, Inc., d/b/a Bed, Bath & Beyond Store #628, The Stanley Works, Stanley Access Technologies, LLC, and Engle Martin & Associates, Inc. In the Circuit Court of the Twelfth Judicial Court; Will County, Illinois; No. 08 L 231				Seq. No. 107
Attorney:	Glenn C. Ronaldson Ronaldson and Kuchler, LLC 205 West Wacker Drive, Suite 1015 Chicago, IL 60606-1453				312-425-2600
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stan-Guard™ presence sensor, Stanley SU-100 microwave motion sensors and a single hold open beam.				
Description:	Woman using a walker struck and injured by door.				
Deposition:	4/29/10	Trial:		Outcome:	Settled on, or about, 6/23/10 for an undisclosed amount.

Case:	Marlys Harnar <i>v.</i> Stanley Access Technologies, Affiliated Foods Southwest, Harvest Foods, and Mid South Automatic Door; Circuit Court of Pulaski County, Arkansas; Third Division No. CV-2008-9535				Seq. No. 108
Attorney:	Robert L. Scull Law Office of Peter A. Miller 1601 South Broadway Street Little Rock, AR 72206-1218				501-374-6300
Equipment:	Stanley Dura-Glide™ 3000 bi-parting slider with SU-050 motion sensors and Stanley Stanguard™ presence sensor. No hold open beams.				
Description:	Woman using a walker struck and injured by door.				
Deposition:	9/27/10	Trial:		Outcome:	Unknown.

Stanley cases – Inactive

Case:	Celia Stineman <i>v.</i> 110 Liberty Street Realty Company, L.L.C., Plymouth County Superior Court, Case No. 10-1307-B			Seq. No. 109
Attorney:	Thomas J. Chirokas Attorney at Law 969 Main Street, Suite 206 Walpole, MA 02081-2972			508-668-4440
Equipment:	Stanley Dura-Glide™ sliding door.			
Description:	90+ year old woman struck and injured by door.			
Deposition:		Trial:		Outcome: Case dismissed on, or before, March 23, 2013.

Case:	Dee Hershey, Power of Attorney for Clarissa Cullen <i>v.</i> Schnuck Markets, Inc., and Stanley Access Systems, Inc.; U.S. District Court for the Central District of Illinois, Springfield Division; Case No.: 3:12-cv-03278-RM-BGC			Seq. No. 110
Attorney:	Jack D. Davis Davis Law Offices, LLC The Centrum Building 319 East Madison Street, Suite 2C Springfield, IL 62701-3120			217-679-0393
Equipment:	Stanley bi-parting sliding door.			
Description:	93 year old woman struck and injured by Stanley bi-parting sliding door while exiting from building.			
Deposition:		Trial:		Outcome: Settled. Date and amount not yet known (7/8/13).

Case:	Al Kasczak <i>vs.</i> Super Target, <i>et al.</i>			Seq. No. 111
Attorney:	James J. Cramer Payne & Jones, Chtd. College Boulevard at King, 11000 King Overland Park, KS 66225-5625			913-469-4100
Equipment:	Stanley swinging doors with Sentrex™ sensors.			
Description:	72 year old man struck by door while leaving Super Target store.			
Deposition:		Trial:		Outcome: Unknown

Stanley cases – Inactive

Case:	Ida M. Books and Barney B. Cowart Individually, and Barney B. Cowart as Administrator of The Estate of Willie Lee Jones, Deceased <i>v.</i> Best Buy Co., Inc., Stanley Security Solutions, Inc., Stanley Black & Decker, Inc., Stanley Access Technologies LLC, and Optex Technologies Inc.; and Door Control Services, Inc., District Court, 241 st District Court of Smith County, Texas; Cause No. 12-0693-C			Seq. No. 112
Attorney:	Houston M. Smith Law Offices of Houston M. Smith 210 East Moore Avenue Terrell, TX 75160-3208			972-524-1903
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door.			
Description:	95 year old woman using walker struck and knocked down as she attempted to exit through interior entrance door, breaking her back.			
Deposition:		Trial:	Outcome:	Settled on 7/30/13 for a confidential amount.

Case:	Elizabeth Skrovan <i>vs.</i> Jo-Ann Stores, Inc., <i>et al.</i> ; 268th Judicial District Court of Fort Bend County, Texas; Case No.: 11-DCV-189322			Seq. No. 113
Attorney:	Hugh J. Howerton Law Office of Hugh J. Howerton 13030 Rummel Creek Houston, TX 77079-3729			713-984-9848
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door.			
Description:	Elderly woman exiting using walker struck by door and injured.			
Deposition:		Trial:	Outcome:	Settled for a confidential amount in December, 2012.

Case:	Kurz <i>v.</i> Blain Supply, Inc., and/or Farm & Fleet of Rockford, Inc.; Circuit Court, 17 th Judicial Circuit; Winnebago County, IL; Case No. 2009-L-382			Seq. No. 114
Attorney:	Robert A. Fredrickson Reno & Zahm 2902 McFarland Road, Suite 400 Rockford, IL 61107-6801			815-987-4050
Equipment:	Stanley Magic Swing™ swinging door with BEA, Inc., VG-087 motion sensor, BEA, Inc., DK-12 presence sensor and a DB11 guide rail photobeam.			
Description:	Woman struck by reverse-swinging door while attempting to exit through entrance door.			
Deposition:	6/5/12 8/3/12	Trial:	Outcome:	Summary judgment for Stanley Access Technologies.

Stanley cases – Inactive

Case:	Valerie Rodriguez <i>vs.</i> Automatic Door Systems, Inc., and Does 1 through 25; Superior Court of the State of California; For the County of San Mateo; Case No. CIV513408.				Seq. No. 115
Attorney:	Eric S. Ritigstein Boxer & Gerson, L.L.P. 300 Frank H. Ogawa Plaza, Suite 500 Oakland, CA 94613-2040				510-286-2994
Equipment:	Single panel Stanley Dura-Glide™ 3000 sliding door. Actuated via access code.				
Description:	Employee at facility struck and injured by door.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Eve Rodis <i>vs.</i> HCRI Massachusetts Properties Trust II, and Massachusetts Assisted Living, L.L.C., d/b/a Kindred Assisted Living - Avery Crossings; Superior Court Commonwealth of Massachusetts; Civil Action No. 2012-00980				Seq. No. 116
Attorney:	Joseph T. Desmond Law Offices of William T. Kennedy, P.C. 21 McGrath Highway, Suite 404 Quincy, MA 02169-5311				617-773-7100
Equipment:	Stanley DuraGlide™ bi-parting sliding door.				
Description:	88 year old woman exiting using walker paused in bi-parting sliding door. Door closed on her knocking her down with concomitant injuries.				
Deposition:		Trial:		Outcome:	Settled on 4/2/14 for an undisclosed amount.

Case:	Augustus <i>v.</i> Builder's Square, Inc.				Seq. No. 117
Attorney:	Stacey D. Mullins ROMANO, ERIKSEN & CRONIN 1655 Palm Beach Lakes Blvd., Suite 901 West Palm Beach, FL 33401-2225				561-533-6700
Equipment:	Stanley Dura-Glide™ 3000 with Stan-Ray™ motion and Stan-Guard™ presence sensors				
Description:	Woman in early 50's struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Leroy Hayes, etc. <i>v.</i> K-Mart Corporation, <i>et al.</i> , Case No. 93 CV 110048				Seq. No. 118
Attorney:	Carl F. Noll NOLL & SCARBERRY Spitzer Park Plaza 511 Broad Street Elyria, OH 44035-5531				216-322-8018
Equipment:	Stanley swinging doors using control mats.				
Description:	Woman struck by prematurely closing door leading to her death				
Deposition:		Trial:		Outcome:	May have settled.

Stanley cases – Inactive

Case:	Maria Martinez <i>v.</i> The Hope Depot USA, Inc., The Home Depot, Julian Ordonez d/b/a Automatic Door Services and Auto Doors, Inc., of Georgia; District Court; 404th Judicial District; Cameron County, Texas; Cause No. 2013-DCL-04327-G				Seq. No. 119
Attorney:	Malorie J. Peacock The Cowen Law Group 62 East Price Road Brownsville, TX 78521-3508				956-541-4981
Equipment:	Stanley Double-Diamond™ sliding door.				
Description:	Woman entering injured when door closed on her.				
Deposition:		Trial:		Outcome:	Plaintiff's attorney withdrew from the case.

Case:	Judith W. Farnham <i>v.</i> Stanley Access Technologies, LLC & Wal-Mart Stores East, LP; State of Vermont, Superior Court, Washington Unit, Civil Division; Docket No. 674-10-13 Wncv.				Seq. No. 120
Attorney:	Patrick L. Biggam Biggam, Fox & Skinner, L.L.P. 453 Stone Cutters Way, Suite 2 Montpelier, VT 05602-4433				802-229-5146
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stanguard™ and StanVision™ sensors..				
Description:	Woman struck and injured while entering through interior door, resulting in surgery for shoulder.				
Deposition:		Trial:		Outcome:	Wal-Mart admitted liability on, or prior to, 3/3/15. Final award unknown.

Case:	Viola Snyder <i>v.</i> Stanley Access Technologies, LLC; CBRE, Inc.; CB Richard Ellis, Inc.; and Bucks E.A., LP; Court of Common Pleas; Philadelphia County, Philadelphia; Case No.: 1304002950				Seq. No. 121
Attorney:	Steven E. Wolfe Pheasant Valley Center 295 Buck Road, Suite 202 Holland, PA 18966-1749				267-614-2000
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door with Stanley SU-100 microwave motion sensors				
Description:	Woman struck and injured while attempting to enter building through subject door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 3/24/15.

Case:	Delliquadri <i>v.</i> PETCO Animal Supplies, Inc., <i>et al.</i> District Court, Adams County, Colorado; Case No.: 03 CV 650				Seq. No. 122
Attorney:	Robert S. Anderson Ireland Stapleton Pryor Pascoe, P.C. 1675 Broadway, Suite 2600 Denver, CO 80202-4626				303-623-2700
Equipment:	Stanley bi-parting sliding door.				
Description:	73 year old man struck by sliding door as he was entering store on August 26, 2002.				
Deposition:	12/10/04	Trial:		Outcome:	Settled in 2008 for an unknown amount.

Stanley cases – Inactive

Case:	Mary Lyons <i>vs.</i> CVS - Stoughton, MA.				Seq. No. 123
Attorney:	Shawn P. O'Rourke Barron & Stadfeld, P.C. 100 Cambridge Street, Suite 1310 Boston, MA 02114-2548				617-531-6583
Equipment:	Stanley bi-folding door.				
Description:	Elderly woman using cane exiting struck by door as it closed.				
Deposition:		Trial:		Outcome:	Referred out to another attorney. Disposition thereafter unknown.

Case:	Michelle Wilf <i>v.</i> Walgreen Co.; Circuit Court of 15th Judicial Circuit In and For Palm Beach County, Florida; Case No.: 2014CA005207				Seq. No. 124
Attorney:	Albert H. Lechner Terrell Hogan Yegelwel, P.A. 233 E. Bay Street, Suite 804 Jacksonville, FL 32202-3459				904-632-2424
Equipment:	Stanley DG-2000 single slider with Stanguard™ and BEA, Inc., Eagle™ motion sensors. H.O. beams?				
Description:	Woman struck by closing door.				
Deposition:		Trial:		Outcome:	Law firm no longer representing plaintiff (5/2/15).

Case:	Naomi Feinberg <i>vs.</i> Joslin Diabetes Center, Inc., Gaetano Lentini, a/k/a Guy Lentini, and ASSA Abloy Entrance Systems US, Inc., f/k/a Besam US, Inc.; Superior Court; Commonwealth of Massachusetts; Civil Action No.: 12-4482G				Seq. No. 125
Attorney:	Norman J. Fine Norman J. Fine, P.C. 1150 Walnut Street Newton, MA 02461-1229				617-332-8600
Equipment:	Stanley Dura-Glide™ bi-parting sliding door.				
Description:	Door closed on elderly woman while attempting to exit bldg through inner door of vestibule.				
Deposition:		Trial:		Outcome:	Settled for \$70,000 on or about 5/27/15 due to the imminent death of the plaintiff.

Case:	Mardoche Marc Dahan <i>vs.</i> Safeway, Inc., <i>et al.</i> ; Circuit Court of Loudoun County, State of Virginia; Case No.: CL00087503-00				Seq. No. 126
Attorney:	James W. Taglieri Cadeaux, Taglieri & Notarius, P.C. 1100 Connecticut Avenue, N.W., Suite 800 Washington, DC 20036-4115				202-785-3373
Equipment:	Stanley swinging door with Stanley Sentrex™ sensors.				
Description:	72 year old man struck by swinging door as he was exiting from store, injuring is left shoulder, arm and hand.				
Deposition:		Trial:		Outcome:	Settled for a confidential amount on, or about, 9/2/15.

Stanley cases – Inactive

Case:	Guy Magnuson <i>v.</i> Seventy-Eight Harvard Avenue Associates, LLC, and Stanley Access Technologies, Inc.; Superior Court of Connecticut, Judicial District of Stamford/Norwalk at Stamford; Docket No.: FST CV-12-6014002S.				Seq. No. 127
Attorney:	Brenden P. Leydon Tooher Wocl & Leydon, L.L.C. 80 Fourth Street Stamford, CT 06905-5009				203-324-6164
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stanguard™ presence sensor, SU-100 motion sensors and a single hold open beam.				
Description:	Door opened only partially for man entering, causing man in late 40's to run into door injuring his right eye.				
Deposition:	2/3/14	Trial:		Outcome:	Case settled with Stanley on, or about, 5/29/15, for an unknown amount.

Case:	Beverly Meadow <i>v.</i> D & G Limited Assortment Inc., d/b/a Millersville's Save-A-Lot; Sumner County Circuit Court; State of Tennessee, Docket No.: 83CC1-2011-CV-1121				Seq. No. 128
Attorney:	Luvell L. Glanton Law Offices of Luvell L. Glanton 915 Jefferson Street, 2nd Floor Nashville, TN 37208-2633				615-244-4511
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door with Stanguard™, two SU-100 and dual hold open beams.				
Description:	Older woman exiting from store struck by door. Broke femur and injuries to ankle and knee.				
Deposition:		Trial:	6/25/13 6/26/13 6/2/15	Outcome:	First trial: Directed verdict for defendant. Overturned and remanded for re-trial on appeal. Second trial: Jury found for the defendant.

Case:	Julia Rojas and Hermenegildo Rojas <i>v.</i> United Supermarkets, L.L.C.; In the 100 th District Court In and For Childress County, Texas; Cause No. 10376				Seq. No. 129
Attorney:	Leslie Lowe Wood Law Firm, L.L.P. 1222 S. Fillmore P. O. Box 1439 Amarillo, TX 79105-1439				806-372-1727
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Optex i-sensors™.				
Description:	Slowly walking woman struck and injured by door.				
Deposition:		Trial:		Outcome:	Settled on 8/27/15 for a confidential amount.

Stanley cases – Inactive

Case:	Mariam Bailey v. Stanley Access Technologies.; DeSoto Inns, Inc.; and John and Jane Does A; B; C; and D; U.S. District Court for the Northern District of Mississippi, Oxford Division; Cause No.: 3-14-CV-072-SA-JMV				Seq. No. 130
Attorney:	Michael J. Crow Beasley, Allen, Crow, Methvin, Portis & Miles, P.C. P. O. Box 4160 218 Commerce Street Montgomery, AL 36103-4160				334-495-1152
Equipment:	Stanley 3-panel telescoping Dura-Glide™ 5300 slider with Stanley SU-050 microwave motion sensors and Stanguard™ presence sensor. No hold open beams.				
Description:	82 year old woman using a cane struck by interior sliding door, knocked down and fractured hip while attempting to exit from building.				
Deposition:	4/28/15	Trial:		Outcome:	Settled on, or about, 12/4/15 for a confidential amount.

Case:	Kathleen McCann v. ASSA Abloy Entrance Systems US, Inc., d/b/a Besam Entrance Solutions, BESAM US INC., BESAM AUTOMATED ENTRANCE SYSTEMS, INC., TARGET CORPORATION, B.E.A., INC., STANLEY ACCESS TECHNOLOGIES, LLC, and John Doe, Alias Defendants; U.S. District Court, District of Rhode Island; Civil Action No.: 13-783L				Seq. No. 131
Attorney:	Rebecca McSweeney Law Offices of Rebecca McSweeney 49 Bellevue Avenue Newport, RI 02840-3207				401-662-0263
Equipment:	Stanley swinging door with BEA, Inc., Eagle™ motion sensor, and Bodyguard™ and Superscan™ presence sensors.				
Description:	Woman exiting ran into door when it opened only part way.				
Deposition:		Trial:		Outcome:	Settled in mediation on 9/28/15 for an undisclosed amount.

Case:	May Gorelick and Murray Gorelick v. Star Markets Company, Inc., Shaw's Supermarkets, Inc., and New Albertson's, Inc.; Commonwealth of Massachusetts; Superior Court; Middlesex County; Civil Action No.: MICV2014-03597				Seq. No. 132
Attorney:	Jonathan A. Karon Karon & Dalimonte, LLP 85 Devonshire Street, Suite 1000 Boston, MA 02109-3572				617-367-3311
Equipment:	Stanley bi-parting Dura-Glide™ 3000 door using Stanley SU-100 microwave motion sensors, Stanley Stanguard™ presence sensor and dual hold open beams.				
Description:	84 year old woman using cane exiting through interior slider struck and injured.				
Deposition:	5/11/15	Trial:	2/3-4/16	Outcome:	Jury found for defense.

Stanley cases – Inactive

Case:	Nannie Hughes <i>vs.</i> Kroger Company, Stanley Access Technologies, L.L.C., and Southern Ohio Door Controls, Inc.; United States District Court; Eastern District of Kentucky; Northern Division at Covington; Case No: 2:13-CV-00014-DLB-CJS			Seq. No. 133
Attorney:	T. Lawrence Hicks Cetrulo, Mowery & Hicks, P.S.C. 130 Dudley Road, Suite 200 Edgewood, KY 41017-4313			859-331-4900
Equipment:	Stanley DuraGlide™ 3000 bi-parting sliding door with BEA, Inc., VG087 motion sensors and Stanguard™ presence sensor. No hold open beams.			
Description:	Approx. 90 year old woman entering exterior bi-parting sliding door struck by door, knocked down and injured.			
Deposition:	9/18/13	Trial:		Outcome: Settled in late 2014 for a confidential amount.

Case:	Maria L. Corral <i>vs.</i> Home Depot U.S.A., Inc., and Stanley Access Technologies; U.S. District Court for the District of New Mexico; Cause No.: 2:13-CV-555-JCH-CG			Seq. No. 134
Attorney:	J. Marcos Perales-Piña Perales Law Group 1127 E. Idaho Avenue Las Cruces, NM 88001-3751			575-523-0144
Equipment:	Stanley bi-parting Diamond™ series sliding door.			
Description:	Door closed on elderly woman using cane while entering building.			
Deposition:		Trial:		Outcome: Settled in July, 2015, for a confidential amount.

Case:	Estate of Helen Marie McComb and Roger McComb <i>vs.</i> Jo-Ann Stores, LLC, d/b/a Jo-Ann Fabrics and Crafts <i>vs.</i> Front Street Facility Solutions, Inc.; Circuit Court for Wayne County; State of Michigan; Case No.: 14-001454-NO			Seq. No. 135
Attorney:	Roman J. Ficaj Law Offices of Roman J. Ficaj 15461 Middlebelt Road Livonia, MI 48154-3805			734-762-0700
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stanley Stanguard™ presence sensor and BEA, Inc., Eagle™ motion sensors OEM'd to Stanley.			
Description:	92 year old woman exiting through sliding door knocked down and repeatedly struck by door.			
Deposition:		Trial:		Outcome: Settled on 4/1/16 for a confidential amount.

Stanley cases – Inactive

Case:	Kathryn and Jeff Erhard <i>vs.</i> Lowe’s Home Improvement; State of New York, Supreme Court, County of Onondaga; Index No. 07-7486, RJI No. 33-09-1872.				Seq. No. 136
Attorney:	Brandon R. King Smith, Sovik, Kendrick & Sugnet, P.C. 250 Clinton Street, Suite 600 Syracuse, NY 13202-1252				315-474-2911
Equipment:	Stanley bi-parting sliding door with SU-100 microwave motion sensors, Stan-Guard™ presence sensor and dual hold open beams.				
Description:	Sliding door panel opened over and injured child’s foot.				
Deposition:		Trial:		Outcome:	Settled. Amount and date unknown.

Case:	June Morin <i>vs.</i> Longmont Assisted Living Limited Partnership d/b/a the Bridge Assisted Living at Life Care Center of Longmont, Longmont Medical, Inc., <i>et al.</i> , Case No.: 16CV30146				Seq. No. 137
Attorney:	David A. Klibaner Klibaner Law Firm, P.C. 899 Logan Street, Suite 200 Denver, CO 80203-3154				303-863-1445
Equipment:	Stanley single panel sliding door with SU-050 motion sensors, Stanguard™ presence sensor and no hold open beams.				
Description:	87 year old woman entering building using walker struck and knocked down while standing on the threshold of the interior vestibule sliding door.				
Deposition:	7/28/16	Trial:		Outcome:	Settled on, or about, September 15, 2016.

Case:	Juanita Minor <i>vs.</i> Moran Foods, LLC, d/b/a Save-A-Lot, Ltd., <i>et al.</i> ; Superior Court of New Jersey; Law Division - Atlantic County; Docket No. ATL-L-277-15				Seq. No. 138
Attorney:	John J. Bublewicz Attorney at Law 196 Princeton Hightstown Road, Suite 10 Princeton Junction, NJ 08550-1673				609-426-8755
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door.				
Description:	Door closed upon and knocked down 88 year old woman attempting to enter building.				
Deposition:		Trial:		Outcome:	Settled on 3/27/17 for \$237,500.

Case:	Lisa Caines and Perry Caines <i>vs.</i> Rite-Aid of Pennsylvania, Inc., d/b/a Rite-Aid Pharmacy and Besam U.S., Inc.; Court of Common Pleas, Lackawanna County, PA; Civil Action No. 4391-CIV-2008				Seq. No. 139
Attorney:	Thomas E. Lucas, Jr. O’Malley & Langan, P.C. 426 Mulberry Street Scranton, PA 18503-1500				570-344-2667
Equipment:	Stanley Dura-Glide™ 3000 bi-parting slider with SU-050 motion sensors and Stanguard™ presence sensor.				
Description:	40 year old woman struck by door while entering store.				
Deposition:		Trial:		Outcome:	Unknown.

Stanley cases – Inactive

Case:	Catherine Kopinski <i>vs.</i> Stanley Works, Stanley Black & Decker, Inc., Stanley Access Technologies, LLC, GFTV Sterling Owner, LLC, GFTV Sterling Lessee, LLC, and Integral Senior Living Management, LLC; Circuit Court of Macomb County; State of Michigan; Case No. 2016-666-NP				Seq. No. 140
Attorney:	Samuel Serra Serra & Isopi, P.C. 43455 Schoenherr Road, Suite 7 Sterling Heights, MI 48313-1972				586-323-4400
Equipment:	Stanley Dura-Glide™ 2000 with Stanley SU-100 sensors, Stanley Stanguard™ presence sensor and a single hold open beam.				
Description:	84 year old woman using walker struck by exterior sliding door while attempting to exit through vestibule.				
Deposition:		Trial:		Outcome:	Settled on, or about, 7/12/17, for a confidential amount.

Case:	Ann Driss <i>vs.</i> Stanley Access Technologies, L.L.C., Dillon Companies, Inc., Kroger Co., and Edelman-Lyon Co.; District Court of Shawnee County, Kansas; Case No. 16-CV-55				Seq. No. 141
Attorney:	Roger D. Fincher Law Office of Roger Fincher 1320 SW Topeka Boulevard P. O. Box 2125 Topeka, KS 66601-2125				785-430-5770
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with dual hold open beams, Stanley SU-100 motion sensors and Stanley Stanguard™ presence sensor.				
Description:	85 year old woman struck and knocked down by door, breaking her left hip.				
Deposition:		Trial:		Outcome:	Settled on, or about, 4/5/17 for an unknown amount.

Case:	Jean Morrone <i>vs.</i> J. C. Penney Corporation, Inc.; Circuit Court of the 10th Judicial District; Civil Division; Highlands County, State of Florida; Case No: GC14374				Seq. No. 142
Attorney:	James R. Wilson Morgan & Morgan 201 N. Franklin Street, 7th Floor Tampa, FL 33602-5157				813-223-0992
Equipment:	Stanley low energy swinging door.				
Description:	Woman struck by exterior door while exiting when door timed out.				
Deposition:	12/19/16	Trial:		Outcome:	Settled on 10/6/17 for \$100,000 to Plaintiff.

Stanley cases – Inactive

Case:	Mary DiMarco and Craig DiMarco <i>vs.</i> CVS Pharmacy and Stanley Access Technologies and Stanley Black & Decker, Inc.; Court of Common Pleas, Philadelphia County, First Judicial District, Civil Trial Division; Case No. 160500240.			Seq. No. 143
Attorney:	John J. Fonash Law Office of John J. Fonash III 600 West Germantown Pike, Suite 400 Plymouth Meeting, PA 19462-1046			888-355-0214
Equipment:	Stanley bi-parting Dura-Glide™ 3000 door with Stanguard™ presence, Stanley SU-100 motion sensors an dual hold open beams.			
Description:	68 year old woman with MS pushing shopping cart struck by exterior bi-parting sliding door as she attempted to exit from bldg. Sustained fractured hip.			
Deposition:		Trial:		Outcome: Resolved in mediation on 11/28/17 for a confidential amount.

Case:	Rita Oquendo <i>vs.</i> Mercy Medical Center and Stanley Access Technologies; Supreme Court of the State of New York; County of Nassau; Index No. 12-014587			Seq. No. 144
Attorney:	William Bird III T. Kevin Murtha & Associates, P.C. 45 Post Avenue Westbury, NY 11590-4313			516-997-4800
Equipment:	Stanley bi-parting Dura-Glide™ 2000 non-pocketed door.			
Description:	73 year old woman struck and injured by non-pocketed door that opened into here.			
Deposition:		Trial:		Outcome: Settled on 1/22/18.

Case:	Mary Jean Carrico Thompson <i>vs.</i> Lexington II MOB Owners, LLC, <i>et al.</i> and Mary Wolfe <i>vs.</i> Lexington II MOB Owners, LLC, <i>et al.</i> ; Commonwealth of Kentucky, Fayette Circuit Court, 9th Division; Civil Action No. 16-CI-0260 and Civil Action No. 15-CI-04018			Seq. No. 145
Attorney:	E. Megan Lyons Ward, Hocker & Thornton, P.L.L.C. 333 West Vine Street, Suite 1100 Lexington, KY 40507-1628			859-422-6000
Equipment:	Stanley Dura-Glide™ 3000 single panel slider with Stan-Ray™ X-band microwave motion sensors, Stanguard™ presence sensor, and single hold open beam.			
Description:	Woman using walker struck and knocked down while attempting to exit through exterior door of vestibule.			
Deposition:	4/24/17	Trial:		Outcome: Thompson matter settled on 12/14/17 for a confidential amount.

Stanley cases – Inactive

Case:	Richard L. Stephens, on behalf of, and as Personal Representative of the Estate of Eleanor Doris Stocker, Deceased, <i>v.</i> AMISUB (SFH), Inc., d/b/a Saint Francis Hospital, Stanley Access Technologies, LLC, Individually and d/b/a Mid-South Automatic Doors and d/b/a Stanley Automatic Doors; Circuit Court of Shelby County, 13 th Judicial District at Memphis, Tennessee; Docket No.: CT-000769-10				Seq. No. 146
Attorney:	David A. Siegel Nahon Saharovich & Trotz, P.L.C. 488 South Mendenhall Road Memphis, TN 38117-4220				901-462-3352
Equipment:	Stanley Dura-Glide™ 2000 bi-parting sliding door with StanGuard™ presence sensor, SU-100 motion sensors and a single hold open beam.				
Description:	Door closed on 83 year old woman using walker while exiting from building.				
Deposition:	11/28/12	Trial:		Outcome:	Settled on, or about, 1/10/14, for an unknown amount.

Case:	Shirley Eubanks & Aron Eubanks <i>vs.</i> Shree Jee Hospitality, Inc., d/b/a Comfort Suites Hotel, Circuit Court of the First Judicial Circuit; Williamson County, Illinois; Docket No. 15 L 142				Seq. No. 147
Attorney:	Joshua A. Humbrecht Hassakis & Hassakis, P.C. 206 South 9th Street, Suite 201 Mount Vernon, IL 62864-4240				618-244-5338
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.				
Description:	83 year old woman using quad cane struck and injured while exiting through exterior door of vestibule.				
Deposition:		Trial:		Outcome:	Settled on 3/8/18 for a confidential amount.

Case:	Lewis Andrews <i>vs.</i> Tractor Supply Company, <i>et al.</i>				Seq. No. 148
Attorney:	Alan L. Pepicelli Watts and Pepicelli, P.C. 916 Diamond Park Meadville, PA 16335-2605				814-336-4000
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door with Stanley SU-100 sensor on the interior and exterior sides, a Stanguard™ presence sensor and a single hold open beam.				
Description:	77 year old man using walker struck and injured while entering through exterior door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 2/14/18 for a confidential amount.

Stanley cases – Inactive

Case:	Susan Siedschlag v. Publix Super Markets, Inc., Stanley Black & Decker, Inc.; Stanley Access Technologies, L.L.C.; Automatic Doors, Inc., of Georgia; Miner Florida, GP, L.L.C. and Miner Florida, Ltd.; In The Circuit Court of the 17th Judicial Circuit, in and for Broward County, Florida; Case No.: CACE 14-005378 (08)				Seq. No. 149
Attorney:	Scott L. Henratty Malove Henratty, P.A. 14 Rose Drive Fort Lauderdale, FL 33316-1012				954-767-1000
Equipment:	Stanley Dura-Glide™ 3000 bi-parting sliding door.				
Description:	Woman using crutches struck by outer sliding door of vestibule.				
Deposition:		Trial:		Outcome:	Settled for a confidential amount in October, 2017.

Case:	Elizabeth and Edward Rivera v. Publix Super Markets, Inc. and Stanley Works Circuit Court; Seventeenth Judicial Circuit; Broward County, FL; Case No. 01-007569 03				Seq. No. 150
Attorney:	Lawrence P. Zolot 3864 Sheridan Street Hollywood, FL 33021-3634				954-745-2100
Equipment:	Stanley series 3000, Model 9-3348, bi-parting sliding doors with Stan-Ray™ and Stan-Guard™ sensor .				
Description:	Woman struck and injured while attempting to enter store.				
Deposition:	5/2/03	Trial:		Outcome:	Unknown.

Case:	Ebony Dee Washington v. CVS Pharmacy d/b/a CVS a/k/a CVS CAREMARK and (JOHN/JANE DOES 1-5 and ABC/XYZ CO./CORP. 1-5) (fictitious defendants); Superior Court of New Jersey, Law Division: Middlesex County; Docket No. MID-L-1106-16				Seq. No. 151
Attorney:	John R. Gorman Lutz, Shafranski, Gorman & Mahoney, P.A. 77 Livingston Avenue New Brunswick, NJ 08901-2523				732-249-0444
Equipment:	Stanley bi-folding door.				
Description:	Woman exiting pinned between sides of bi-folding door causing her to fall and sustain injuries.				
Deposition:		Trial:		Outcome:	Settled on 5/8/18 for a confidential amount.

Horton cases – Active

Case:	Pearl M. Foust and Arthur Foust <i>v.</i> St. Joseph's Hospital, Seneca Automatic Door, Inc. and Dallas Doors & Supply Co., State of New York, Supreme Court, Tioga County, Index No. 23226.				Seq. No. 152
Attorney:	William S. Friedlander FRIEDLANDER & FRIEDLANDER, P.C. 425 Park Avenue P. O. Box 109 Waverly, NY 14892-0109				607-565-8155
Equipment:	Horton biparting sliding door. Sensor types unknown at this time.				
Description:	Elderly woman using a walker was pinned by and had to be extricated from prematurely closing emergency entrance door at Joseph's hospital.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Poritzky <i>v.</i> Overhead Door Corporation d/b/a Horton Automatics				Seq. No. 153
Attorney:	Richard S. Vecchio Worby, Borowick and Groner, LLP 11 Martine Avenue, Penthouse White Plains, NY 10606-5402				914-686-3700
Equipment:	Horton bi-parting sliding door actuated by microwave motion sensors and dual hold open beams.				
Description:	Man exiting from Holiday Inn using walker stuck by prematurely closing door on November 10, 1998.				
Deposition:		Trial:		Outcome:	

Case:	Holtzman <i>v.</i> Bozeman Deaconess Hospital and Evergreen Health Care				Seq. No. 154
Attorney:	Julieann McGarry Cok, Wheat, Brown & McGarry, PLLP The Carnegie Library Building 35 North Bozeman Avenue Bozeman, MT 59715-3627				406-587-4445
Equipment:	Horton telescoping sliding door.				
Description:	Elderly woman using walker struck by prematurely closing door on May 20, 1998.				
Deposition:		Trial:		Outcome:	

Case:	Francisco <i>v.</i> City of Billings				Seq. No. 155
Attorney:	William P. Fitzgerald Lynaugh, Fitzgerald, Eiselein & Grubbs 225 North 23 rd Street P. O. Box 1729 Billings, MT 59103-1729				406-252-3461
Equipment:	16' 4 panel Horton revolving door				
Description:	Man struck and injured at edge of sweep of the revolving door on June 21, 1998.				
Deposition:		Trial:		Outcome:	

Horton cases – Active

Case:	Preston Bush <i>v.</i> Mobile Glass Co., Inc., Columbus Automatic Door, Inc., Carolina Door Controls, Inc., Infirmary Health System, Inc., Infirmary Medical Clinics, P.C., <i>et al.</i> Circuit Court of Mobile County, Alabama; Civil Action No. CV 2003-2878				Seq. No. 156
Attorney:	David S. Cain, Jr. Cunningham, Bounds, Yance, Crowder & Brown, L.L.C. 1601 Dauphin Street Mobile, AL 36604-1305				251-471-6191
Equipment:	Horton series 2003 sliding door with dual HO beams.				
Description:	Plaintiff struck by outer exit door while exiting building.				
Deposition:	6/23/05 9/26/05	Trial:		Outcome:	

Case:	Ruby Weisinger <i>vs.</i> HEB Grocery Company LP, <i>et al.</i> In the 261st Judicial District Court of Travis County, Texas; Cause No. GN304355				Seq. No. 157
Attorney:	R. Mark Payne Payne James 112-B Commerce Street Tomball, TX 77375-4706				281-357-0006
Equipment:	Horton biparting sliding door with dual HO beams and MS Sedco D-38 microwave motion sensors.				
Description:	84 year old woman struck by inner exit door while exiting building.				
Deposition:		Trial:		Outcome:	

Case:	Sharon Siegel and Noah Siegel <i>v.</i> Brown Palace Hotel Associates Limited Partnership Denver County District Court; Case No. 2004 CV 4547, Division 8.				Seq. No. 158
Attorney:	Robert A. Weinberger Weinberger, Serruto & Parrish, P.C. 857 Grant Street Denver, CO 80203-2904				303-831-7610
Equipment:	Horton low energy double swinging door.				
Description:					
Deposition:		Trial:		Outcome:	

Case:	Agnes M. Ford and Nate Ford <i>v.</i> Jorgensen, Inc., d/b/a Baldwin Sav-a-Lot Circuit Court for Lake County, Michigan; Case No.: 04-6349-NO				Seq. No. 159
Attorney:	Daniel P. O'Neil Thompson, O'Neil & Vanderveen 309 East Front Street Traverse City, MI 49684-2554				231-929-9700
Equipment:	Horton Series 2003 belt drive bi-parting sliding door with dual hold open beams and BEA, Inc., "Eagle" microwave motion sensor.				
Description:	69 year old woman using walker struck and injured while exiting store through interior vestibule door.				
Deposition:	1/9/07	Trial:		Outcome:	

Horton cases – Active

Case:	Polly Martin <i>vs.</i> Decatur General Hospital, Horton Automatics, and Alabama Door Supply Circuit Court of Morgan County, Alabama; Case No.: CV 06-123			Seq. No. 160
Attorney:	J. Brent Burney Burney & Burney 107 Grant Street SE Decatur, AL 35601-2331			256-350-9988
Equipment:	Knowing act wooden swinging door with Horton operator attached and using only Microwave Sensors, Inc., D14-2 sensors.			
Description:	Woman in closing path struck and injured while exiting through door.			
Deposition:	7/31/07	Trial:		Outcome:

Case:	Bertha Roznovsky <i>vs.</i> H.E.B. Grocery Company and Tormax Technologies, Inc. County Court at Law No. 2, Nueces County, TX; Cause No. 06-61974-2			Seq. No. 161
Attorney:	Richard D. Nielsen, II Brunkenhoefer & Nielsen, P.C. 555 North Carancahua Corpus Christi, TX 78478-0013			361-888-6655
Equipment:	Horton bi-sliding door with BEA, Inc., "Eagle" motion sensors and hold open beams.			
Description:	Woman using walker stuck while exiting from store through exterior sliding door.			
Deposition:		Trial:		Outcome:

Case:	Joyce Janjigian <i>v.</i> Procaccianti Group/Hilton Boston Dedham Hotel			Seq. No. 162
Attorney:	Patricia Aurichio Liberty Mutual Insurance P. O. Box 9001 Valley Stream, NY 11582-9001			516-593-8200
Equipment:	Horton 4-wing 10' diameter revolving door with BEA, Inc., "Eagle" motion sensors.			
Description:	Woman stuck and injured while attempting to exit from hotel.			
Deposition:		Trial:		Outcome:

Case:	Bonny Neyhard <i>v.</i> Weis Markets, Inc., Automatic Door Enterprises, Inc., and Overhead Door Corporation; Court of Common Pleas, Columbia County, Pennsylvania; No. 2005-CV-0000879			Seq. No. 163
Attorney:	Andrew J. Primerano Kennedy and Lucadamo, P.C. 200 West Chapel Street Hazelton, PA 18201-6245			570-459-2440
Equipment:	Horton model 310 bi-parting slider with BEA, Inc., Eagle™ motion sensors and dual hold open beams.			
Description:	Woman stuck and injured while attempting to enter through door.			
Deposition:		Trial:		Outcome:

Horton cases – Active

Case:	Grace Busch <i>v.</i> KBLA, A Wyoming Corporation d/b/a/ Blair's Thriftway and Horton Automatics, a Division of Overhead Door Corporation Washakie County, Wyoming, Civil No. 2007-0058			Seq. No. 164
Attorney:	M. Jalie Meinecke Meinecke & Sitz, L.L.C. P. O. Box 3129 1513 Beck Avenue Cody, WY 82414-3920			307-587-1300
Equipment:	Horton Series 2001 bi-parting sliding door with motion sensors and hold open beams.			
Description:	75 year old woman struck and seriously injured by door.			
Deposition:		Trial:		Outcome:

Case:	Anna Henriquez <i>vs.</i> Four Seasons Hotels Limited, Overhead Door Corporation, Automated Door Ways, Inc., ASSA ABLOY Door Group, LLC, Dan Normandin and Nghi V. Mai; State Court of Fulton County; Atlanta, Georgia; Civil Action No.: 13EV017695			Seq. No. 165
Attorney:	Yehuda Smolar YES Law Group, L.L.C. 500 Bishop Street NW, Suite A4 Atlanta, GA 30318-4380			404-525-3900
Equipment:	4-wing Horton 9400 Easy-Flow™ revolving door.			
Description:	Approx. 80 year old woman exiting struck by door, broke hip and precipitated a stroke.			
Deposition:		Trial:		Outcome:

Case:	Janet Eastman <i>vs.</i> U. Mass Medical School			Seq. No. 166
Attorney:	Michael C. Najjar Marcotte Law Firm 45 Merrimack Street, Suite 410 Lowell, MA 01852-1716			978-458-1229
Equipment:	Horton 14' diameter 3-wing Grand™ series 9600 revolving door.			
Description:	Door closed on woman in mid-60's using walker while within chamber of door and about to exit into lobby of bldg.			
Deposition:		Trial:		Outcome:

Case:	Irvin Block <i>v.</i> Holiday CVS, L.L.C. and Dorma USA, Inc.; Circuit Court of The 17th Judicial Circuit; Broward County, Florida; Case No.: CACE-15-010263			Seq. No. 167
Attorney:	Ian M. Kirtman Gold & Gold, P.A. 2700 North Military Trail, Ste. 100 Boca Raton, FL 33431-6394			561-416-2882
Equipment:	Horton Linear Drive, with BEA, Inc., Eagle™ motion sensors.			
Description:	91 year old man pushing shopping cart struck while entering through exterior door.			
Deposition:		Trial:		Outcome:

Horton cases – Active

Case:	Colleen A. Jacob and David F. Jacob <i>vs.</i> Menards, Inc. d/b/a Menards, Overhead Door Corporation d/b/a Horton Automatic Door Corporation, and Control Installations of Iowa, Inc., d/b/a Automatic Door Group; Iowa District Court for Black Hawk County; Case No. LACV122658.			Seq. No. 168
Attorney:	Benjamin P. Long Riccolo, Semelroth & Henningsen, P.C. 425 Second Street, S.E., Suite 1140 Cedar Rapids, IA 52401-1848			319-365-9200
Equipment:	Horton Series 2003 bi-parting sliding door with dual hold open beams and interior and exterior Optex <i>i</i> -sensors.			
Description:	Woman slowly walking using walker struck by sliding door while attempting to enter building. Broke hip.			
Deposition:	7/20/16	Trial:		Outcome:

Case:	Ovidio Cerda <i>v.</i> Academy, Ltd., d/b/a Academy Sports + Outdoors, Academy Managing Co., L.L.C., Door Control Services, Inc., and Horton Automatics; Nueces County, Texas; In the County Court at Law #2; Cause No. 2013-CCV-62216-2.			Seq. No. 169
Attorney:	Chuck W. Shiver, II Sargent Law, P.C. 1717 Main Street, Ste. 4750 Dallas, TX 75201-7346			214-749-6000
Equipment:	Horton series 2310 automatic bi-parting sliding door with Optex OA-202C sensors.			
Description:	Man struck by door on right arm/shoulder while entering exterior door at a steep angle.			
Deposition:		Trial:		Outcome:

Case:	Gale Rhodes and Kathy Rhodes <i>v.</i> Lowe's Home Centers, LLC, and C & C Doors, LLC Circuit Court of Kanawha County, West Virginia; Civil Action No. 17-C-665			Seq. No. 170
Attorney:	Alex D. McLaughlin The Calwell Practice, L.C. 500 Randolph Street Charleston, WV 25302-2019			304-343-4323
Equipment:	Horton bi-parting sliding door with dual BEA, Inc., Eagle™ motion sensors, a single BEA, Inc., IXIO-DT1 motion/presence sensor, and dual hold open beams.			
Description:	Approx. 70 year old man entering using walker struck on right arm, knocked down and injured by the subject door.			
Deposition:		Trial:		Outcome:

Horton cases – Inactive

Case:	Pignona Estate <i>v.</i> Horton Automatics <i>et al.</i> , Franklin Superior Court docket No. S375-94Fc.				Seq. No. 171
Attorney:	David M. Yarnell KISSANE, YARNELL, CRONIN, BUGBEE & COUNOS Two North Main Street St. Albans, VT 05478-1668				802-524-9546
Equipment:	Horton series 2000 door using Microwave Sensors, Inc. D7W microwave motion sensors and DB11 holding beam.				
Description:	Elderly woman using walker struck by prematurely closing door, fracturing her hip.				
Deposition:	4/3/96	Trial:		Outcome:	Settled in 5/96 in favor of plaintiff for just over \$30,000.

Case:	Grace L. Edwards <i>vs.</i> Lowell General Hospital and Door Control, Inc.				Seq. No. 172
Attorney:	Robert L. Burke CALLAN, SULLIVAN & BURKE, P.C. 40 Church Street Lowell, MA 01852				508-458-6831
Equipment:	3-wing Horton revolving door actuated by microwave motion sensors.				
Description:	Woman struck by protruding wing of revolving door at the door throat.				
Deposition:		Trial:	10/6/94	Outcome:	Jury found for plaintiff and awarded \$40,000.

Case:	Rorick/Morsch <i>v.</i> Horton Automatics <i>et al.</i>				Seq. No. 173
Attorney:	John A. Lancione SPANGENBERG, SHIBLEY, TRACI, LANCIONE & LIBER 2400 National City Center 1900 East 9th Street, Suite 2400 Cleveland, OH 44114-3400				216-696-3232
Equipment:	Horton 3-wing 9300 revolving door actuated by Microwave Sensors, Inc. D7 microwave motion sensors.				
Description:	Two distinct accidents involving men thrown from within cylinder of revolving door.				
Deposition:	4/24/95	Trial:		Outcome:	Settled in 4/95 in favor of plaintiff for approximately \$106,000.

Case:	Evelyn Stein <i>v.</i> Allentown Housing Authority, <i>et al.</i> , No. 92-C-1630. Evelyn Stein <i>v.</i> Advanced Door Services, Inc., <i>et al.</i> , No. 93-C-1445.				Seq. No. 174
Attorney:	Barry C. Shabbick SHULMAN and SHABBICK 533 Delaware Avenue P. O. Box 155 Palmerton, PA 18071				610-826-3122
Equipment:	Horton Automatics Series 2000 automatic sliding door with card operated switch on ingress (vestibule) side; push button switch on egress (lobby) side; two horizontal photo sensor beams across the door opening; and Sonar Threshold Scan C-1520 presence sensor in the plane of the door opening.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Case settled about 9/26/94 for \$70,000 to plaintiff.

Horton cases – Inactive

Case:	Jenkins <i>v.</i> Overhead Door Corp. <i>et al.</i>				Seq. No. 175
Attorney:	John Patrick Najeway SCANLON & HENRETTA 76 South Main Street, Suite 1612 Akron, OH 44309-2004				216-376-1440
Equipment:	Horton series 2110 bi-parting sliding door with microwave motion sensors.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Case settled about 10/9/92 for \$30,000 to plaintiff.

Case:	Allard <i>v.</i> Action Door, Inc., <i>et al.</i>				Seq. No. 176
Attorney:	Kevin R. Dochney SLIMM & GOLDBERG P. O. Box 2222 216 Haddon Avenue, Suite 200 Westmont, NJ 08108-2886				609-869-6706
Equipment:	Horton Series 2310 automatic sliding door				
Description:	Elderly woman using walker struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	I withdrew from case.

Case:	Pamela McDonald <i>v.</i> Overhead Door Corporation d/b/a Horton Automatics and Novalco, Inc.				Seq. No. 177
Attorney:	Greg Haubrich The Haubrich Law Firm 1 North Hudson Avenue, Suite 200W Oklahoma City, OK 73102-5045				405-239-6700
Equipment:	Horton Model 9200 revolving door.				
Description:	Young woman got wrist and arm caught in revolving door on May 5, 1996, resulting in reflex sympathetic dystrophy.				
Deposition:	3/13/00	Trial:	4/26/00	Outcome:	Jury found for defendants.

Case:	Olga Derogatis <i>vs.</i> JC Penny				Seq. No. 178
Attorney:	Michael A. Feiner Karmin, Adler & Padowitz 750 SE 3rd Avenue, Suite 300 Fort Lauderdale, FL 33316-1153				954-768-9060
Equipment:	Horton bi-parting sliding door with X-band microwave motion sensors and dual hold open beams				
Description:	Woman struck and broke hip while exiting from building.				
Deposition:		Trial:		Outcome:	Case settled on, or about, 3/26/03.

Horton cases – Inactive

Case:	Constance P. Vowell <i>v.</i> Carolina Door Controls, Inc. Circuit Court of the City of Richmond, VA; Case No. LR 1406-3				Seq. No. 179
Attorney:	Michael W. Lantz Emroch & Kilduff, L.L.P. 3600 West Broad Street, Suite 700 Richmond, VA 23230-4995				804-358-1568
Equipment:	Horton Series 2000 single-panel sliding door.				
Description:	70+ year old woman struck by the retracting edge of non-pocketed sliding door.				
Deposition:	5/5/04	Trial:	6/3/04	Outcome:	Dismissed. Appeal is intended.

Case:	Silvia Tuman <i>v.</i> Adventura Hospital				Seq. No. 180
Attorney:	Glenn J. Holzberg Law Office of Glenn J. Holzberg 7685 S.W. 104-th Street, Suite 220 Miami, FL 33156-3161				305-668-6410
Equipment:	Horton double swinging door.				
Description:	Woman in late 70's struck by swinging door as she was exiting from building.				
Deposition:		Trial:		Outcome:	Settled in, or about, 2/04.

Case:	Loretta Pittman <i>vs.</i> Sutherland's Express, LLC, and Horton Automatics District Court in and for Tulsa County, State of Oklahoma, Case No. CJ-2003-03810				Seq. No. 181
Attorney:	John M. Thetford Stipe, Harper, Laizure, Uselton, Edwards & Belote, LLP 2417 E. Skelly Drive P. O. Box 701110 Tulsa, OK 74170-1110				800-798-2613
Equipment:	Horton bi-parting sliding door with dual hold open beams.				
Description:	Elderly woman struck and injured as she was entering store.				
Deposition:	10/28/04	Trial:	10/5/05	Outcome:	Jury awarded \$500,000 from Sutherland's Express. Settled with Horton Automatics and MWM Novalco, Inc. Amounts confidential.

Case:	Joyce Galea <i>v.</i> Hannaford Bros., Co. Superior Court, Kennebec; State of Maine; Docket No. CV-04-00301				Seq. No. 182
Attorney:	Daniel G. Kagan Berman & Simmons, P.A. 129 Lisbon Street P. O. Box 961 Lewiston, ME 04243-0961				207-784-3576
Equipment:	Horton swinging door with BEA DK-12 presence sensor and LO-21 on swing side of door.				
Description:	Woman struck in the head by the outer in door as she attempted to enter the building.				
Deposition:		Trial:		Outcome:	Unknown, <i>circa</i> 2/20/06.

Horton cases – Inactive

Case:	Thomas Wheeler <i>v.</i> Bermuda Village Retirement Center, Inc., and Wake Forest University Baptist Medical Center; Forsyth County Superior Court; Case No. 04 CVS 6449				Seq. No. 183
Attorney:	Robert C. Cone Tuggle Duggins & Meschan, P.A. 228 West Market Street P. O. Box 2888 Greensboro, NC 27402-2888				336-271-5218
Equipment:	Medical Center: Horton model 2310 linear drive bi-parting sliding door with BEA, Inc., "Eagle" motion sensors and dual hold open beams.				
Description:	Man struck while standing at rest within closing path of subject door.				
Deposition:	9/19/06	Trial:		Outcome:	Settled for a confidential amount on, or about, 10/15/06.

Case:	Doris L. Brooks <i>vs.</i> Viking Lodge and Restaurant, <i>et al.</i> Circuit Court of St. Louis County, Missouri; Cause No. 05CC-003411, Division 19				Seq. No. 184
Attorney:	Matthew J. Devoti Casey & Devoti One Metropolitan Square, Suite 3190 Saint Louis, MO 63102-2773				314-421-0763
Equipment:	Horton 3 panel revolving door.				
Description:	85 year old woman using cane struck while exiting through the revolving door.				
Deposition:	11/28/06	Trial:		Outcome:	Settled on 3/21/07 for a confidential amount.

Case:	Jean and Victor Bernin <i>vs.</i> Northwestern Memorial Hospital Circuit Court of Cook County, State of Illinois; No. 06 L 816				Seq. No. 185
Attorney:	Daniel J. Mohan Daley & Mohan, P.C. 150 North Wacker Drive, Suite 1550 Chicago, IL 60606-1656				312-422-0786
Equipment:	Horton sliding door with dual hold open beams and BEA, Inc., Crystal™ sensors.				
Description:	Woman using a walker struck and injured by door.				
Deposition:	3/22/07	Trial:		Outcome:	Jury awarded Plaintiff \$760,000 on or about July 10, 2007.

Case:	Laurie Henderson <i>v.</i> Automated Door, Inc., and Sodexo, Inc. 2 nd Judicial District Court, Bernalillo County, NM; Case No.: CV-2005-04903				Seq. No. 186
Attorney:	Alexander A. Wold Alexander Wold & Associates, P.C. 302 Silver Avenue, S.E. Albuquerque, NM 87102-3546				505-242-3444
Equipment:	Horton bi-parting sliding door with dual hold open beams and BEA, Inc., "Eagle" motion sensors.				
Description:	Woman struck and injured while exiting through exterior door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 8/12/08 for \$240,000 to Plaintiff.

Horton cases – Inactive

Case:	David Voelter, Individually and as Executor of the Estate of Martha Voelter; Paul Harrison; Doug Harrison and Robin Harrison <i>vs.</i> Tormax Technologies, Inc.; HEB Grocery Company, L.P.; and Horton Automatics, a Division of Overhead Door Corporation; In the District Court, Bexar County, Texas, 131 st Judicial District; Cause No. 2007-CI-04467			Seq. No. 187
Attorney:	Craig D. Cherry Cherry & Jordan, L.L.P. P. O. Box 21027 Waco, TX 76702-1027			254-776-4040
Equipment:	Horton bi-sliding door with hold open beams.			
Description:	Elderly woman using walker stuck while entering store. Broke left femur and died of surgical complications soon after the accident.			
Deposition:		Trial:		Outcome: Settled on 6/13/08 for a confidential amount.

Case:	Elizabeth Brown <i>vs.</i> Anmed Health d/b/a/ Anderson Area Medical Center, Inc., Carolina Door Controls, Inc., and Greenville Door Specialists, Inc. Court of Common Pleas, Anderson County, South Carolina; C.A. No. 2007-CP-04-3330			Seq. No. 188
Attorney:	Floyd S. Mills, III Trammell Law Firm, P.A. 1650 East Greenville Street Anderson, SC 29621-2086			864-231-7171
Equipment:	Horton 9600 Series 12' diameter 3 wing segmented "Grand" revolving door with display core.			
Description:	Woman using walker stuck and injured while attempting to enter through the subject door.			
Deposition:		Trial:		Outcome: Settled in mediation on 9/29/08 for \$100,000.

Case:	Jeremy T. McLaughlin <i>v.</i> Dover Downs, Inc., <i>et al.</i> Superior Court of Delaware, Kent County; Civil Action No. 04C-03-013 JTV			Seq. No. 189
Attorney:	I. Barry Guerke Parkowski, Guerke & Swayze, P.A. 116 West Water Street Dover, DE 19904-6739			302-678-3262
Equipment:	Horton 3-wing AutoFlow™ Series 9300 revolving door.			
Description:	Revolving door panels collapsed on man within door, possibly due to wind.			
Deposition:		Trial:		Outcome: Court found for defendants on summary judgment on July 17, 2008.

Horton cases – Inactive

Case:	Riza Ali, Personal Representative of the Estate of Taladin Ali, deceased, <i>v.</i> Penn Dutch Food Center, Inc., and Automatic Entrances, Inc.; Circuit Court of the 17th Judicial Circuit; Broward County, Florida; Case No.: CACE 14 009489 Division 25				Seq. No. 190
Attorney:	Matthew D. Kobren Glotzer & Kobren, P.A. 2700 North Military Trail, Suite 100 Boca Rotan, FL 33431-6394				561-361-8677
Equipment:	Horton bi-parting sliding door with overhead sensor on exterior side only.				
Description:	Man stuck and injured while exiting through interior door of vestibule. Died as a direct consequence of his injuries.				
Deposition:		Trial:		Outcome:	Settled on 3/23/15 for a confidential amount.

Case:	Jean Frazer <i>vs.</i> Horton Automatics, Carolina Door Controls, Inc. and Chattanooga Bone & Joint Surgeons, P.C. Circuit Court of Hamilton County, Tennessee at Chattanooga; Civil Action No. 03-C-1131, Division II				Seq. No. 191
Attorney:	Richard L. Duncan Gilreath & Associates 550 Main Avenue, Suite 600 P. O. Box 1270 Knoxville, TN 37901-1270				865-637-2442
Equipment:	Horton biparting series 2110 sliding door with dual hold open beams and BEA, Inc., "Eagle" microwave motion sensors.				
Description:	70 year old woman using walker injured as she was entering orthopedic clinic. Door closed on walker.				
Deposition:	6/20/05	Trial:		Outcome:	Verdict for defense on or about 5/28/08.

Case:	Estate of Alice M. Tidwell <i>v.</i> Bowling Green - Warren County Community Hospital Corporation d/b/a The Medical Center at Bowling Green, <i>et al.</i> ; Warren County Circuit Court, Division II; Civil Action No. 08-CI-1820				Seq. No. 192
Attorney:	Thomas N. Kerrick Kerrick, Stivers, Coyle & van Zant, P.L.C. 1025 State Street P. O. Box 9547 Bowling Green, KY 42102-9547				270-782-8160
Equipment:	Horton Series 9340 4-wing 10' diameter revolving door with Microwave Sensors D7 and D14W X-band microwave motion sensors and BEA, Inc., SuperScan™ wing sensors.				
Description:	85 year old woman stuck and injured while attempting to exit from hospital.				
Deposition:	5/11/10	Trial:		Outcome:	Settled on, or about, 11/17/10 for a confidential amount.

Horton cases – Inactive

Case:	Stephen Marlow and Lydia Marlow <i>v.</i> The New York State Medical Care Facilities Finance Agency, Door Controls, Inc., Horton Automatics, Ltd., Individually and as a Division of Overhead Door Company, Simplex Time Recorder Co., Simplex Grinnell LP, ADT Security Systems, Inc., Plumb Engineering, P.C., Lomonaco & Pitts, Architects P.C. d/b/a "Architecture+" and Georal International, Ltd.; State of New York, Supreme Court, County of Albany; Index No. 3603-06				Seq. No. 193
Attorney:	Edward J. Smith, III Smith, Sovik, Kendrick & Sugnet, P.C. 250 Clinton Street, Suite 600 Syracuse, NY 13202-1252				315-474-2911
Equipment:	Horton series 9241 4 wing securing revolving door with card access and control mats.				
Description:	Man pinned and injured at the guillotine position.				
Deposition:		Trial:		Outcome:	Settled on, or about, 1/12/11 for an undisclosed amount.

Case:	Robert Lube <i>vs.</i> Bond Drug Company of Illinois, LLC, d/b/a Walgreen's; Terraco, Inc., d/b/a Terraco Management Co., Inc.; Walko Enterprises, Inc., d/b/a Midwest Automatic Door, <i>et al.</i> ; Circuit Court of Cook County, Illinois County Department, Law Division; Case No. 07 L 4812				Seq. No. 194
Attorney:	Robert N. Wadington Robert N. Wadington & Associates 111 W. Washington Street, Suite 1460 Chicago, IL 60602-2767				312-629-2706
Equipment:	Horton series 2110 bi-parting sliding door with Apex™ sensors and dual hold open beams.				
Description:	Man was stuck and injured by the subject door twice.				
Deposition:	9/6/11	Trial:		Outcome:	Settled on 11/4/11 for \$250,000.

Case:	Figueroa <i>v.</i> Los Angeles Sports Medicine and Orthopedic Surgery Medical Group, <i>et al.</i> , Los Angeles Superior Court Case No. SC110535				Seq. No. 195
Attorney:	Jacob Mensch Kreindler & Kreindler, L.L.P. 707 Wilshire Boulevard, Suite 4100 Los Angeles, CA 90017-3625				213-622-6469
Equipment:	Horton 3-wing security door at American Airlines terminal, LAX airport.				
Description:	Foot of woman in 50's caught in guillotine position. Ankle broken.				
Deposition:		Trial:		Outcome:	Settled on or about 10/25/12. Terms not disclosed.

Horton cases – Inactive

Case:	Georgia and Larry Atkinson <i>vs.</i> Camden-Clark Memorial Hospital Corporation Circuit Court of Wood County, WV; Civil Action No. 08-C-493				Seq. No. 196
Attorney:	James C. Powell Powell & Majestro, P.L.L.C. 405 Capitol Street, Suite P-1200 Charleston, WV 25301-1765				304-346-2889
Equipment:	Horton double egress swinging door.				
Description:	Elderly woman struck and injured by door.				
Deposition:	4/7/11 7/25/11	Trial:	6/5/13	Outcome:	Verdict for the defense.

	Kathryn Chipps <i>vs.</i> Skag-Way Discount Department Stores, Inc., Island Glass Co., and Overhead Door Company; District Court of Hall County, Nebraska; Case No. CI 11-1192				Seq. No. 197
Attorney:	Royce E. Norman Norman, Paloucek & Herman Law Offices 225 McNeel Lane North Platte, NE 69101-6054				308-534-9892
Equipment:	Horton Profiler Series 2003 bi-parting sliding door.				
Description:	88 year old woman knocked down and injured as a consequence of being struck by the subject door as she attempted to exit through the door.				
Deposition:		Trial:		Outcome:	Settled near the end of June, 2013, for an undisclosed amount.

Case:	Vicki Ballard <i>v.</i> Our Lady of the Lake Hospital, Inc.; 19 th Judicial District Court; Parish of East Baton Rouge, State of Louisiana; Civil Docket No.: 613,750, Sec. 26				Seq. No. 198
Attorney:	Kenneth H. Hooks Dodson Hooks & Frederick, P.C. 112 Founders Drive Baton Rouge, LA 70810-8944				225-756-0222
Equipment:	Horton segmented drum 3-wing revolving door. BEA, Inc., Superscan™ wing sensors. Microwave Sensors, Inc., D7 X-band microwave motion sensor.				
Description:	Woman using walker with wheels clipped by leading edge of revolving door as she exited door into lobby of hospital.				
Deposition:		Trial:		Outcome:	Defendant has stipulated to liability but settlement has not yet occurred (7/8/13).

Horton cases – Inactive

Case:	Linda Costantini <i>vs.</i> Aria Health, Philadelphia County Court of Common Pleas June Term, 2012; Case No. 002086				Seq. No. 199
Attorney:	Brad S. Tabakin Galerman & Tabakin, L.L.P. 261 Old York Road, Suite 416 P. O. Box 645 Jenkintown, PA 19046-7045				215-885-4701
Equipment:	Horton 3-wing segmented drum revolving door.				
Description:	Woman struck in back and injured by revolving door while entering the facility.				
Deposition:		Trial:	Testified at binding arbitration on 1/27/14	Outcome:	Settled via arbitration on 1/27/14 for \$73,500 to plaintiff.

Case:	Leslie Washington, <i>et al.</i> <i>vs.</i> Overhead Door Company, <i>et al.</i> Court of Common Pleas, Summit County, Ohio, Case No. CV 1996-09-3651				Seq. No. 200
Attorney:	Ann Marie O'Brien SCANLON & CO., L.P.A. 76 South Main Street, Suite 1612 Akron, OH 44309-2004				330-376-1440
Equipment:	Horton single slider sliding door.				
Description:	Woman in 50's struck on ankle by prematurely closing door. Lost full and proper use of ankle.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Carolyn D. Leary <i>v.</i> Shaw's Supermarkets, Inc, Door Control, Inc., and Horton Automatics, Inc.; Superior Court, Rockingham County, NH; Docket No. 92 C 1194				Seq. No. 201
Attorney:	Donald S. Sheldon 709 South Main Street Bradford, MA 01835-7009				508-372-5750
Equipment:	Horton swinging door actuated by control mats.				
Description:	Woman in 40's struck by premature closing of swinging door while standing on swing side control mat, severing nerves in arm. Lost use of two fingers on affected hand.				
Deposition:	2/4/97	Trial:		Outcome:	May have settled.

Case:	Beverly Simmons <i>vs.</i> Kinneret, Inc.; Ninth Judicial Circuit Court of Florida, Orange County; Case No.: 2014-CA-1127-O				Seq. No. 202
Attorney:	Thomas DeLattre Wieland, Hilado & DeLattre, P.A. 790 North Orange Avenue Orlando, FL 32801-1020				407-841-7699
Equipment:	Horton single slider actuated from exterior side by remote buzz in. BEA, Inc., Wizard™ G3 sensor on interior side and dual hold open beams on exterior side.				
Description:	Door closed on walker causing entering woman in early 60's to fall and be injured.				
Deposition:	7/1/15	Trial:		Outcome:	Settled on, or about, 9/25/15 for \$200,000.

Horton cases – Inactive

Case:	Shirley Durrstein <i>vs.</i> Freeport Memorial Hospital d/b/a Memorial Hospital, Horton Automatics and Tee Jay Service Corp. Co.; State of Illinois, Circuit Court of the 15th District Court; Stephenson County; Case No. 2010 L 17 consolidated with Case No. 2010 L 23				Seq. No. 203
Attorney:	Robert C. Pottinger Barrick, Switzer, Long, Balsley & Van Evera, LLP 6833 Stalter Drive Rockford, IL 61108-2579				815-962-6611
Equipment:	Horton 3-wing MiniGrand™ Automatic Revolving door.				
Description:	Elderly woman using walker knocked down and injured while exiting from door.				
Deposition:		Trial:		Outcome:	Settled for a confidential amount on, or about, 4/2015.

Case:	Sue Ann Templeton <i>v.</i> Jackson-Madison County General Hospital District, and Tri-State Automatic Doors, Inc.; Circuit Court of Madison County, Tennessee, at Jackson Case No. C-14-213				Seq. No. 204
Attorney:	John L. Griffith Griffith Law Firm 256 Seaboard Lane, Suite E-106 Franklin, TN 37067-2893				615-807-7900
Equipment:	Horton bi-parting sliding door with Optex i-one™ sensors and dual hold open beams.				
Description:	80 year old woman struck while exiting through sliding door. Broke pelvis and femur.				
Deposition:	7/25/16	Trial:		Outcome:	Dismissed on summary judgment on, or about, 9/29/16.

Case:	Euliet Smith <i>v.</i> Shop Rite of Perth Amboy, NJ, Wakefern Food Corp., John Does 1-25 and ABC Corporations 1-25; Superior Court of New Jersey, Law Division; Middlesex County; Docket Number MID-L-7628-13				Seq. No. 205
Attorney:	Leonard D. Weiss The Weiss Group, L.L.C. P. O. Box 311 344 Main Street Metuchen, NJ 08840-2432				732-549-2515
Equipment:	Horton series 4500 swinging door with BEA, Inc., Eagle™ motion sensors and Optex ProSwing™ Elite presence sensors.				
Description:	Door opened into and injured woman behind door.				
Deposition:		Trial:		Outcome:	Settled on 12/29/16 for \$175,000.

Besam/Assa Abloy cases – Active

Case:	Paula Tarr <i>v.</i> Wal-Mart <i>v.</i> Besam			Seq. No. 206
Attorney:	Brent F. Bradley Vernis & Bowling of Northwest Florida, P.A. 635 West Garden Street Pensacola, FL 32501-4733			850-432-6484
Equipment:	Besam swinging door with VisionPulse™ sensors and microwave motion sensors.			
Description:	Woman struck by prematurely closing door.			
Deposition:		Trial:		Outcome:

Case:	Leigh Newton <i>v.</i> Wal-Mart <i>v.</i> Besam			Seq. No. 207
Attorney:	Jeffrey P. Gill Vernis & Bowling of Northwest Florida, P.A. 635 West Garden Street Pensacola, FL 32501-4733			850-432-6484
Equipment:	Besam double swinging door with VisionPulse™ sensors and K-band microwave motion sensors.			
Description:	Woman struck by prematurely closing door.			
Deposition:		Trial:		Outcome:

Case:	Hazel Knight <i>v.</i> Southern Door Controls, Inc., <i>et al.</i>			Seq. No. 208
Attorney:	Gary W. Poliakoff Poliakoff and Associates, P.A. 215 Magnolia Street Spartanburg, SC 29306-2317			864-582-5472
Equipment:	Besam swinging door.			
Description:	Woman struck by door.			
Deposition:		Trial:		Outcome:

Case:	Eva Long <i>v.</i> Wa-Mart Supercenter <i>v.</i> Besam, Inc.			Seq. No. 209
Attorney:	Gray Tollison Tollison Law Firm, P.A. 100 Courthouse Square P. O. Box 1216 Oxford, MS 38655-1216			662-234-7070
Equipment:	Besam Swingmaster 300 with VisionPulse™ sensors.			
Description:	Woman broke hip when struck by prematurely closing door on exiting from Wal-Mart.			
Deposition:		Trial:		Outcome:

Besam/Assa Abloy cases – Active

Case:	Betty Teitelbaum <i>et al.</i> v. Tops Markets, Inc., <i>et al.</i> Cuyahoga County; Court of Common Pleas; Case No. CV 02 472613				Seq. No. 210
Attorney:	Steven B. Potter Dinn, Hochman, Potter & Levy, L.L.C. 5910 Landerbrook Drive, Suite 200 Cleveland, OH 44124-6500				440-446-1100
Equipment:	Besam SwingMaster actuated by microwave motion sensor and control mat on swing side.				
Description:	Elderly woman struck by prematurely closing door and broke hip.				
Deposition:	8/29/03	Trial:		Outcome:	

Case:	Teresa Legato v. Marshalls, Inc., <i>et al.</i> ; Docket No. MON-L-466-03				Seq. No. 211
Attorney:	Thomas F. Shebell, III Shebell & Shebell, L.L.C. West Shore Plaza 1398 Highway 35 South Ocean, NJ 07712-3522				732-663-1122
Equipment:	Besam Swing Master™ single panel swinging door actuated by a Besam SelectScan II™ microwave motion sensor and BEA, Inc., DK-12 presence sensor and LO-21 lock out relay.				
Description:	79 year old woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	

Case:	Rosenblum v. LVIA, <i>et al.</i>				Seq. No. 212
Attorney:	Philip M. Hof Laub Seidel Cohen Hof & Reid, L.L.C. 8 Centre Square Easton, PA 18042-3606				610-258-6184
Equipment:	Besam bi-parting sliding door with Besam Eye-Cue MW™ sensors.				
Description:	Man struck by sliding door while entering Allentown, PA, airport.				
Deposition:		Trial:		Outcome:	

Case:	Ruth Langus-Galitzer and Hymen Galitzer v. Dan's Supreme Supermarkets, Inc., d/b/a Key Food Stores and Georal International, Ltd. Supreme Court of the State of New York, County of Queens, Index No.: 23373/03				Seq. No. 213
Attorney:	Harry D. Hersh Davis & Hersh, L.L.P. 1345 Motor Highway Islandia, NY 11749-5227				631-543-2900
Equipment:	Besam single panel swinging door actuated by control mats.				
Description:	Woman struck by door.				
Deposition:		Trial:		Outcome:	

Besam/Assa Abloy cases – Active

Case:	Ruby C. Gauldin <i>v.</i> Birmingham Airport Authority, <i>et al.</i> ; Circuit Court of Jefferson County, Alabama; Case No. CV 2005-771				Seq. No. 214
Attorney:	Honora M. Gathings Gathings Law 2001 Park Place North, Suite 500 Birmingham, AL 35203-2746				205-322-1201
Equipment:	Besam Entré-Matic, Inc., RDB-2-14 revolving door.				
Description:					
Deposition:	2/7/07	Trial:		Outcome:	

Case:	Teresa Prugo <i>vs.</i> New Albertson's, Inc., a successor of Albertsons, Inc., d/b/a Albertsons, John Does 1 through 3; Civil Action No. 07-CV-157-J U.S. District Court; Wyoming				Seq. No. 215
Attorney:	John D. Bowers Bowers & Associates Law Offices, P.C. 685 South Washington Street P. O. Box 1550 Afton, WY 83110-1550				307-855-1000
Equipment:	Besam bi-parting sliding door with OPTEX "i-sensors™"				
Description:	Woman struck by door while entering store.				
Deposition:		Trial:		Outcome:	

Case:	Lorraine S. Miller <i>vs.</i> The Long Island College Hospital, Ronald Barrientos and Besam Automated Entrance Systems, Inc.; Supreme Court of the State of New York, County of Kings; Index No.: 2096/07				Seq. No. 216
Attorney:	Anthony H. Gair Gair, Gair, Conason, Steigman & Mackauf 80 Pine Street New York, NY 10005-1768				212-943-1090
Equipment:	Besam RDB-2 revolving door.				
Description:	Woman struck and injured by revolving door.				
Deposition:		Trial:		Outcome:	

Case:	Betty Rae Doerr <i>v.</i> ALDI, Inc., and Walko Enterprises, Inc., d/b/a Midwest Automatic Door, <i>v.</i> Optex Technologies, Inc.; Circuit Court of Cook County, IL; Case No. 07 L 5089				Seq. No. 217
Attorney:	Bradley D. Alexander Sanchez, Daniels & Hoffman, LLP 2100 Manchester Road, Suite 309 Wheaton, IL 60187-4584				630-752-9880
Equipment:	Besam Swingmaster™ door.				
Description:	Elderly man struck and injured by door while entering through outer door.				
Deposition:		Trial:		Outcome:	

Besam/Assa Abloy cases – Active

Case:	Sandra L. Hovanec, Executrix of the Estate of Swett., <i>et al. vs. ASSA ABLOY Entrance Systems US, Inc., et al.</i> ; Newport County Superior Court; Newport, RI; Civil Action No.: NC 2013-0062				Seq. No. 218
Attorney:	Stephen E. Breggia The Breggia Law Firm The Alpha Building 395 Smith Street, Suite 2 Providence, RI 02908-3765				401-831-9100
Equipment:	Besam RDB-2 #051460 2-wing revolving door.				
Description:	Elderly man struck by leading edge at interior throat while entering building. Died following surgery for broken femur.				
Deposition:		Trial:		Outcome:	

Case:	Paula Chertok, beneficiary of Estate of Anita Chertok, <i>v. The Community Hospital Group, Inc., d/b/a JFK Medical Center</i> ; Superior Court of New Jersey; Law Division: Middlesex County; Docket No. MID-L-6226-12				Seq. No. 219
Attorney:	Joseph Marano Laysner & Freiwald, P.C. 1500 Walnut Street, Suite 18 Philadelphia, PA 19102-3509				215-875-8000
Equipment:	Besam 3-wing revolving door. No wing sensors.				
Description:	86 year old woman using cane struck by revolving door, broke hip and died of complications.				
Deposition:		Trial:		Outcome:	

Case:	Donald Patris, <i>et al., v. Discount Drug Mart, et al.</i> ; Court of Common Pleas, Summit County, Ohio; Case No.: CV-2016-05-2406				Seq. No. 220
Attorney:	Gregory M. Friend Law Offices of Robert E. Soles, Jr., Co., LPA 6545 Market Avenue, North Canton, OH 44721-2430				330-244-8000
Equipment:	Besam single panel swinging door with BEA, Inc., Eagle™ microwave motion sensor, and BEA, Inc., Bodyguard™ and Superscan™ presence sensors.				
Description:	Man behind the door struck and injured by leading edge as door opened.				
Deposition:		Trial:		Outcome:	

Case:	Donald Trenholm, wrongful death.				Seq. No. 221
Attorney:	Michael J. Rossi Conn Kavanaugh Rosenthal Peisch & Ford, LLP 10 Post Office Square, Ste. 400S Boston, MA 02109-4678				617-482-8200
Equipment:	Besam bi-parting sliding door.				
Description:	Older man struck upon re-entering the exterior door of the entrance vestibule after having just exited through it.				
Deposition:		Trial:		Outcome:	

Besam/Assa Abloy cases – Inactive

Case:	Butler <i>v.</i> Orthopedic Sports & Spine Rehabilitation Center, Inc., <i>et al.</i>				Seq. No. 222
Attorney:	E. Clyde Kirk STIPE, GOSSETT, STIPE, HARPER, ESTES, McCUNE & PARKS P. O. Box 53567 4111 North Lincoln Boulevard Oklahoma City, OK 73105				405-524-2268
Equipment:	Besam, Inc. sliding door with Eye-Cue™ presence and motion sensor.				
Description:	Woman struck by premature closing of sliding door.				
Deposition:	8/3/95	Trial:		Outcome:	Case settled in favor of Plaintiff on or about February 6, 1996. Amount not disclosed due to confidentiality agreement.

Case:	Carl W. Hurst and Alta B. Hurst <i>v.</i> Universal Door Systems, Inc., <i>et al.</i> Civil Action No. CV 93-45, Circuit Court for Jefferson County, Alabama				Seq. No. 223
Attorney:	Henry Lawrence Perry JOHNSON & CORY, P.C. 300 21st Street North, Suite 900 Birmingham, AL 35203				205-328-1414
Equipment:	Besam Series 9000 door with possibly inoperable VisionPulse™ presence sensor on door, retrofitted D14-2 presence sensors on door header, and approach motion sensor of unspecified type.				
Description:	Elderly man moving very slowly struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Case settled approx. 4/1/95 for \$27,000 to plaintiff.

Case:	Charlotte Ann Hess <i>v.</i> Kmart Corporation, <i>et al.</i> ; Case No.: 93-CP-08-583				Seq. No. 224
Attorney:	James L. Bell THE BELL LAW FIRM, P.A. 184 East Bay Street, Suite 301 Charleston, SC 29401-2141				803-723-6141
Equipment:	Besam, Inc. SwingMaster 300 door using Larco control mats.				
Description:	Woman struck by prematurely closing door broke left hip and left wrist. Plaintiff eventually died of kidney and congestive heart failure resulting from complications of surgery following accident.				
Deposition:	11/9/95	Trial:		Outcome:	I withdrew from the case because of non-payment of my expert witness fees.

Case:	Debora and Michael McCarthy <i>v.</i> Besam Automated Entrance Systems, Inc., <i>et al.</i>				Seq. No. 225
Attorney:	Travis N. Jensen Tabor Law Firm 151 N. Delaware Street, Suite 1990 Indianapolis, IN 46204-2549				317-236-9000
Equipment:	Besam Electra™ single panel low energy power operated door.				
Description:	Woman who was struck by low energy power assist door at the entrance to a renal care facility, resulting in brain injury.				
Deposition:		Trial:		Outcome:	Abandoned due to unrelated death of Plaintiff.

Besam/Assa Abloy cases – Inactive

Case:	Dorothy Dignan <i>v.</i> Thrifty Car Rental; Besam, Inc., <i>et al.</i>				Seq. No. 226
Attorney:	Lane D. Bauer SHOOK, HARDY & BACON, P.C. One Kansas City Place 1200 Main Street Kansas City, MO 64105-2118				816-474-6550
Equipment:	Besam series 4000 sliding door with Eye-Cue™ and hold open beams.				
Description:	Woman struck by the back edge of the sliding door as the door was opening while she was standing on the outside of the building. Broke leg and sustained other serious injuries.				
Deposition:	11/19/96	Trial:		Outcome:	Case settled in favor of plaintiff for \$65,000.

Case:	Harriett L. Doty <i>v.</i> Minyard's Grocery Store, Besam, Inc. and Door Control Services, Inc.; District Court, Tarrant County, Texas; 236th Judicial District; Cause No. 236-149253-93				Seq. No. 227
Attorney:	Timothy M. Hoch MARK S. STEWART & ASSOCIATES, P.C. 1308 Lake Street Ft. Worth, TX 76102-4505				817-338-4004
Equipment:	Besam SwingMaster 300 with VisionPulse™ and Commander I™.				
Description:	Woman struck and injured by prematurely closing swinging door.				
Deposition:	11/13/97	Trial:		Outcome:	Settled on or about July 10, 1998. Amount paid by Besam confidential. Total paid by other defendants approximately \$60,000.

Case:	Charles Lehman <i>v.</i> St. Ann's Hospital, <i>et al.</i>				Seq. No. 228
Attorney:	T. Jeffery Beausay REMINGER & REMINGER 505 South High Street Columbus, OH 43215-5643				614-461-1311
Equipment:	Besam series 4000 single sliding door with Eye-Cue™ sensor.				
Description:	Very short man (dwarf) with brittle bones using crutches injured by prematurely closing door as he attempted to enter St. Ann's Hospital.				
Deposition:	1/22/98	Trial:		Outcome:	Settled on or about July 13, 1998, for \$255,000 to plaintiff.

Case:	Labelle <i>v.</i> Besam and W. J. Flynn				Seq. No. 229
Attorney:	Roger J. Brunelle 7 State Street Worcester, MA 01609-2895				508-755-2277
Equipment:	Besam Power-Glide 4000-2, Besam Eye-Cue™ and Microwave Sensors, Inc. D7W.				
Description:	Elderly woman using a walker entering a clinic who was struck by an automatic sliding door employing a microwave motion sensor. Plaintiff broke her hip.				
Deposition:	4/8/99	Trial:		Outcome:	Case settled on or about August 1, 1999.

Besam/Assa Abloy cases – Inactive

Case:	Sarah Buckley, as representative of the Estate of Margaret Masters, Deceased <i>v.</i> Dayton Hudson Corporation d/b/a Target Stores, Besam Automated Entrance Systems, Inc., and Door Automation Systems, Inc. 133rd Judicial District Court, Harris County, TX, Cause No. 97-49467				Seq. No. 230
Attorney:	Craig V. Depew CLARK, DEPEW & SIESS, L.L.P. 1100 Louisiana Street, Suite 3050 Houston, TX 77002-5216				713-757-1400
Equipment:	Besam SwingMaster™ 350 with VisionPulse™ IR sensor.				
Description:	Woman struck by swinging door as she walked within 6 inches of VisionPulse™ sensor, knocked down and died of complications from injuries.				
Deposition:		Trial:		Outcome:	Settled on or about July 31, 1998, for an amount that is confidential. Accident recorded on surveillance videotape being held by the Court.

Case:	Edith M. Klofkorn <i>v.</i> Trumbull Marriott Hotel, Trumbull Hotel Associates, L.P., Interstate Hotels Corporation, and Besam Corporation. Superior Court, J.D. of Fairfield at Bridgeport, No. CV 96-0330076S				Seq. No. 231
Attorney:	Kevin M. Godbout SEELEY & BERGLASS 121 Whitney Avenue New Haven, CT 06510-1242				203-562-5888
Equipment:	Besam Power Glide 4000-2 biparting sliding door with Microwave Sensors, Inc. D15W unidirectional motion sensor and single hold open beam.				
Description:	91 year old woman struck by prematurely closing door, breaking her hip and causing other injuries.				
Deposition:		Trial:		Outcome:	Settled on or about September 3, 1998, for \$180,000 to plaintiff.

Case:	Geneva Jordan & Adelaide Prescott <i>v.</i> Maine Medical Center				Seq. No. 232
Attorney:	David M. Sanders Two Pine Avenue P.O. Box 271 Livermore Falls, ME 04254-0271				207-897-5775
Equipment:	Besam 9000 swinging door with BEA, Inc. CPSS-12 IR approach sensor on the door header and Besam VisionPulse™ IR presence sensors on either side of the door panels.				
Description:	Two women (sisters) struck and injured simultaneously while exiting from the Brighton Medical Center in Portland, ME. One woman fractured hip; the other woman damaged ulnar nerve.				
Deposition:	3/24/00	Trial:		Outcome:	Case settled on or about August 16, 2000.

Besam/Assa Abloy cases – Inactive

Case:	Hyla Knox <i>v.</i> Wal-Mart			Seq. No. 233
Attorney:	Brent F. Bradley Cramer, Schofield, Unzicker & Wade 635 West Garden Street Pensacola, FL 32501-4733			850-432-7864
Equipment:	Besam swinging door using VisionPulse™ IR presence sensors.			
Description:	Woman struck on swing (safety) side of door as it opened.			
Deposition:		Trial:		Outcome: Case settled on or about August 29, 2000.

Case:	Pauline D. Holloway <i>v.</i> Shands Jacksonville Medical Center, Inc. Circuit Court, Fourth Judicial Circuit, Duval County, FL; Case No. CV-C 00-04355-CA			Seq. No. 234
Attorney:	Don St. Denis Anderson, St. Denis & Glenn, P.A. One Enterprise Center 225 Water Street, Suite 2100 Jacksonville, FL 32202-5154			904-633-9402
Equipment:	Besam bi-parting sliding door actuated by Besam Eye-Cue MW™ sensors with microwave motion sensor component on both sides of the door.			
Description:	Elderly woman struck by door as she was entering building using a walker on March 9, 1999.			
Deposition:	11/17/00	Trial:		Outcome: Jury awarded \$202,000 to Plaintiff.

Case:	Roben L. J. Sanders <i>v.</i> Wal-Mart Stores East, Inc., <i>et al.</i>			Seq. No. 235
Attorney:	William Beveridge, Jr. Law Office of Peter T. Nicholl 36 South Charles Street, Suite 1700 Baltimore, MD 21201-3101			410-244-7005
Equipment:	Besam Swingmaster 300 with VisionPulse™ sensors.			
Description:	Woman broke knee cap when struck by prematurely closing door at a Wal-Mart.			
Deposition:		Trial:		Outcome: Settled approximately 2/28/02

Case:	Brookshire Grocery Company <i>v.</i> Besam Automated Entrance Systems, Inc.			Seq. No. 236
Attorney:	John F. (Jack) Walker Sammons & Parker, PC 218 North College Avenue Tyler, TX 75702-5715			903-595-4541
Equipment:	Besam swinging doors with VisionPulse™ sensors			
Description:	Accident and improper operation in many stores.			
Deposition:		Trial:		Outcome: Case settled on or about March 6, 2003.

Besam/Assa Abloy cases – Inactive

Case:	Audrey Laine Wood <i>vs.</i> Target Corp. and Besam, Inc.				Seq. No. 237
Attorney:	Michael S. Johnson, Atty. 1901 North Classen Boulevard Oklahoma City, OK 73106-6064				405-557-7824
Equipment:	Besam swinging doors with VisionPulse™ sensors				
Description:					
Deposition:		Trial:		Outcome:	Provided affidavit on 4/17/03.

Case:	Sibyl Harkins <i>v.</i> Besam Automated Entrance Systems, Inc., BFL-44, Inc., d/b/a Buy for Less and Door Controls, Inc.; District Court of Oklahoma County, Oklahoma; Case No. CJ-2002-244.				Seq. No. 238
Attorney:	T. David Hasbrook Woska & Hasbrook 120 N. Robinson Ave., Suite 2720W Oklahoma City, OK 73102-7896				405-235-1551
Equipment:	Besam sliding door with BEA VG-037 and Eye-Cue™				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Case settled on, or about, June 13, 2002.

Case:	Virginia T. Richardson <i>v.</i> Wal-Mart, Besam, Inc., <i>et al.</i> , Case No. CV-01-314				Seq. No. 239
Attorney:	Michael J. Crow Beasley, Allen, Crow, Methvin, Portis & Miles, P.C. P. O. Box 4160 218 Commerce Street Montgomery, AL 36103-4160				334-495-1152
Equipment:	Besam swinging door with VisionPulse™ presence sensors and X-band microwave motion sensors.				
Description:	Woman struck by door, and died within 24 hours.				
Deposition:		Trial:		Outcome:	Settled for Plaintiff on June 30, 2003.

Case:	Rita Macke <i>v.</i> Office Depot				Seq. No. 240
Attorney:	Timothy C. Williams 844 East Sahara Avenue Las Vegas, NV 89104-3017				702-892-0000
Equipment:	Besam sliding door with microwave motion sensors and hold open beams.				
Description:	Woman struck by sliding door while exiting from Office Depot building.				
Deposition:		Trial:		Outcome:	Settled in, or about, mid-September, 2003.

Besam/Assa Abloy cases – Inactive

Case:	Vlasta A. Cartwright <i>v.</i> Heron East, <i>et al.</i> Circuit Court; Twelfth Judicial Circuit; Sarasota County, FL; Civil Division Case No. 02-CA-11934-NC				Seq. No. 241
Attorney:	Matthew J. Cardillo Nursing Home Abuse Law Center 2909 West Bay to Bay Boulevard Tampa, FL 33629-8100				813-837-7000
Equipment:	Besam bi-parting sliding door using Eye-Cue sensors.				
Description:	Elderly woman using walker struck by sliding door at assisted living facility.				
Deposition:	7/21/03	Trial:		Outcome:	Case settled on, or about, September 5, 2003.

Case:	Karl A. Zeier <i>v.</i> Besam Automated Entrance Systems, <i>et al.</i> , Montana Eighteenth Judicial Court; Gallatin County; Cause No. DV 97-338				Seq. No. 242
Attorney:	L. Randall Bishop Jarussi & Bishop 303 North Broadway, Suite 705 Billings, MT 59103-1255				406-245-7555
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:	Elderly woman struck by door as she was exiting from Albertson's Store on October 18, 1994.				
Deposition:		Trial:		Outcome:	Settled, August, 2003.

Case:	Stacy N. Williams, III, <i>et al. v.</i> Wal-Mart Stores, Inc., Besam Automated Entrance Systems, Inc. and Exits, Inc.; Circuit Court of Jefferson County; Civil Action File No. CV-02-7394				Seq. No. 243
Attorney:	Nolan E. Awbrey Hare, Wynn, Newell and Newton, L.L.P. 2025 Third Avenue North, Suite 800 Birmingham, AL 35203-3331				205-328-5330
Equipment:	Besam swinging doors with VisionPulse™ sensors.				
Description:	Doors opened on Plaintiff, causing hip fracture. Plaintiff died 15 days later as a direct consequence.				
Deposition:	8/6/04	Trial:		Outcome:	Settled on 8/26/04 in favor of Plaintiff.

Case:	Pamela Ebersold, Personal Representative of the Estate of Elizabeth Pullis, Dec'd <i>v.</i> Target Corporation, <i>et al.</i> ; Case No. 01-73782				Seq. No. 244
Attorney:	John Hayes Lacey & Jones 600 South Adams Road, Suite 300 Birmingham, MI 48009-6827				248-433-1414
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:	84 year old woman struck repeatedly by the door, even after she was knocked down by the door.				
Deposition:		Trial:		Outcome:	Settled on 8/19/04 in favor of Plaintiff.

Besam/Assa Abloy cases – Inactive

Case:	Mary Elizabeth Ihle <i>v.</i> Super Fresh Food Markets of Virginia, Inc. d/b/a Farmer Jack; Besam, Inc. and Southern Specialty Corporation, U.S. District Court, Western District of Virginia, Harrison Division, Civil Action No. 96-0101(H).				Seq. No. 245
Attorney:	Kevin M. Rose WHARTON, ALDHIZER and WEAVER, P.I.C. 100 South Mason Street P. O. Box 20028 Harrisonburg, VA 22801-7528				540-434-0316
Equipment:	Besam sliding door with Commander I motion sensor and a pair of IR hold open beams.				
Description:	Sliding door closed prematurely and struck plaintiff while she was attempting to enter Farmer Jack store, fracturing her right hip and breaking her right femur.				
Deposition:	8/25/97	Trial:		Outcome:	Settled in favor of Plaintiff.

Case:	Kitty Cohen <i>vs.</i> Beth Israel Deaconess Medical Center, <i>et al.</i> Commonwealth of Massachusetts; Suffolk Superior Court; Civil Action No. 01-2386B				Seq. No. 246
Attorney:	E. Steven Coren Kerstein, Coren, Lichtenstein & Finkel, L.L.P. 233 Needham Street Newton Upper Falls, MA 02464-1502				617-969-7139
Equipment:	Besam (Entré-Matic) RDB-2-14' two-wing revolving door.				
Description:	Elderly woman struck while standing within sweep of revolving door.				
Deposition:		Trial:	10/4-5/04	Outcome:	Jury found no negligence on the part of door owner. Defendant Besam settled for a confidential amount.

Case:	Frances Fred Gamez <i>v.</i> Wal-Mart Stores, Inc.; In the 234th Judicial District of Harris County, Texas, Cause No. 2003-39779				Seq. No. 247
Attorney:	Richard L. Garza Law Office of Richard L. Garza 15218 Pebble Den San Antonio, TX 78232-4119				210-494-0477
Equipment:	Besam biparting sliding door with BEA, Inc., "Wizard" sensors on either side.				
Description:	Door slammed repeatedly on a man using a quad cane, knocking him down and causing his injuries.				
Deposition:		Trial:		Outcome:	Settled in mediation on November 18, 2004.

Case:	Nancy and Arthur Fitzgerald <i>v.</i> Wal-Mart, Besam, <i>et al.</i>				Seq. No. 248
Attorney:	Edward R. Massey, III Clay, Massey & Associates 509 Church Street Mobile, AL 36602-2095				251-433-1000
Equipment:	Besam swinging door with VisionPulse™ sensors.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Lost on summary judgment on, or before, 9/1/04.

Besam/Assa Abloy cases – Inactive

Case:	Sue Moffitt, Executrix of the Estate of Virginia Bettis <i>v.</i> Wal-Mart, Besam, <i>et al.</i>				Seq. No. 249
Attorney:	Gary R. Haverstock Haverstock, Bell & Pitman 211 South 12 th Street Murray, KY 42071-2339				270-753-1694
Equipment:	Besam swinging door with VisionPulse™ sensors.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Settled on September 30, 2004.

Case:	Alice Marshall <i>v.</i> Demoulas Supermarkets <i>v.</i> Besam Automated Entrance Systems, Rockingham County Superior Court Docket Nos. 04-C-0153 and 04-C-336.				Seq. No. 250
Attorney:	John A. Curran Getman, Stacey, Tamposi, Schulthess, Steere, PA 163 South River Road Bedford, NH 03110-6926				603-634-4300
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:	Besam swinging door closed abruptly on Plaintiff, resulting in injury.				
Deposition:		Trial:		Outcome:	Settled on or about 12/29/04.

Case:	Nellie Tricoli <i>v.</i> Besam and ManorCare Circuit Court; Fifteenth Judicial Circuit; Palm Beach County, FL; Civil Division Case No. 2003 CA 00-6228 AO				Seq. No. 251
Attorney:	Michael S. Smith Slawson Cunningham Whalen & Smith, P.L. 2401 PGA Boulevard, Suite 140 Palm Beach Gardens, FL 33410-3598				561-625-6260
Equipment:	Besam single panel sliding door with Besam Eye-Cue™ sensors.				
Description:	68 year old woman using walker, recovering from hip replacement surgery, struck while entering through sliding doors at rehabilitation facility.				
Deposition:	12/16/03	Trial:		Outcome:	Case settled on 3/9/05.

Case:	Heirs of Merrill Cook <i>v.</i> Besam, Albertson's, Action Door and Entry Systems, Inc. U.S. District Court, District of Utah, Central Division; Case No. 2:02-CV-1080				Seq. No. 252
Attorney:	Stephen G. Morgan Morgan, Minnock, Rice & James, L.C. 136 South Main Street Salt Lake City, UT 84101-1601				801-531-7888
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:					
Deposition:		Trial:		Outcome:	Case settled on 7/29/04.

Besam/Assa Abloy cases – Inactive

Case:	Smock <i>v.</i> Wal-Mart				Seq. No. 253
Attorney:	Adolf J. Garcia 307 South Muskogee Avenue, Suite 5C Tahlequah, OK 74464-4444				918-453-9806
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:					
Deposition:		Trial:		Outcome:	Settled on 4/15/05.

Case:	Everett Lovejoy <i>v.</i> Demoulas Supermarkets <i>v.</i> Besam Automated Entrance Systems, Rockingham County Superior Court Docket Nos. 03-C-0852 and 04-C-0167.				Seq. No. 254
Attorney:	John A. Curran Getman, Stacey, Tamposi, Schulthess, Steere, PA 163 South River Road Bedford, NH 03110-6926				603-634-4300
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:	Besam swinging door closed abruptly on Plaintiff, resulting in injury.				
Deposition:		Trial:		Outcome:	Settled at the end of March, 2005.

Case:	Marion Sokolski and Estelle Sokolski <i>vs.</i> Tops Markets, LLC., and Besam Automated Entrance Systems, Inc.; Supreme Court of the State of New York, County of Monroe; Index No. 000/5123				Seq. No. 255
Attorney:	Jason L Coles Adair, Kaul, Murphy, Axelrod & Santoro, L.L.P. 300 Linden Oaks, Suite 220 Rochester, NY 14625-2883				585-248-3800
Equipment:	Besam swinging door using VisionPulse™ sensors.				
Description:	Elderly man struck by swinging door while entering a Tops Market.				
Deposition:	8/25/04	Trial:		Outcome:	Settled on June 10, 2005, for a confidential sum.

Case:	Maria Wiswesser, <i>et al.</i> , <i>v.</i> Besam Automated Entrance Systems, Inc., <i>et al.</i> San Francisco County Superior Court, Case. No. CGC-04-427857				Seq. No. 256
Attorney:	Daniel P. Dean Taylor & Gutierrez, L.L.P. 332 Pine Street, Suite 600 San Francisco, CA 94104-3228				415-591-3300
Equipment:	Besam RDB-2-CDC revolving door.				
Description:	Five year old child allegedly injured by revolving door on entering airport.				
Deposition:		Trial:		Outcome:	Settled on, or about, August 25, 2005.

Besam/Assa Abloy cases – Inactive

Case:	Crystal Bradshaw <i>vs.</i> Wal-Mart Stores, Inc., d/b/a Sam's Club and Besam Automated Entrance Systems, Inc.; District Court; Tarrant County, TX; Cause No. 67-200303-03				Seq. No. 257
Attorney:	Jeffrey L. Clark Kelsoe, Anderson, Khoury & Clark, P.C. 5220 Spring Valley Road, Suite 500 Dallas, TX 75254-2466				972-661-2227
Equipment:	Besam bi-parting sliding door with Besam Eye-Cue™ MW sensors.				
Description:	Besam sliding door struck an 88 year old woman while attempting to enter a Sam's store.				
Deposition:	2/7/05	Trial:		Outcome:	Settled on 9/13/05 for a confidential amount.

Case:	Patricia Cook and Sam Cook <i>vs.</i> Wal-Mart Stores, Inc., Besam Automated Entrance Systems, Inc., <i>et al.</i> ; Superior Court of California, Tehama County; No.: 51515				Seq. No. 258
Attorney:	Tamara L. Wood Maire & Beasley 2851 Park Marina Drive, Suite 300 Redding, CA 96001-2813				530-246-6050
Equipment:	Besam swinging door with VPS sensors.				
Description:	Woman pushing shopping cart struck and injured by swinging door as she was attempting to enter store.				
Deposition:		Trial:		Outcome:	Settled for \$900,000 (Wal-Mart for \$400,000 on, or about, 7/20/05, and Besam for \$500,000 on 12/7/05).

Case:	Louis Lu <i>vs.</i> Wal-Mart Retail Stores and The Stanley Works; U.S. District Court, Western District of Kentucky at Louisville; Civil Action No. 3:04-CV-84-C				Seq. No. 259
Attorney:	Donald H. Smith Don Smith Law Offices 11603 Shelbyville Road, Suite 7 Louisville, KY 40243-1309				502-244-8000
Equipment:	Besam swinging door with VisionPulse™ sensors.				
Description:					
Deposition:		Trial:		Outcome:	Settled in mediation on 3/24/06. Terms not disclosed.

Case:	Lewis F. Libby and Lorna Libby <i>vs.</i> Edgewood Management Corp., and Patricia Taylor Circuit Court, Fourth Judicial Circuit, Duval County, Florida Case No.: 6-2005-CA-002305-M, Division CV-B				Seq. No. 260
Attorney:	P. Scott Russell P. Scott Russell, P.A. 1300 Riverplace Boulevard, Suite 601 Jacksonville, FL 32207-9018				904-346-4480
Equipment:	Besam sliding door using Besam Eye-Cue MW™ sensors.				
Description:	76 year old man walking with cane, stopped in doorway and door closed on him, causing his injuries.				
Deposition:		Trial:		Outcome:	Settled in mediation on April 24, 2006, for \$82,500.

Besam/Assa Abloy cases – Inactive

Case:	Marlene Bowman <i>vs.</i> Kroger Group Cooperative, Inc., and Kroger Limited Partnership, L.P.; Circuit Court of Marshall County, WV; Civil Action No. 5:05-CV-163				Seq. No. 261
Attorney:	James G. Bordas, Jr. Bordas & Bordas, PLLC 1358 National Road Wheeling, WV 26003-5742				304-242-8410
Equipment:	Besam single panel swinging door with VisionPulse™ sensors and BEA, Inc., VG-037/87 microwave motion sensor.				
Description:	Woman struck by prematurely closing door.				
Deposition:		Trial:		Outcome:	Settled on 5/24/06 for a confidential amount.

Case:	Brooks J. Bouillon, Jr., <i>vs.</i> Albertson's, Inc., <i>et al.</i> ; Superior Court of the State of Washington; King County; No. 04-2-37845-1 SEA				Seq. No. 262
Attorney:	Thomas B. Vertetis Gordon, Thomas, Honeywell, Malanca, Peterson & Daheim LLP 1201 Pacific Avenue, Suite 2100 P. O. Box 1157 Tacoma, WA 98401-1157				253-620-6430
Equipment:	Besam swinging door using VisionPulse-S™ sensors.				
Description:	Woman struck by swinging door while attempting to enter an Albertsons store.				
Deposition:	5/31/06	Trial:		Outcome:	Case settled on, or about, July 27, 2006.

Case:	Floyd Lovitt, <i>et al.</i> <i>v.</i> Wal-Mart Stores, Inc., <i>et al.</i> U.S. District Court, Northern District of Mississippi, Cause No. 2:04CV192-D-A				Seq. No. 263
Attorney:	Barrett J. Clisby 129 Courthouse Square Oxford, MS 38655-4068				662-234-8413
Equipment:	Besam bi-parting sliding door with Eye-Cue™ sensors.				
Description:	58 year old man with quad cane struck by prematurely closing door while trying to enter store.				
Deposition:	10/20/05	Trial:	10/26/06	Outcome:	Jury found for defendants.

Case:	Thomas Wheeler <i>v.</i> Bermuda Village Retirement Center, Inc., and Wake Forest University Baptist Medical Center; Forsyth County Superior Court; Case No. 04 CVS 6449				Seq. No. 264
Attorney:	Robert C. Cone Tuggle Duggins & Meschan, P.A. 228 West Market Street P. O. Box 2888 Greensboro, NC 27402-2888				336-271-5218
Equipment:	Retirement Center: Besam bi-parting slider with BEA, Inc., "Eagle" and Besam RBI motion sensors and single hold open beam.				
Description:	Man struck while entering through inner door of vestibule.				
Deposition:	9/19/06	Trial:		Outcome:	Settled for a confidential amount on, or about, 10/15/06.

Besam/Assa Abloy cases – Inactive

Case:	Mary Lou Leahy <i>vs.</i> Wal-Mart Stores, Inc., Besam, Inc., and Besam Automated Entrance Systems, Inc.; Circuit Court of Loudoun County, State of Virginia; Law No. 33801			Seq. No. 265
Attorney:	Richard L. McGarry Law Office of Richard McGarry 6405 Merriman Road, Suite 201 Roanoke, VA 24018-6600			540-769-0234
Equipment:	Besam AMD II bi-parting sliding door with BEA, Inc., Wizard™ sensors.			
Description:	Woman struck by prematurely closing door.			
Deposition:		Trial:		Outcome: Settled on, or about, 4/18/07 for \$70,000 to Plaintiff.

Case:	Beverly and Allen Bell <i>v.</i> Busch's Market			Seq. No. 266
Attorney:	Russell W. Porritt, II Ward, Anderson, Porritt & Bryant, PLC 4190 Telegraph Road, Suite 2300 Bloomfield Hills, MI 48302-2081			248-593-1440
Equipment:	Besam single panel swinging door with VisionPulse™ sensors and BEA, Inc., VG-037/87 motion sensor OEM'd to Besam.			
Description:	Person struck on swing side by leading edge when door opened in response to another individual.			
Deposition:		Trial:		Outcome: Settled on July 30, 2007, for \$240,000.

Case:	Nancy Fitzgerald <i>vs.</i> Wegmans Food Markets, Inc., and Imperial Door Controls, Inc. Supreme Court, Onondaga County, State of New York; Index No.: 2004-8299			Seq. No. 267
Attorney:	Cynthia Ann K. Manchester Levine, Gouldin & Thompson, L.L.P. 71 State Street P. O. Box F-1706 Binghamton, NY 13902-0106			607-584-5615
Equipment:	Besam Swingmaster™ MP with BEA, Inc., Bodyguard™ and LO-21 lock out relay.			
Description:	Woman struck from behind after entering store through the subject swinging door.			
Deposition:		Trial:		Outcome: Case settled.

Case:	Jean M. White <i>v.</i> Beth Israel Deaconess Medical Center, <i>et al.</i> Commonwealth of Massachusetts; Suffolk Superior Court; Civil Action No. 06-1785-E			Seq. No. 268
Attorney:	Jonathan A. Karon Karon & Dalimonte, LLP 85 Devonshire Street, Suite 1000 Boston, MA 02109-3572			617-367-3311
Equipment:	Besam (Entré-Matic) RDB-2-14' two-wing revolving door.			
Description:	Woman struck and seriously injured while using the subject revolving door.			
Deposition:		Trial:		Outcome: Settled on, or about, 2/8/08 for a confidential amount.

Besam/Assa Abloy cases – Inactive

Case:	Kathleen and Thomas Cooper <i>v.</i> Timberline Shop-N-Bag, Besam, <i>et al.</i> Superior Court of New Jersey, Law Division, Gloucester County, Docket No. GLO-L-1114-02				Seq. No. 269
Attorney:	Ross Begelman Begelman & Orlow, P.C. 411 Marlton Pike East, Suite 245 Cherry Hill, NJ 08034-2414				856-428-6020
Equipment:	Besam biparting sliding door with BEA, Inc., CPSS-12 sensors.				
Description:	Besam biparting sliding door closed suddenly on Plaintiff as she was exiting store.				
Deposition:	5/5/05 10/14/05	Trial:		Outcome:	Settled on, or about, 2/22/07. Terms not disclosed.

Case:	Linda and Michael Burke <i>v.</i> Wegmans Food Markets, Inc., <i>et al.</i> Court of Common Pleas, Lehigh County, PA, Case No. 2007-C-1691				Seq. No. 270
Attorney:	Edward A. Greenberg Daller, Greenberg & Dietrich, L.L.P. Eight Tower Bridge 161 Washington Street, Suite 900 Conshohocken, PA 19428-2085				215-836-1100
Equipment:	Besam SwingMaster™ swinging door with VisionPulse™ sensors.				
Description:	Swinging door opened into woman as she attempted to enter store.				
Deposition:		Trial:		Outcome:	Settled on 1/7/09 for an undisclosed amount.

Case:	Jeff Lancaster, Individually and as Representative of the Estate of Naomi Elizabeth Lancaster <i>vs.</i> Besam U.S., Inc., f/k/a Besam Automated Entrance Systems, Inc., and Trinity Mother Frances Health Systems, and Door Control Services, Inc.; District Court of Anderson County, TX; Cause No. 87-10679				Seq. No. 271
Attorney:	Reid Wm. Martin Martin Walker, P.C. 522 South Broadway, Suite 200 Tyler, TX 75702-8111				903-526-1600
Equipment:	Besam Uni-Turn™ 2-wing (RDB2B) 14' diameter revolving door.				
Description:	Woman struck from behind while exiting within revolving door and died of resultant intracranial bleed.				
Deposition:	5/11/09	Trial:		Outcome:	Case settled on, or about, July 17, 2009, for \$400,000.

Case:	Janet Pike and James Davis <i>v.</i> Besam and Save Mart d/b/a/ Food Maxx.				Seq. No. 272
Attorney:	Arthur L. Morgan Halkides, Morgan & Kelley P. O. Drawer 492170 Redding, CA 96049-2170				530-221-8150
Equipment:	Besam bi-parting sliding door model P64000 with BEA, Inc., Wizard™ sensors on both sides of door.				
Description:	61 year old woman using cane struck by sliding door while entering Food Maxx store and died subsequently from complications of required surgery.				
Deposition:		Trial:		Outcome:	Settled on 10/12/09 for \$210,000.

Besam/Assa Abloy cases – Inactive

Case:	Elaine Seidenberg <i>vs.</i> Bethesda Memorial Hospital, Inc.; Circuit Court of the Fifteenth Judicial District; Palm Beach County, Florida; Case No. 50 2010 CA 000205 XXXX MB AB				Seq. No. 273
Attorney:	Michael A. Acker Acker Morris, P.L. 179 S.E. Mizner Boulevard Boca Raton, FL 33432-5007				561-910-6620
Equipment:	Besam KDB-3-30 10' (3000 mm) 3-wing revolving door with no wing sensors at time of accident.				
Description:	Woman struck and injured by revolving door lacking wing sensors required by ANSI A156.27-2003.				
Deposition:	9/3/10	Trial:		Outcome:	Settled on 9/16/10 for a confidential amount.

Case:	Johanna Jacoby <i>vs.</i> Wal-Mart Stores, Inc.; U.S. District Court for the Middle District of Pennsylvania; Civil Action 09 CV 903				Seq. No. 274
Attorney:	Carl J. Greco Carl J. Greco, P.C. 4th Floor, Professional Arts Building 327 North Washington Avenue Scranton, PA 18503-1511				570-346-4434
Equipment:	Besam Swingmaster 300 dual panel swing door utilizing BEA, Inc., Eagle™ microwave motion sensor, BEA, Inc., Bodyguard™ header-mounted presence sensor, and BEA, Inc., Superscan™ presence sensors on both sides of both door panels.				
Description:	Woman struck and broke hip exiting through entrance door.				
Deposition:		Trial:	6/17-18/10	Outcome:	Jury found for defendant.

Case:	Margene Castro <i>v.</i> Maxi Drug, Inc., d/b/a Rite Aid and Besam US Inc.; Commonwealth of Massachusetts Superior Court, Bristol County; Civil Action No.: BRCV2009-01001-A				Seq. No. 275
Attorney:	Sharon D. Sybel Brian Cunha & Associates 311 Pine Street Fall River, MA 02720-3230				508-675-9500
Equipment:	Stanley Dura-Glide™ 3000 bi-parting slider serviced by Besam.				
Description:	Woman struck while attempting to enter store through exterior slider.				
Deposition:		Trial:		Outcome:	Settled in mediation on 8/9/11 for a confidential amount.

Case:	Galen Price, Jr., <i>et al.</i> , <i>vs.</i> Giant Eagle, <i>et al.</i> , Court of Common Pleas, Summit County, Ohio; Case No. CV2010-04-2979				Seq. No. 276
Attorney:	Charles E. Grisi Law Office of Charles E. Grisi 159 South Main Street, Suite 1030 Akron, OH 44308-1318				330-535-8171
Equipment:	Besam AMD-II bi-parting sliding door with Besam Eye-Cue™ MW sensors and no hold open beams..				
Description:	Elderly man who had had a stroke and was using a walker knocked down and injured when door closed on him as he was entering store.				
Deposition:		Trial:	4/25/12	Outcome:	Verdict for defendant.

Besam/Assa Abloy cases – Inactive

Case:	Mary Louise Tichenor, <i>et vir</i> , Otis K. Tichenor <i>v.</i> Target Corporation, Besam U.S., Inc., and B.E.A., Inc.; In the District Court of El Paso, Texas; 448th District Court; Case No. 2008-238				Seq. No. 277
Attorney:	Colbert N. Coldwell Guevara, Baumann, Coldwell & Reedman, L.L.P. 4171 North Mesa, Suite B-201 El Paso, TX 79902-1431				915-544-6646
Equipment:	Besam swinging door with BEA, Inc., "Eagle" motion sensor and Bodyguard/LO-21.				
Description:	Woman struck and injured when entering through door.				
Deposition:	6/30/10	Trial:		Outcome:	Settled in July, 2010, for an undisclosed amount.

Case:	Abdullah Chaudhry <i>v.</i> Home Depot of Canada, Inc., Besam Canada, Inc., Riokim Holdings (Strawberry Hill) Inc., and 3rd party B.E.A., Inc.; Supreme Court of British Columbia, Vancouver, BC; Case No. S083537				Seq. No. 278
Attorney:	Alex L. Eged Richards Buell Sutton, L.L.P. 700 - 401 West Georgia Street Vancouver, BC V6B 5A1				604-661-9203
Equipment:	Besam series C/W CUD 9 bi-parting sliding door with hold open beams and Besam SelectScan™ microwave motion sensors.				
Description:	Door closed on and injured man as he was entering the Home Depot.				
Deposition:		Trial:		Outcome:	Home Depot settled with Plaintiff on or before 9/6/12.

Case:	Abdullah Chaudhry <i>v.</i> Home Depot of Canada, Inc., Besam Canada, Inc., Riokim Holdings (Strawberry Hill) Inc., and 3rd party B.E.A., Inc.; Supreme Court of British Columbia, Vancouver, BC; Case No. S083537				Seq. No. 279
Attorney:	Leslie J. Mackoff Mackoff & Company Box 12184, Nelson Square 1801 - 808 Nelson Street Vancouver, BC V6Z 2H2				604-633-1888
Equipment:	Besam series C/W CUD 9 bi-parting sliding door with hold open beams and Besam SelectScan™ microwave motion sensors.				
Description:	Door closed on and injured man as he was entering the Home Depot.				
Deposition:		Trial:		Outcome:	Case settled for a confidential amount on, or about, 4/19/13.

Besam/Assa Abloy cases – Inactive

Case:	Emeric Hofstader <i>v.</i> Hilton Hotels Corporation, International Rivercenter, L.L.C. and Hilton New Orleans, LLC; United States District Court for the Eastern District of Louisiana; Case No. 2:11-cv-02439				Seq. No. 280
Attorney:	Brian D. Katz Herman Herman Katz & Cotlar 820 O'Keefe Avenue New Orleans, LA 70113-1116				504-581-4892
Equipment:	Besam 14' Entré-Matic™ revolving door with Besam PDR and CFD sensors.				
Description:	89 year old man clipped at the periphery of the sweep of the subject door on the exterior side as he was attempting to exit from the building.				
Deposition:		Trial:		Outcome:	Settled. Date and amount not yet known (7/8/13).

Case:	Tambra Deloach <i>vs.</i> Comex Corporation, Door Components, L.P. d/b/a Door Pro Systems, and Door Pro Systems, Inc., Besam US, Inc., Door Automation, Inc., and Door Control Services, Inc.; In the District Court of Harris County, Texas; 189th Judicial District; Case No. 2009-59653				Seq. No. 281
Attorney:	Les Cochran The Cochran Firm 1001 Texas Avenue, Suite 1400 Houston, TX 77002-3194				713-572-9999
Equipment:	Besam low energy dual panel swinging door.				
Description:	Door struck and cut foot of young woman entering building, resulting in infection and subsequent amputation of leg.				
Deposition:	11/7/11	Trial:		Outcome:	Settled on 4/16/13 for \$75,000.

Case:	Edward Tears <i>vs.</i> Besam, Inc. <i>et al.</i>				Seq. No. 282
Attorney:	Laurence M. Karz Hall and Karz 6 Gorham Street P. O. Box 361 Canandaigua, NY 14424				585-394-5755
Equipment:	Besam single panel swinging door with VisionPulse™.				
Description:	84 year old woman struck by swinging door using VisionPulse™ sensors.				
Deposition:		Trial:		Outcome:	Settled on, or before, 11/17/04.

Besam/Assa Abloy cases – Inactive

Case:	Michiko Terajima <i>v.</i> Gourmet Garage and Besam Automatic Doors, Inc. Supreme Court of the State of New York, County of New York, Index No. 108268/03				Seq. No. 283
Attorney:	Robert M. Salzman Salzman & Salzman 26 Court Street Brooklyn, NY 11242-0103				718-624-2395
Equipment:	Besam biparting sliding door with dual hold open beams and Besam Eye-Cue™ sensors.				
Description:	Door closed suddenly on Plaintiff as she was exiting store, causing her to step back and fall.				
Deposition:		Trial:		Outcome:	Settled subsequent to April, 2005, for an undisclosed amount.

Case:	Herman Franke and Janice Franke <i>vs.</i> Besam Automated Entrance Systems, Inc., David Christopher, Inc., and Kroger Texas, L.P.; B-44th Judicial District Court, Dallas County, Texas; Cause No. 03-04981				Seq. No. 284
Attorney:	Hardin R. Ramey Blakey & Ramey 12225 Greenville Avenue, #880 Dallas, TX 75243-9339				972-437-5700
Equipment:	Besam bi-parting sliding door with Eye-Cue™ IR/microwave sensor.				
Description:	58 year old man who had fractured his hip, but was recovering, struck by sliding door, resulting in hip being broken				
Deposition:		Trial:		Outcome:	Unknown

Case:	Shirley Walker <i>v.</i> Bloomington 1998 LLC d/b/a Cub Foods and Roy C., Inc., and Bloomington 1998 LLC d/b/a Cub Foods <i>vs.</i> Besam Automated Entrance Systems, Inc., and Roy C.; State of Minnesota, Hennepin County; Fourth Judicial District Court; Case No.: 27-CV-12-24000.				Seq. No. 285
Attorney:	Teri Ellen Bentson Law Offices of Stilp & Grove 701 Xenia Avenue South, Suite 220 Golden Valley, MN 55416-3599				763-546-8444
Equipment:	Besam dual panel swinging door.				
Description:	87 year old woman clipped by door while exiting.				
Deposition:	6/3/16	Trial:		Outcome:	Case settled with plaintiff on or about 11/15/13 for \$265,000.

Besam/Assa Abloy cases – Inactive

Case:	Celia Vences-Rodriguez <i>vs.</i> G. E. Foodland, Inc., <i>et al.</i> <i>vs.</i> Door Control Services, Inc.; County Court; Dallas County, TX; Cause No.: CC-12-01912-A			Seq. No. 286
Attorney:	Amanda M. Hoffmann Gregory R. Brenner Chamblee Ryan Kershaw Anderson, P.C. 2777 North Stemmons Freeway, Suite 1157 Dallas, TX 75207-2277			214-905-2003
Equipment:	Besam Swingmaster™ dual panel swinging door with BEA, Inc., VG087 and BEA, Inc., CPSS-12 sensors.			
Description:				
Deposition:		Trial:		Outcome: Settled on 10/25/13 for \$205,000.

Case:	Bonnie Cannon <i>v.</i> Albertsons, Besam and Door Control Services, Inc. District Court, 89th Judicial District, Wichita County, Texas; Case No. 166,562-C			Seq. No. 287
Attorney:	Gant Grimes The Anderson Law Firm 4600 Belair Boulevard Wichita Falls, TX 76310-1450			940-691-7600
Equipment:	Besam swinging door with BEA, Inc., Bodyguard™ presence sensor and LO-21 lock out relay.			
Description:	Woman struck while exiting through exterior swinging door.			
Deposition:	9/4/09	Trial:		Outcome: Settled. Amount and date settled unknown.

Case:	Jean Massengale and Bryce Massengale <i>vs.</i> Petsmart, Inc., Besam, Inc., Camco Development, Inc., and Door Control Services, Inc.; District Court, Dallas County, Texas Cause No. 95-09234-J,			Seq. No. 288
Attorney:	Steven J. Williams STEVEN J. WILLIAMS, P.C. 2511 Texas Drive, Suite 100 Irving, TX 75062-7023			972-252-5647
Equipment:	Besam bi-parting sliding door with Commander I motion sensor and hold open photo beam(s).			
Description:	Woman struck twice by door, initially on face, while attempting to enter Petsmart store.			
Deposition:		Trial:		Outcome: May have settled.

Case:	Elizabeth Ann Shetler <i>v.</i> Aldi, Inc., <i>et al.</i> ; U.S. District Court, Western District of Kentucky at Louisville; Civil Action No. 3:10-CV-00788-JHM-JDM			Seq. No. 289
Attorney:	Ronald E. Johnson, Jr. Schachter, Hendy & Johnson, P.S.C. 909 Wright's Summit Parkway, Suite 210 Fort Wright, KY 41011-2783			859-578-4444
Equipment:	Besam Swingmaster™ 350 door using BEA, Inc., Eagle™ motion sensor and Besam VisionPulse™ presence sensors. Interior exit.			
Description:	Woman using a walker struck and knocked down by leading edge of swinging door panel as she exited from the swing path of the door.			
Deposition:		Trial:		Outcome: Settled on 10/25/12 on the eve of trial for a confidential amount.

Besam/Assa Abloy cases – Inactive

Case:	Doris Stein <i>vs.</i> Rite Aid, Corp., M.C.P. Associates, L.P. and Valley Bank; Superior Court of New Jersey, Law Division: Bergen County; Docket No.: BER-L-8853-14.				Seq. No. 290
Attorney:	Neil S. Weiner Lynch, Lynch, Held Rosenberg, P.C. 440 State Route 17, Suite 8 Hasbrouck Heights, NJ 07604-3000				201-288-2022
Equipment:	Besam UniSlide™ bi-parting sliding door with one BEA, Inc., Wizard™, one BEA, Inc., Eagle™ motion sensor and dual Optex OS-C12 hold open beams..				
Description:	86 year old woman struck and injured while exiting through exterior door of vestibule.				
Deposition:		Trial:		Outcome:	Settled on 12/15/15 for a confidential amount.

Case:	Karen Wojcikowski <i>vs.</i> Staples, Inc., Staples The Office Superstore East, Inc., Besam Automated Entrance Systems, and ASSA Abloy Entrance Systems; In the U.S. District Court for the Northern District of Indiana, Hammond Division; Case No. 2-12cv-506.				Seq. No. 291
Attorney:	Jon F. Schmoll Langer & Langer 15 North Washington Street Valparaiso, IN 46383-4796				219-464-3246
Equipment:	Besam UniSlide™ bi-parting sliding door.				
Description:	Woman struck and injured while exiting through exterior door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 11/17/14 for a confidential amount.

Case:	Harold Stillman and Frederique Becker, Co-executors for The Estate of Norma Stillman <i>vs.</i> Greenwich Hospital; State of Connecticut; Judicial District of Stamford/Norwalk at Stamford; Case No.: FST-CV-13-6019227-S				Seq. No. 292
Attorney:	Adam J. Blank Wofsey, Rosen, Kweskin & Kuriansky, LLP 600 Summer Street Stamford, CT 06901-1490				203-327-2300
Equipment:	Besam 16' diameter UniTurn™ revolving door.				
Description:	91 year old woman struck and injured upon entering revolving door in the process of exiting from hospital.				
Deposition:	10/22/14	Trial:		Outcome:	Resolved in August, 2015, with a confidentiality agreement.

Besam/Assa Abloy cases – Inactive

Case:	F. Michael Lepski, Individually and as Personal Representative of the Estate of Joseph Lepski, <i>et al.</i> v. University of Maryland Medical System Corporation; In the Circuit Court for Baltimore City, Case No.: 24-C-17-002784			Seq. No. 293
Attorney:	Andrew G. Slutkin Silverman, Thompson, Slutkin & White, L.L.C. 201 North Charles Street, Suite 2600 Baltimore, MD 21201-4109			410-385-2225
Equipment:	Besam RDB-2 16' diameter 2-wing revolving door.			
Description:	82 year old man using cane stuck and injured by door. Died in approx. a week of intracranial bleed.			
Deposition:		Trial:		Outcome: Settled on April 12, 2018, for a confidential amount.

Gyro-Tech/Lanson/NABCO cases – Active

Case:	Donna and Edmund Krzeminski <i>v.</i> County of Wayne and The Stanley Works, Civil Action No. 98-822994-NO				Seq. No. 294
Attorney:	Charles W. Palmer 20500 Eureka Road, Suite 313 Taylor, MI 48180-6395				734-284-5550
Equipment:	Gyro Tech, Inc. swinging door maintained by Stanley.				
Description:	Plaintiff's shoulder injured with torn rotator cuff, July, 1995.				
Deposition:		Trial:		Outcome:	

Case:	Donaletta Lisenby Kouns <i>v.</i> Randalls Food Markets, Inc., <i>et al.</i> Cause No. CC-04-01402-C				Seq. No. 295
Attorney:	Garnett E. Hendrix, Jr. 211 N. Record Street, Suite 400 LB-28 Dallas, TX 75202-3349				214-761-5641
Equipment:	Gyro-Tech sliding door using BEA sensors.				
Description:	91 year old woman struck by inner door of vestibule.				
Deposition:	11/15/05	Trial:		Outcome:	

Case:	Joan M. Ross and Donald R. Ross <i>vs.</i> NABCO Entrances, Inc., <i>et al. vs.</i> BEA, Inc.; Court of Common Pleas of Westmoreland County; Pennsylvania; Civil Division No. 9560 of 2004				Seq. No. 296
Attorney:	Dwayne E. Ross Reeves and Ross 438 Depot Street Latrobe, PA 15650-1567				724-539-1733
Equipment:	Gyro Tech, Inc., GT1100 W.S. bi-parting sliding door.				
Description:	Woman injured while exiting from store.				
Deposition:		Trial:		Outcome:	

Case:	Darlene Massa <i>v.</i> Michaels Stores, Inc., and NABCO Entrances, Inc.; U.S. District Court Central Illinois District; Case No. 3:2013cv03297				Seq. No. 297
Attorney:	Daniel E. Kepner Kepner and Reiser 1028 South Grand Avenue, West Springfield, IL 62704-3551				217-546-0218
Equipment:	NABCO dual panel swinging door.				
Description:	Woman in 80's using cane struck and injured by subject door.				
Deposition:		Trial:		Outcome:	

Gyro-Tech/Lanson/NABCO cases – Active

Case:	Jasmin Vega <i>v.</i> Tri-State Automatic Door, LLC, Harmon Meadow Plaza, Inc., HMGL, LLC, Harmon Meadow Properties, LLC, ESA P Portfolio, LLC, <i>et al.</i> ; Superior Court of New Jersey, Law Division; Hudson County; Docket No.: HUD-L-2642-15			Seq. No. 298
Attorney:	John M. Burke Koles, Burke & Bustillo, L.L.P. 2600 John F. Kennedy Boulevard, Apt. 1K Jersey City, NJ 07306-6037			201-200-0300
Equipment:	NABCO Entrances, Inc., GT 1175-16L single telescopic sliding door with dual Optex i-one sensors and dual hold open beams.			
Description:	Woman struck and injured by door when it closed upon her.			
Deposition:		Trial:		Outcome:

Case:	Haydee Cotayo <i>vs.</i> Leon Medical Centers, Inc., Circuit Court of the 11th Judicial Circuit, Miami-Dade County, Florida; Case No.: 2017-002692 CA-01.			Seq. No. 299
Attorney:	David R. Shaheen Law Offices of Kanner & Pinaluga, P.A. 925 S. Federal Highway, #6 Boca Raton, FL 33432-6122			800-586-5555
Equipment:	NABCO bi-parting sliding door.			
Description:	71 year old woman stuck by door. Broke hip and femur.			
Deposition:		Trial:		Outcome:

Gyro-Tech/Lanson/NABCO cases – Inactive

Case:	Celia DeMario and Joseph DeMario <i>vs.</i> Erspamers, Inc., Gyro Tech, Inc., Microwave Sensors, Inc., <i>et al.</i> State of Wisconsin Circuit Court, Iron County, No. 93-CV-31				Seq. No. 300
Attorney:	A. Dennis Cossi COSSI LAW OFFICE 225 East Aurora Street Ironwood, MI 49938-2111				906-932-1221
Equipment:	Gyro-Tech, Inc. biparting sliding door actuated by Microwave Sensors, Inc. D7 microwave motion sensor and single hold open beam.				
Description:	Woman struck by prematurely closing door while leaving store.				
Deposition:	10/25/96	Trial:		Outcome:	Case settled in 4/97 in favor of plaintiff. Amount undisclosed.

Case:	Alice Hart and John Hart <i>vs.</i> Automated Entrance Systems, Inc.; Lanson Industries, Inc., <i>et al.</i> ; Court of Common Pleas, Allegheny County, PA, Civil Division G.D. No. 96-15426				Seq. No. 301
Attorney:	Daniel M. Berger BERGER LAW FIRM, P.C. The Frick Building, Suite 912 Pittsburgh, PA 15219-6003				412-471-4300
Equipment:	Gyro-Tech biparting sliding door. Single hold open beam and BEA, Inc. VG047 unidirectional microwave motion sensors.				
Description:	Woman in 80's entering supermarket struck and injured by sliding door.				
Deposition:		Trial:	9/24/98	Outcome:	Jury awarded \$450,000 to plaintiff with \$40,000 in delay damages pending.

Case:	Lora Bird and husband Virg Bird <i>vs.</i> The Kroger Co., Access Services, Inc., NABCO, Inc. and Gyro Tech, Inc.; In the District Court of Hood County, TX; 355 th Judicial District; Cause No.: C099071				Seq. No. 302
Attorney:	Paul V. Previte Adam & Previte, P.L.L.C. 500 Throckmorton Street, Suite 3400 Ft. Worth, TX 76102-3821				817-332-2580
Equipment:	Gyro-Tech "Whisper Slide" Series 1100 bi-parting sliding door equipped with dual hold open beams and BEA, Inc. VG087/C unidirectional microwave motion sensors.				
Description:	Plaintiff exiting Kroger store struck by prematurely closing door on February 7, 1997.				
Deposition:		Trial:		Outcome:	Case settled on or about April 28, 2000.

Gyro-Tech/Lanson/NABCO cases – Inactive

Case:	Lavoie <i>v.</i> Price Chopper			Seq. No. 303
Attorney:	Roger J. Brunelle 7 State Street Worcester, MA 01609-2895			508-755-2277
Equipment:	Swinging door actuated by control mats.			
Description:	Woman lost part of finger trying to extract it when swinging door closed on her unexpectedly while she was standing on the swing side control mat.			
Deposition:		Trial:		Outcome: Settled, January, 2002

Case:	Marguerite A. Sellers <i>v.</i> Camden-Clark Foundation, Inc. <i>et al.</i> Civil Action No. 96-C-74, Circuit Court of Wood County, WV.			Seq. No. 304
Attorney:	Harry G. Deitzler HILL, PETERSON, CARPER, BEE & DEITZLER 500 Tracy Way Charleston, WV 25311-1555			304-345-5667
Equipment:	Gyro Tech, Inc. sliding door.			
Description:	Woman injured while attempting to leave through automatic sliding doors at Camden-Clark Memorial Hospital in Parkersburg, WV.			
Deposition:		Trial:		Outcome: Settled in favor of Plaintiff in 1997.

Case:	Mary Johnson <i>vs.</i> Ocean State Jobbers, Inc., American Automatic Doors, Inc., <i>et al.</i>			Seq. No. 305
Attorney:	Paul V. Sullivan Alexander P. Borré Morrison, Mahoney & Miller, L.L.P. 250 Summer Street Boston, MA 02210-1181			401-621-4652
Equipment:	Gyro Tech, Inc. swinging door with Microwave Sensor D-7 and BEA, Inc., DK-12/LO-21.			
Description:	86 year old woman struck and injured while attempting to exit through door.			
Deposition:		Trial:		Outcome: Settled for \$60,000 on, or about, 12/20/04.

Case:	Verna Monson (Deceased) <i>vs.</i> Albertson's Inc., Boon Edam, Inc., and John Does I-X District Court of Seventh Judicial District, Bingham County, Idaho; Case No. CV-04-2250			Seq. No. 306
Attorney:	Michael G. Brady Brady Law, Chartered 9300 Overland Road, Suite 200 P. O. Box 1398 Boise, ID 83701-1398			208-327-8900
Equipment:	Gyro-Tech dual panel swinging door using Microwave Sensors, Inc., D7 and D14 sensors.			
Description:	72 year old woman struck while entering Alberston's store. Died two days later of brain injuries sustained in fall.			
Deposition:		Trial:		Outcome: Settled on, or about, December 27, 2005.

Gyro-Tech/Lanson/NABCO cases – Inactive

Case:	Ronald E. Brown and Sheryl Brown <i>v.</i> Meijer Stores Limited Partnership Wayne Superior Court of Indiana; Cause No. 89D01-0301-CT-003.			Seq. No. 307
Attorney:	Scott A. Faultless Craig Kelly & Faultless 5845 Lawton Loop East Drive, Suite 1 Indianapolis, IN 46216-1072			317-545-1760
Equipment:	Gyro-Tech single panel swinging door actuated on approach by BEA, Inc., VG087C and with control mat on swing side.			
Description:	Man struck and injured while entering through outer swinging door.			
Deposition:		Trial:		Outcome: Settled on, or about, July 11, 2006.

Case:	Beverly Salisbury <i>v.</i> Talbert Medical Group and NABCO Entrances Superior Court, Los Angeles County, South District, California Case No. NC037340			Seq. No. 308
Client:	Richard Chandler Chandler & Associates 10091 Suntan Circle Huntington Beach, CA 92646-6630			714-963-8088
Equipment:	NABCO GT-100 sliding door with GT Intellisensor			
Description:				
Deposition:		Trial:		Outcome: Consultation completed November, 2006.

Case:	Edward and Anne King <i>vs.</i> Hannaford Bros. Co. State of New Hampshire, Superior Court, Strafford County; Docket No. 05-C-0622			Seq. No. 309
Attorney:	Benjamin T. King Douglas, Leonard & Garvey, P.C. 6 Loudon Road, Suite 502 Concord, NH 03301-5321			603-224-1988
Equipment:	Gyro-Tech sliding door with hold open beams and X-band microwave motion sensors.			
Description:	Woman struck while attempting to exit through interior sliding door.			
Deposition:		Trial:		Outcome: Settled on, or about, 3/2/07 for a confidential amount.

Case:	The Estate of Hazel H. Maddox, deceased, <i>v.</i> The Kroger Co., State Court of Gwinnett County, Georgia; Civil Action File No.: 12C-00608-3			Seq. No. 310
Attorney:	Shawn F. Bratton Mahaffey Pickens Tucker, L.L.P. 1550 North Brown Road, Suite 125 Lawrenceville, GA 30043-1802			770-232-0000
Equipment:	GyroTech biparting sliding door.			
Description:	Woman struck on right side while entering through exterior door, knocking her down. Fractured pelvis. Safeties reported not working.			
Deposition:		Trial:		Outcome: Settled on or about 3/14/13 for a confidential amount.

Gyro-Tech/Lansco/NABCO cases – Inactive

Case:	Phyllis Stuart <i>v.</i> Meijer, Inc.; Circuit Court for the County of Eaton; State of Michigan Case No.: 13-1263-NO			Seq. No. 311
Attorney:	Richard A. Foster Foster & Harmon, P.C. 903 East Grand River Avenue East Lansing, MI 48823-4525			517-337-4600
Equipment:	Gyro-Tech/NABCO swinging door actuated by control mat.			
Description:	80 year old woman using a walker knocked down and injured by door as she was entering through the exterior door.			
Deposition:		Trial:		Outcome: On, or about, April 11, 2014, Plaintiff opted to settle out-of-court for an undisclosed amount.

Case:	Flora Salivaras, <i>et al.</i> <i>vs.</i> Riser Foods, Inc., <i>et al.</i> State of Ohio, Cuyahoga County, Court of Common Pleas, Case #258301			Seq. No. 312
Attorney:	John J. McCarthy 1370 Ontario Street, First Floor Cleveland, OH 44113-1792			216-621-2300 216-694-5218
Equipment:	Gyro-Tech swinging door with control mats.			
Description:	Middle aged woman struck by prematurely closing door – tore rotator cuff.			
Deposition:		Trial:		Outcome: May have settled.

Case:	Patricia A. Brosque and John Brosque <i>v.</i> North Shore Medical Center, Inc., d/b/a Salem Hospital, John J. Daley, and Talbot Electric, Inc.; Superior Court; Commonwealth of Massachusetts; Essex County; Civil Action No. 2013-164-D			Seq. No. 313
Attorney:	Shawn P. O'Rourke O'Rourke & Hawk, LLP The Schrafft Center 529 Main Street, Suite 214 Charlestown, MA 02129-1122			617-337-3191
Equipment:	Gyro-Tech/NABCO low energy swinging door.			
Description:	Woman struck and injured when door closed upon her.			
Deposition:		Trial:		Outcome: Settled on 11/26/14 for an unknown amount.

Case:	Nohemi Reynolds <i>vs.</i> Frost Bank; District Court, 93rd Judicial District, Hidalgo County, Texas; Cause No. C-3309-13-B.			Seq. No. 314
Attorney:	Jaime A. Gonzalez, Jr. Gonzalez & Associates Law Firm, P.C. 817 East Esperanza Avenue McAllen, TX 78501-1403			956-664-0100
Equipment:	NABCO/Gyro Tech, Inc., GT 1175 bi-parting sliding door with two NABCO "Acumotion A" sensors and a single hold open beam.			
Description:	Woman using cane struck, knocked down and injured while entering through inner sliding door.			
Deposition:		Trial:		Outcome: Settled in mediation on 4/4/16 for an undisclosed amount.

Gyro-Tech/Lanson/NABCO cases – Inactive

Case:	Donna Potwin, Executrix of the Estate of George Lester <i>v.</i> Charlotte Hungerford Hospital; Superior Court, Judicial District of Litchfield; Litchfield, CT; Case No.: LLI-CV1-0-6003073-S			Seq. No. 315
Attorney:	William M. O'Donnell, III Carmody & Torrance, L.L.P. 50 Leavenworth Street Waterbury, CT 06702-2112			203-575-2633
Equipment:	Gyro-Tech/NABCO low energy swinging door.			
Description:	83 year old man, deceased, leaving medical facility struck by swinging door and broke hip.			
Deposition:		Trial:		Outcome: Settled in September, 2014, for a confidential amount.

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Active

Case:	Estate of Lillian Woodward and Phyllis L. Crowe <i>v.</i> BJs Wholesale Club, Inc.				Seq. No. 316
Attorney:	F. Dore' Hunter Flanagan & Hunter, P.C. 64 Broad Street, Suite 200 Boston, MA 02109-4346				617-482-3366
Equipment:	Dor-O-Matic Astro-Slide bi-parting sliding door actuated by microwave motion sensors and dual hold open beams.				
Description:	Plaintiff struck by prematurely closing door while exiting from BJs on December 20, 1997. See also Elsie Wolf case on page 2.				
Deposition:		Trial:		Outcome:	May have settled.

Case:	Mary Jane Postizzi <i>vs.</i> Accuracy Glass & Mirror, Co., Inc., <i>et al.</i> District Court of Clark County, Nevada; Case No. A442195				Seq. No. 317
Attorney:	Justin M. Clouser Edward M. Bernstein & Associates 500 South Fourth Street Las Vegas, NV 89101-6599				702-384-4000
Equipment:	Dor-O-Matic series 9600 bi-parting sliding door				
Description:	Woman stuck and injured by bi-parting sliding door.				
Deposition:	7/14/04	Trial:		Outcome:	

Case:	Lemma Louise Barton <i>v.</i> SAKS, Incorporated, d/b/a Parisian, <i>et al.</i> Knox County Circuit Court No. 1-205-03				Seq. No. 318
Attorney:	Mark E. Floyd Pryor, Flynn, Priest & Harber Two Centre Square, Suite 600 625 Gay Street Knoxville, TN 37902-1604				865-522-4191
Equipment:	Dor-O-Matic Astroslide bi-parting slider with hold open beams.				
Description:	85 year old woman struck and injured while entering Parisian department store.				
Deposition:		Trial:		Outcome:	

Case:	Edith Peselnick <i>vs.</i> Fry's Food & Drug Stores				Seq. No. 319
Attorney:	C. Kevin Dykstra Bonnett, Fairbourn, Friedman & Balint, P.C. 2901 N. Central Avenue, Suite 1000 Phoenix, AZ 85012-2730				602-274-1100
Equipment:	Dor-O-Matic telescoping bi-parting sliding door with Stanley Stan-Guard™ presence sensor, microwave motion sensors, and dual hold open beams.				
Description:	92 year old woman knocked down and injured while attempting to exit from Fry's store.				
Deposition:		Trial:		Outcome:	

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Active

Case:	Salzberg <i>v.</i> Costco, <i>et al.</i> Docket No.: MID-L-4229-03			Seq. No. 320
Attorney:	Harold J. Gerr 47 Raritan Avenue, 2nd Floor Highland Park, NJ 08904-2452			732-249-4600
Equipment:	Horton bi-parting sliding door with K-band microwave motion sensors and dual hold open beams.			
Description:	56 year old woman struck by door while entering Costco.			
Deposition:		Trial:		Outcome:

Case:	Barbara Hartigan <i>v.</i> Hospital Center Medical Pavilion Condominium Association, <i>et al.</i> ; Circuit Court for Fairfax County, VA; At Law No. CL2007-13119			Seq. No. 321
Attorney:	Robert C. Adams Odin, Feldman & Pittleman, P.C. 9302 Lee Highway, Suite 1100 Fairfax, VA 22031-1214			703-218-2146
Equipment:	Dor-O-Matic automatic bi-parting sliding door.			
Description:	75 year old woman struck by door and knocked down while exiting from building through the exterior door of two at a vestibule. Broke her hip, and incurred other injuries.			
Deposition:		Trial:		Outcome:

Case:	Nancy Smithson <i>vs.</i> No Frills Supermarkets, Inc.; District Court, Pottawattamie County, IA; Case No. 04781 LACV 098292			Seq. No. 322
Attorney:	Ryan M. Sewell Stuart Tinley Law Firm, L.L.P. 310 West Kanesville Boulevard, 2nd Floor P. O. Box 398 Council Bluffs, IA 51502-0398			712-322-4033
Equipment:	Dor-O-Matic/LCN Closers, Inc., bi-parting sliding door.			
Description:	37 year old woman who had had stroke struck, knocked down and injured while standing in door closing path.			
Deposition:		Trial:		Outcome:

Case:	Tina Tritto <i>vs.</i> Ingersoll-Rand Company; Suffolk Superior Court; Case No. 09-4170			Seq. No. 323
Attorney:	Jonathan A. Karon Karon & Dalimonte, LLP 85 Devonshire Street, Suite 1000 Boston, MA 02109-3572			617-367-3311
Equipment:	Dor-O-Matic/Ingersoll-Rand/LCN Closers, Inc., low-energy single panel swing door.			
Description:	Woman struck by door as the door closed on her when she was entering.			
Deposition:		Trial:		Outcome:

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Active

Case:	Estate of Harold Howard <i>vs.</i> New Albertson's, Inc., Superior for the Sate of Washington; Court, Spokane County, State of Washington; Case No.: 11-02-01482-1			Seq. No. 324
Attorney:	Ryan McNeice McNeice Wheeler, P.L.L.C. 11404 East Sprague Avenue Spokane Valley, WA 99206-7201			509-928-4141
Equipment:	Dor-O-Matic bi-parting sliding door with motion sensors, Look-See™ presence sensors and hold open beams.			
Description:	90 year old man struck and knocked down by exterior sliding door as he attempted to enter store. Subsequently died.			
Deposition:	5/16/12 5/2/13	Trial:		Outcome:

Case:	Michael McAllister <i>vs.</i> BJ's Wholesale Club, Inc., Direct Door, Inc., and Ingersoll-Rand Company d/b/a Dor-O-Matic; Circuit Court of the Fifteenth Judicial Circuit in and for Palm Beach County, Florida; Civil Jurisdiction Division; Case No. 13-4995 (AO)			Seq. No. 325
Attorney:	Darryn L. Silverstein Silverstein, Silverstein and Silverstein, P.A. 20801 Biscayne Boulevard, Suite 504 Aventura, FL 33180-1400			305-935-2500
Equipment:	Dor-O-Matic bi-parting sliding door with BEA, Inc., Eagle™ motion sensors and BEA, Inc., Crystal™ presence sensors, and dual BEA, Inc., MicroCell™ hold open beams.			
Description:	Man struck by door while entering through exterior door.			
Deposition:		Trial:		Outcome:

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Inactive

Case:	Valda Levesque <i>v.</i> Shaw's Supermarket, Inc., <i>et al.</i>				Seq. No. 326
Attorney:	John E. Sedgewick BERMAN & SIMMONS, P.A. 129 Lisbon Street, P.O. Box 961 Lewiston, ME 04243-0961				207-784-3576
Equipment:	Dor-O-Matic swinging door with infrared presence detector.				
Description:	Woman struck by premature closing of swinging door while on swing side of door.				
Deposition:		Trial:		Outcome:	

Case:	Claus <i>vs.</i> Memorial Medical Center, <i>et al.</i>				Seq. No. 327
Attorney:	James O. Wilson, Jr. WALDROP & WILSON 329 Lawrence Street P. O. Box 667 Marietta, GA 30061-2056				770-427-2476
Equipment:	Dor-O-Matic biparting sliding door with microwave motion sensors and dual hold open beams.				
Description:	Woman struck by premature closing of sliding door while leaving rehabilitation center.				
Deposition:	5/14/99	Trial:		Outcome:	Case settled in favor of the plaintiff with a confidentiality agreement on or about July 1, 1999.

Case:	Whiting/Kuhlthau <i>vs.</i> Fred Meyers Stores, Inc., Dor-O-Matic, <i>et al.</i>				Seq. No. 328
Attorney:	Stuart Goldstein Stuart Goldstein Law Firm 2700 North 3rd Street, Suite 2010 Phoenix, AZ 85004-4602				602-279-1666
Equipment:	Dor-O-Matic Astro-Slide® bi-parting sliding door actuated by microwave motion sensors and Look-See® IR presence sensor.				
Description:	86 year old woman struck by prematurely closing door while exiting from supermarket. Woman died of her injuries.				
Deposition:		Trial:		Outcome:	Case settled on 8/1/03.

Case:	Frances Mulhall <i>v.</i> Gordon Food, <i>et al.</i> Circuit Court, Cook County, IL; Case No. 02 L 005435				Seq. No. 329
Attorney:	David J. Heyer Law Office of David J. Heyer, Ltd. 212 West Washington, Suite 908 Chicago, IL 60606-3426				312-372-4950
Equipment:	Dor-O-Matic bi-parting sliding door				
Description:	Elderly woman stuck and injured (hairline hip fracture) by bi-parting sliding door.				
Deposition:	1/22/04	Trial:		Outcome:	Settled on 1/22/04 for \$75,000 to Plaintiff.

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Inactive

Case:	Stevie <i>v.</i> Southern Ohio Door Control, <i>et al.</i> U.S. District Court for the Eastern Division of Kentucky; Case No. 2001-216-WOB				Seq. No. 330
Attorney:	William B. Strubbe Suite 1925 Kroger Building 1014 Vine Street Cincinnati, OH 45202-1141				513-621-4775
Equipment:	Dor-O-Matic low energy power operated swinging door.				
Description:	Man fractured hip after being struck and knocked down by prematurely closing door.				
Deposition:	9/23/04	Trial:		Outcome:	Settled on, or about, January 26, 2005.

Case:	Claudia Gonzalez vs. Staples vs. United Door Service Civil Action No. B-03-125				Seq. No. 331
Attorney:	Ron Armstrong R. W. Armstrong & Associates 2600 Old Alice Road, Suite A Brownsville, TX 78521-1456				956-546-5556
Equipment:	Dor-O-Matic bi-parting sliding door with BEA, Inc., Eagle microwave motion sensor and dual hold open beams				
Description:	Plaintiff injured while exiting from the store.				
Deposition:		Trial:		Outcome:	Settled on, or about, 10/10/05 for approx. \$95,000.

Case:	Traci Anselm <i>vs.</i> Botsford Center for Rehabilitation and Health Circuit Court for Wayne County, State of Michigan; Case No. 04-420544 NO				Seq. No. 332
Attorney:	Brian A. Kutinsky Mindell, Malin & Kutinsky 25505 West Twelve Mile Road, Suite 1000 Southfield, MI 48034-1811				248-353-5595
Equipment:	Dor-O-Matic single panel low energy power operated swinging door.				
Description:	Woman with cane struck by door as she was entering building.				
Deposition:		Trial:		Outcome:	Settled in October, 2005, for \$100,000.

Case:	Merriott <i>v.</i> Supermarket Investors, Inc., Crain Enterprises, Inc., and Dor-O-Matic Garland County Circuit No.: CV-05-520 Div III				Seq. No. 333
Attorney:	Donald C. Pullen Lane, Muse, Arman & Pullen 201 Market Street Hot Springs, AR 71901-4029				501-623-3356
Equipment:	Dor-O-Matic biparting sliding door with hold open beams.				
Description:	82 year old woman using a walker knocked down and injured while attempting to exit from store.				
Deposition:		Trial:		Outcome:	Settled on March 7, 2006, for a confidential amount.

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Inactive

Case:	Aloysius and Antoinette Staal <i>v.</i> Munson Healthcare, Inc. State of Michigan, Circuit Court for County of Grand Traverse; Case No. 03-23343-NO				Seq. No. 334
Attorney:	Daniel P. O'Neil Thompson, O'Neil & Vanderveen 309 East Front Street Traverse City, MI 49684-2554				231-929-9700
Equipment:	Dor-O-Matic swinging door with Super-Nova™ surface mounted IR presence sensors.				
Description:					
Deposition:		Trial:		Outcome:	Settled in March, 2005.

Case:	Jack and Fran Marku <i>vs.</i> LNT West d/b/a Linens 'n Things District Court, Clark County, Nevada; Case No.: A482218; Dept. No.: IX				Seq. No. 335
Attorney:	Nadia von Magdenko Barron, Vivone & Pruitt, L.L.P. 1404 South Jones Boulevard Las Vegas, NV 89146-1231				702-870-3940
Equipment:	Dor-O-Matic Astro-Slide® biparting automatic sliding door with hold open beams and Look-See® presence sensor.				
Description:	Woman struck and seriously injured while entering store through inner door of vestibule.				
Deposition:	2/16/06 7/14/06 7/24/06	Trial:	8/17/06	Outcome:	Jury found for the Plaintiff. Award confidential.

Case:	Elizabeth M. Nelson, Admx. of The Estate of Rita Heaslip <i>vs.</i> Circuit City, Inc. Superior Court of the Commonwealth of Massachusetts; Suffolk County; Civil Action No. 05-0056F				Seq. No. 336
Attorney:	Dante G. Mummolo Iannella and Mummolo 55 Court Street, Suite 510 Boston, MA 02108-2104				617-742-1388
Equipment:	Dor-O-Matic Astro-Slide® biparting automatic sliding door.				
Description:	Woman using a walker struck and seriously injured while exiting store.				
Deposition:		Trial:		Outcome:	Settled on May 6, 2008, for a confidential amount.

Case:	Roberta Fine <i>vs.</i> Pedriana Gustafson, Inc., LCN Closers, and Rock Valley Glass of Rockford, Inc.; State of Illinois, Circuit Court of the 17th Judicial Circuit; Winnebago County, Illinois; No. 09 L 41				Seq. No. 337
Attorney:	Jan H. Ohlander Reno & Zahm 2902 McFarland Road, Suite 400 Rockford, IL 61107-6801				815-987-4050
Equipment:	Dor-O-Matic/LCN Closers swinging door.				
Description:	Elderly woman struck when exterior swinging door closed upon her as she attempted to exit from clinic.				
Deposition:		Trial:		Outcome:	Settled on, or about, May 7, 2010.

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Inactive

Case:	The Estate of Mabel Lillian Cowle, deceased, <i>vs.</i> The Kroger Company d/b/a Kroger Food Stores, Crain Enterprises, Inc., d/b/a Mid-South Automatic Door and John Does 1-5 U.S. District Court, Western District of Arkansas, Hot Springs Division; Case No. CV 09-6040				Seq. No. 338
Attorney:	Michael A. Crockett Crockett Personal Injury Law Firm 320 Executive Court, Suite 302 West Little Rock, AR 72205-4545				501-375-1919
Equipment:	Dor-O-Matic bi-parting sliding door with Astro-Scan® motion sensors, Look-See I® through door overhead presence sensor and dual hold open beams.				
Description:	98 year old woman using quad cane struck by door, broke hip and died within 12 hours.				
Deposition:	3/5/10	Trial:	3/25/10	Outcome:	\$75,000 to plaintiff as per high/low agreement.

Case:	Ann Booth <i>vs.</i> Safeway, Inc., and Shane McCarthy; In The United States District Court for the District of Montana, Butte Division; Cause No. CV-09-77-BU-RFC				Seq. No. 339
Attorney:	William P. Joyce Joyce, Johnston & MacDonald, PLLP 321 West Galena Street, Suite B Butte, MT 59701-1603				406-723-8700
Equipment:	Dor-O-Matic/LCN Closers, Inc., bi-parting sliding door with BEA, Inc, Eagle™ microwave motion sensors and dual hold open beams.				
Description:	92 year old woman using a walker struck and injured by door while exiting through exterior door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 4/28/10 for a confidential amount.

Case:	Richard E. Clawson, individually and as Executor of the Estate of Deborah A. Clawson, deceased <i>v.</i> Mountaineer Park, Inc., MTR Gaming Group, Inc., and Trinity Door Systems, Inc.; Circuit Court of Hancock County, West Virginia; Civil Action No. 11-C-108				Seq. No. 340
Attorney:	Louis H. Khourey Gold, Khourey & Turak, L.L.C. 510 Tomlinson Avenue Moundsville, WV 26041-1946				304-845-9755
Equipment:	Dor-O-Matic dual panel power assist swinging door with BEA, Inc., Superscan™ sensors.				
Description:	Alternate panel opened into and knocked down woman using quad cane. Died subsequently of complications.				
Deposition:	3/25/13	Trial:		Outcome:	Settled on 11/12/13 for a confidential amount.

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Inactive

Case:	Fay Harbison <i>v.</i> ALDI, Inc.; U.S. District Court fo the Western District of Oklahoma; Case No: CJ-2013-3349			Seq. No. 341
Attorney:	D. G. Majors Bailey, Crowe, Kugler & Arnold, LLP 901 Main Street, Suite 6550 Dallas, TX 75202-3711			214-231-0555
Equipment:	Dor-O-Matic single panel sliding door with Optex OA-202C sensors.			
Description:	85 year old woman struck by door as she attempted to enter building, knocked down and broke hip.			
Deposition:		Trial:		Outcome: Settled on, or about, August 8, 2014, for an undisclosed amount.

Case:	Dorothy Farewell <i>vs.</i> Kmart Corporation, NT Dor-O-Matic, Inc., and Automatic Entrances, Inc.; District Court, Lancaster County, Nebraska; Case No. C101-1281			Seq. No. 342
Attorney:	Edward F. Hoffman Cada & Associates 1024 K Street Lincoln, NE 68508-2851			402-477-2233
Equipment:	Dor-O-Matic Astro-Slide® single panel sliding door with Astro-Scan® motion sensors and dual hold open beams.			
Description:	Door closed prematurely on woman using a walker as she exited Kmart store.			
Deposition:		Trial:		Outcome: Settled in, or about, 2007 for an unknown amount.

Case:	Rebecca Gonzales <i>v.</i> Automatic Access Inc., and Sears, Roebuck and Co., L.L.C.; District Court, City and County of Denver, Colorado; Case No.: 2015CV31115			Seq. No. 343
Attorney:	Melissa J. Winthers Fleishman & Shapiro, P.C. 2000 S. Colorado Boulevard Tower ONE, Suite 9000 Denver, CO 80222-7923			303-861-1000
Equipment:	Dor-O-Matic Astro Swing.			
Description:	Inward swinging door panel opened outward and then closed upon woman as she was attempting to enter the store.			
Deposition:		Trial:		Outcome: Settled on February 25, 2016, for \$117,000.

Dor-O-Matic/Ingersoll-Rand/LCN Closers cases – Inactive

Case:	Elizabeth Tucker and Ronald Tucker <i>vs.</i> Catholic Health Initiatives - Iowa Corp. d/b/a Mercy Medical Center and Control Installations of Iowa, Inc., d/b/a Automatic Door Group; Iowa District Court for Polk County; Case No. LACL137006			Seq. No. 344
Attorney:	Timm W. Reid Reid Law Firm 300 Walnut Street, Suite 5 Des Moines, IA 50309-2233			515-381-9842
Equipment:	Dor-O-Matic pocketed bi-parting sliding door, Model 70598-900, S/N 002209, with two Astro-Scan™ microwave motion sensors, a single Look-See™ II overhead presence sensor, and dual hold open beams.			
Description:	Woman in early 70's struck and injured by interior sliding door while attempting to enter into lobby of bldg.			
Deposition:		Trial:		Outcome: Settled in mediation on 4/24/18.

Keane Monroe/KM Systems, Inc./Record USA, Inc., cases – Active

Case:	Mary Ernst and Irven Ernst <i>vs.</i> The United States Postal Service U.S. District Court; Middle District of Florida – Ocala Division; Case No. 5:03CV52-OC-10GRJ				Seq. No. 345
Attorney:	Victor J. & Kelly H. Musleh P. O. Box 1866 Ocala, FL 34478-1866				352-732-0600
Equipment:	Bi-parting sliding door using Microwave Sensors, Inc., X-band microwave motion sensors and dual hold open beams.				
Description:	Elderly woman struck by sliding door, knocked down and broke hip while attempting to enter post office.				
Deposition:	6/25/04	Trial:		Outcome:	

Case:	Dennis Macquilken <i>vs.</i> KM Systems, Inc., <i>et al.</i>				Seq. No. 346
Attorney:	Mark Bongiovanni Leary, Bride, Tinker & Moran 7 Ridgedale Avenue Cedar Knolls, NJ 07927-1120				973-539-2090
Equipment:	KM Systems, Inc., swinging door.				
Description:	Person struck while exiting from A&P Food Store.				
Deposition:		Trial:		Outcome:	

Case:	Bettie E. Bibb <i>vs.</i> Ragland Bros. Retail Cos., Inc., Universal Door Systems, Inc., and KM Systems, Inc.; In the Circuit Court of Dekalb County, Alabama; Case No.: CV 2013-900024.00				Seq. No. 347
Attorney:	J. Allen Schreiber Burke Harvey, L.L.C. 3535 Grandview Parkway, Ste. 100 Birmingham, AL 35243-1931				205-930-9091
Equipment:	KM Systems, Inc., bi-parting sliding door.				
Description:	72 year old woman entering using quad cane struck and knocked down by door as it closed.				
Deposition:	7/29/16	Trial:		Outcome:	

Case:	Normie Bourgeois <i>vs.</i> Fred's Inc., Fred's Stores of Tennessee, Inc., Record USA, Inc., Travelers Property Casualty Company of America, Door Control Services, Inc., and Companion Property and Casualty Insurance Company; 23rd Judicial District Court, Parish of Ascension, Louisiana; Case No.: 108,635				Seq. No. 348
Attorney:	Stephanie E. Robin Thompson, d'Entremont & Robin, LLC 2161 Quail Run Drive, Suite A Baton Rouge, Louisiana 70808-4292				225-766-5001
Equipment:	Record-USA R4500 bi-folding door with Optex OA-601C presence sensor, dual H.O. beams, and Optex Reaction™ Two motion sensors.				
Description:	Woman using cane (in right hand) struck and injured while attempting to enter through the subject door.				
Deposition:	4/23/18	Trial:		Outcome:	

Keane Monroe/KM Systems, Inc./Record USA, Inc., cases – Active

Case:	Dr. Jay Schnitzer <i>v.</i> Life St. Mary's			Seq. No. 349
Attorney:	Brad S. Tabakin Tabakin Wolfe, L.L.P. Plymouth Greene Office Complex 1000 Germantown Pike, B-3 Plymouth Meeting, PA 19462-2480			215-525-1616
Equipment:	Record USA low energy swinging door.			
Description:	Man exiting through interior door of vestibule at assisted living facility struck on leg and knocked down and injured.			
Deposition:		Trial:		Outcome:

Keane Monroe/KM Systems, Inc./Record USA, Inc., cases – Inactive

Case:	Roseann and Timothy Bartzler <i>v.</i> Keane Monroe <i>et al.</i> , Court of Common Pleas, Montgomery County, PA, Civil Division, Case Nos: 91-20964 and 92-21388.			Seq. No. 350
Attorney:	Stuart W. Kessler KESSLER & ASSOCIATES, P.C. 111 West Germantown Pike Plymouth Meeting, PA 19462-1450			610-834-1060
Equipment:	Keane Monroe sliding door actuated by a single hold open beam and a C&K microwave motion sensor on each side of door at time of accident.			
Description:	Young woman's shoulder pinned between sliding door panels. She subsequently suffered severed nerves in left brachial plexus during surgery resulting from injuries sustained in attempting to extricate herself from the door.			
Deposition:		Trial:		Outcome: Settled on October 21, 1997, for \$800,000 on the eve of trial.

Case:	Patricia Inman, Plaintiff <i>vs.</i> Fred's Stores of Tennessee, Inc., Defendant <i>vs.</i> Record-USA, Inc., Commercial Solutions, Inc., formerly known as Glass America, Automated Doors & Access, Inc., and Westmoreland Glass Co.; Circuit Court of Prentiss County, Mississippi; Case No.: CV-2014-000173JR			Seq. No. 351
Attorney:	William W. Smith 311 West College Street P. O. Box 961 Booneville, MS 38829-0961			662-728-1228
Equipment:	Record-USA 4500 series bi-folding door utilizing Optex Reaction Two motion sensors, an Optex OA-601 presence sensor and dual Cedes ELS-269 H.O. beams.			
Description:	Door closed on woman entering store.			
Deposition:		Trial:		Outcome: Settled on, or about, 3/28/18.

Boon Edam, Inc. cases – Active

Case:	Elfrieda Doris Dobrowa <i>v.</i> Sparrow Hospital			Seq. No. 352
Attorney:	Brian A. Kutinsky Mindell, Malin & Kutinsky 25505 West Twelve Mile Road, Suite 1000 Southfield, MI 48034-1811			248-353-5595
Equipment:	Boon Edam 12' <i>Doutour</i> TM revolving door with handicapped button.			
Description:				
Deposition:		Trial:	Outcome:	

Case:	Wayne and Shirley Gaines <i>v.</i> Boon Edam, Inc., and North Mississippi Medical Center, Inc., Union County Mississippi Circuit Court; Cause No. CV 2011-061			Seq. No. 353
Attorney:	Michael B. Gratz, Jr. Gratz & Gratz 213 North Green Street Tupelo, MS 38804-3828			662-844-5531
Equipment:	Boon Edam <i>Doutour</i> TM revolving door.			
Description:	80 year old man struck by door while exiting into lobby in the process of entering the hospital..			
Deposition:		Trial:	Outcome:	

Case:	Helen Lindsay DeMille, Personal Representative of the Estate of Patrick Lindsay, <i>et al. vs.</i> Boon Edam, Inc.; Stanley Access Technologies, LLC; Action Door Controls, Inc.; IHC Hospitals, Inc., d/b/a Utah Valley Regional Medical Center; IHC Health Services, Inc., d/b/a Utah Valley Regional Medical Center; Fourth Judicial District Court - Provo; Utah County, State of Utah; Civil No. 140400261			Seq. No. 354
Attorney:	Jordan P. Kendell Eisenberg Gilchrist & Cutt 215 South State Street, Suite 900 Salt Lake City, Utah 84111-2353			801-366-9100
Equipment:	Boon Edam 16' <i>Doutour</i> TM 2-wing revolving door with collapsible radial panels.			
Description:	87 year old man struck at periphery of door as he entered the door to exit from the bldg. Died of consequent infection.			
Deposition:		Trial:	Outcome:	

Case:	Nancy S. Gutekunst, as Administratrix of The Estate of Shirley Joyce Carl, and Richard D. Carl, Sr., Individually <i>v.</i> The Reading Hospital and Medical Center, Reading Health System, Boon Edam, Inc., Advanced Door Services, Inc., and Overhead Door Corporation; Court of Common Pleas, Berks County, State of Pennsylvania, Civil Division; Civil Action No.: 16-20150			Seq. No. 355
Attorney:	Derek R. Layser Friedman, Schuman, Applebaum & Nemeroff, P.C. 101 Greenwood Avenue, 5th Floor Jenkintonwn, PA 19046-2636			215-635-7200
	Boon Edam <i>Doutour</i> TM 2-wing revolving door.			
Description:	Woman struck, knocked down and injured by leading edge of 2-wing revolving door. Wrongful death action.			
Deposition:		Trial:	Outcome:	

Boon Edam, Inc. cases – Active

Case:	Arline Marin, as Parent and Legal Guardian of Harli Valentin, a minor, vs. Sea World of Florida, LLC; Circuit Court of the Ninth Judicial Circuit; Orange County, Florida; Case No. 2016-CA-000260-O.			Seq. No. 356
Attorney:	Alex J. Brown Morgan & Morgan 20 North Orange Avenue, 16th Floor P. O. Box 4979 Orlando, FL 32802-4979			407-420-1414
Equipment:	Boon-Edam 3-wing revolving door.			
Description:	2 year old child struck, pushed along and injured within revolving door that did not stop rotating.			
Deposition:		Trial:		Outcome:

Boon Edam, Inc. cases – Inactive

Case:	Setta Masse <i>vs.</i> Flamingo Hilton Hotel and Casino District Court, Clark County, Nevada; Case No.: A436590; Dept. No.: IV				Seq. No. 357
Attorney:	Daniel E. Carvalho Pico & Mitchell, Ltd. 2000 South Eastern Avenue Las Vegas, NV 89104-4100				702-457-9099
Equipment:	Tournex Diamondhead Model 202 16 foot diameter revolving door.				
Description:	Woman struck from behind by revolving door.				
Deposition:		Trial:		Outcome:	Settled on, or about, 3/26/02

Case:	Nancy Charleston <i>v.</i> St. John Macomb Hospital, <i>et al.</i> Circuit Court, County of Macomb, Michigan; Case No. 01 5287 NO				Seq. No. 358
Attorney:	Leslie H. Kutinsky Leslie H. Kutinsky, P.C. 201 West 13 Mile Road Madison Heights, MI 48071-1803				248-588-7272
Equipment:	Boon Edam <i>Doutour</i> TM revolving door with handicapped button.				
Description:	84 year old woman struck and broke hip.				
Deposition:	1/20/03 3/13/03	Trial:	7/30/03	Outcome:	Jury awarded \$450,000 to Plaintiff. Found defective sensor design.

Case:	Carolyn LaForest <i>v.</i> St. John Macomb Hospital, <i>et al.</i>				Seq. No. 359.
Attorney:	Brian J. Bourbeau Denardis McCandless & Miller, PC 70 Macomb Place, Suite 200 Mount Clemens, MI 48043-5626				
Equipment:	Boon Edam <i>Doutour</i> TM revolving door with handicapped button.				
Description:	Revolving door closed on Plaintiff's foot/ankle, causing her to fall, as she attempted to enter the hospital.				
Deposition:	9/20/06	Trial:	12/14/06	Outcome:	Judgment for defendant.

Case:	Gerard M. Lehrer <i>vs.</i> Marriott International, Inc. Superior Court, Commonwealth of Massachusetts; C.A. No. 03-2587.				Seq. No. 360
Attorney:	W. Thomas Smith Sugarman and Sugarman, P.C. 1 Beacon Street, Floor 13 Boston, MA 02108-3107				617-542-1000
Equipment:	Boon Edam 16' <i>Duotour</i> TM revolving door with BEA Focus TM and BEA Superscan TM sensors				
Description:	Older man knocked down by revolving door, breaking his hip.				
Deposition:		Trial:		Outcome:	Settled on, or about, 8/8/07 for a confidential amount.

Boon Edam, Inc. cases – Inactive

Case:	Evelyn Saunders and Glenn Saunders <i>v.</i> Boon Edam, Inc., <i>et al.</i> ; Commonwealth of Kentucky, Boyd Circuit Court, Civil Action No. 04-CI-00774, Division I				Seq. No. 361
Attorney:	Wendell S. Roberts Gray, Woods & Cooper 510 16th Street P. O. Box 70 Ashland, KY 41105-0070				606-329-2121
Equipment:	Boon Edam "TQA" three-wing revolving door with BEA, Inc., Focus™ and SuperScan™ sensors.				
Description:	74 year old woman struck and injured by revolving door while entering hospital.				
Deposition:	5/26/06	Trial:	1/5/07 Daubert 2/13/08	Outcome:	Jury awarded \$600,000 plus \$30,000 medicals. Upheld on appeal 10/15/10.

Case:	Simon Osher <i>v.</i> Victoria Partners d/b/a Monte Carlo Resort & Casino, <i>et al.</i> Nevada Eighth Judicial District Court; Clark County, Case No. A536739				Seq. No. 362
Attorney:	Steven L. Day Cohen, Johnson & Day 1060 Wigwam Parkway Henderson, NV 89074-8175				702-309-3333
Equipment:	Boon Edam TQA™ three-wing revolving door.				
Description:	90 year old man, not using a walker or cane, struck by leading edge of revolving door as he was about to exit from the door.				
Deposition:	3/6/08	Trial:		Outcome:	Settled on or about 4/3/08 for a confidential amount.

Case:	Syd Zoss <i>v.</i> The Cleveland Clinic Foundation, <i>et al.</i> Court of Common Pleas, Cuyahoga County, OH; Case No. CV-06-582011				Seq. No. 363
Attorney:	Stuart A. Strasfeld Daniel P. Dascenzo Roth, Blair, Roberts, Strasfeld & Lodge 100 Federal Plaza East, Suite 600 Youngstown, OH 44503-1893				330-744-5211
Equipment:	Boon Edam "Tournex" Model 22-01 4-wing 14' revolving door.				
Description:	Woman struck and injured as she was about to exit from the sweep of the door				
Deposition:	7/24/07	Trial:		Outcome:	Settled in mediation in January, 2008, for \$105,000.

Case:	Ruth D. Tromp <i>vs.</i> Boon Edam Tomsed, Inc., <i>et al.</i> ; Circuit Court of the State of Oregon Deschutes County; Case No. 07CV0215AB				Seq. No. 364
Attorney:	Paul B. Heatherman Paul Heatherman, PC 250 N.W. Franklin Avenue, Suite 402 Bend, OR 97701-2814				541-389-1010
Equipment:	Boon Edam 14' <i>Doutour</i> ™ revolving door.				
Description:	Woman using walker struck while exiting from clinic.				
Deposition:		Trial:		Outcome:	Settled on 5/14/10 for a confidential amount.

Boon Edam, Inc. cases – Inactive

Case:	Estate of Margaret Robert, deceased, <i>vs.</i> Boon Edam, Inc., <i>et al.</i> District Court, Clark County, Nevada; Case No.: A445446; Dept. No.: II			Seq. No. 365
Attorney:	Lawrence J. Smith Benson Bertoldo Baker & Carter, Chtd. 7408 West Sahara Avenue Las Vegas, NV 89117-2740			702-228-2600
Equipment:	Boon Edam revolving door.			
Description:	Woman struck and injured while attempting to enter the Flamingo Hilton Hotel, Las Vegas, NV, through subject revolving door.			
Deposition:		Trial:		Outcome: Resolved. Details unknown.

Case:	Marjorie Blackwell and Roy Blackwell <i>vs.</i> Mercy Health Springfield Communities and Third Party Defendant Boon Edam, Inc.; Circuit Court of Greene County, Missouri, Case No.: 1231-CV01309			Seq. No. 366
Attorney:	Chandler Gregg Strong-Garner-Bauer, P.C. 415 East Chestnut Expressway Springfield, MO 65802-3707			417-887-4300
Equipment:	Boon-Edam <i>Duotour</i> TM revolving door.			
Description:	85 year old woman struck by revolving door while exiting from hospital.			
Deposition:		Trial:		Outcome: Settled on, or about, 9/3/13 for a confidential amount.

Case:	Hyacinth Dobbs <i>vs.</i> Jordan's Furniture, Inc., Boon Edam, Inc., and Dorma-Carolina Door Controls, Inc.; Commonwealth of Massachusetts, Middlesex Superior Court; Civil No.: 13-3219			Seq. No. 367
Attorney:	Michael S. Lalikos Schneider & Lalikos, LLP 8 Essex Center Drive, Suite 11 Peabody, MA 01960-2911			978-532-5200
	Boon Edam <i>Tournex</i> TM 3-wing 16' diameter revolving door with core.			
Description:	90 year old woman using walker struck by unprotected leading edge while attempting to enter building.			
Deposition:		Trial:		Outcome: Settled on 8/27/14 for \$125,000 to plaintiff.

Case:	Joan Burnham and Keith Burnham <i>vs.</i> University of Utah d/b/a University Health Care and State of Utah; Third Judicial District Court; Salt Lake County, Utah; Civil No. 120902990			Seq. No. 368
Attorney:	Philip S. Lott Utah Attorney General's Office, Litigation Division 160 East 300 South, 6th Floor P. O. Box 140856 Salt Lake City, UT 84114-0856			801-366-0100
Equipment:	14' diameter Boon Edam <i>Doutour</i> TM revolving door.			
Description:	81 year old woman struck and injured by the door while entering the hospital.			
Deposition:		Trial:		Outcome: Settled on, or about, 9/2/14 for an undisclosed amount.

Boon Edam, Inc. cases – Inactive

Case:	Mary DeLisi vs. Greenwood Gaming and Entertainment, Inc., d/b/a Parx Casino, Boon Edam, and Stanley Access Technologies, Court of Common Pleas, Philadelphia County, Pennsylvania, November Term 2012, No. 002247			Seq. No. 369
Attorney:	Deborah S. Baird Eckert, Seamans, Cherin & Mellott, L.L.C. Two Liberty Place 50 South 16th Street, 22nd Floor Philadelphia, PA 19102-2523			215-851-8400
	Boon Edam <i>Doutour</i> TM 2-wing 14' diameter revolving door.			
Description:	Woman using walker struck by leading edge while entering building through interior throat opening.			
Deposition:		Trial:	Outcome:	Settled on 12/3/14 for a confidential amount.

Case:	Leon Fox			Seq. No. 370
Attorney:	Camille F. Sarrouf, Sr. Sarrouf, Tarricone & Flemming 95 Commercial Wharf Boston, MA 02110-3816			617-227-5800
Equipment:	Boon Edam 12' <i>Doutour</i> TM revolving door with BEA, Inc., "Eagle" microwave motion sensors.			
Description:	Man knocked down while exiting through revolving door at Boston-Newton Marriott Hotel.			
Deposition:		Trial:	Outcome:	Settled. Date and amount unknown.

Case:	Susan P., and Stephen C. Stickells, as Personal Representatives of the Estate of Henrietta Stickells v. Boon Edam, Inc., and CHSP Newton, LLC and Marriott Hotel Services, Inc., v. ASSA ABLOY Entrance Systems US, Inc.; U.S. District Court, District of Massachusetts; Civil Action No: 14-12272-LTS			Seq. No. 371
Attorney:	Dennis M. Bottone Bottone Reiling 63 Atlantic Avenue, Suite 3 Boston, MA 02110-3752			617-412-4291
	Boon Edam <i>Doutour</i> TM 14' diameter 2-wing revolving door with BEA, Inc., Eagle TM motion sensors.			
Description:	92 year old woman using walker struck and injured by revolving door at periphery while exiting. Died as a direct consequence.			
Deposition:		Trial:	Outcome:	Settled in mediation on 11/30/16, for \$400,000.

Case:	Joyce Menzo and Nick Menzo, Jr., v. William Beaumont Hospital; Circuit Court of Oakland County; State of Michigan; Case No.: 16-154870-NO			Seq. No. 372
Attorney:	Stuart A. Fraser, IV Fraser & Souweidane, P.C. 10 South Main Street, Suite 302 Mount Clemens, MI 48043-7909			586-463-0100
	Boon-Edam <i>Duotour</i> TM 14' diameter 2-wing revolving door.			
Description:	Woman struck and knocked down by leading edge while within the interior throat of the revolving door.			
Deposition:		Trial:	Outcome:	Settled in the week of 6/19/17 for a confidential amount.

Miscellaneous cases – Industrial Roll Up

Case:	Lance and Michelle Dunfer <i>vs.</i> City of Philadelphia and Rytec Corporation Court of Common Pleas, Philadelphia County, Pennsylvania November term, 2007; Case No. 01960			Seq. No. 373
Attorney:	John F. Cordisco Stark & Stark P. O. Box 1500 Newtown, PA 18940-0894			267-907-9600
Equipment:	Rytec "Fast-Seal" model FS-1000 high speed overhead door.			
Description:	Door closed on head of user passing through the door.			
Deposition:		Trial:		Outcome:

Case:	Joyce Carletta Odoms <i>vs.</i> RollSeal, Inc., and The Manitowoc Company, Inc., d/b/a Kysor Panel Systems; In the District Court of Harris County, Texas; 127th Judicial District; Cause No. 2013-06076			Seq. No. 374
Attorney:	Kevin D. Krist The Law Office of Kevin Krist The Clock Tower Building 3401 Allen Parkway, Suite 102 Houston, TX 77019-1857			713-284-1660
Equipment:	RollSeal Inc., Model 500 roll up door with SC325 controller			
Description:	Woman stuck and injured by descending door.			
Deposition:		Trial:		Outcome:

Case:	Delbert Basurto <i>vs.</i> Wisconsin Rytec Corporation, Speed Door Solutions, Inc, and John Does 1 - 100; Superior Court of the State of California; Riverside County; Case No. RIC1209594.			Seq. No. 375
Attorney:	Robert J. Mandell The Mandell Law Firm 19400 Business Center Drive, Suite 102 Northridge, CA 91324-6425			818-886-6600
Equipment:	Rytec Fast Seal™ High Speed roll up door.			
Description:	Man walking through door struck on head by descending door.			
Deposition:		Trial:		Outcome:

Case:	Ralph Groom, Mary-Jo Piggott Groom <i>v.</i> Frommelt Dock & Door			Seq. No. 376
Attorney:	Linda J. Keogh Swartz & Swartz 10 Marshall Street Boston, MA 02108-2490			617-742-1900
Equipment:	Rite-Hite Corp. "Protecdoor" Model 8000 "Hi-speed" door			
Description:	Worker struck and seriously injured by overhead door.			
Deposition:		Trial:		Outcome: Settled on an unknown date for an unknown amount.

Miscellaneous cases – Industrial Roll Up

Case:	Grassley <i>v.</i> Rite-Hite Corporation, Franklin Superior Court docket No.			Seq. No. 377
Attorney:	David M. Yarnell KISSANE, YARNELL, CRONIN, BUGBEE & COUNOS Two North Main Street St. Albans, VT 05478-1668			802-524-9546
Equipment:	Rite-Hite Model 8050 SR industrial automatic door.			
Description:	Plaintiff, David Grassley, an employee of Ben & Jerry's, was injured when the subject industrial door closed on him as he was passing through the door opening.			
Deposition:		Trial:		Outcome: Case settled on, or about, January 2, 1999, for an undisclosed amount.

Case:	Jay L. Holleman <i>v.</i> Albany International Corp.			Seq. No. 378
Attorney:	Joseph E. Allman Macey Swanson and Allman 445 North Pennsylvania Street, Suite 401 Indianapolis, IN 46204-1800			317-637-2345
Equipment:	"Rapid Roll" Model 670 overhead door manufactured by Albany International Corp.			
Description:	Man struck and injured.			
Deposition:		Trial:		Outcome: Settled on October 31, 2005, for confidential amount.

Case:	Todd McMillen, <i>et al.</i> , <i>v.</i> Ford Motor Company; U.S. District Court Western District of Kentucky, Civil Action No. 3:07-CV-309			Seq. No. 379
Attorney:	D. Tysen Smith, II Dolt, Thompson, Shepherd, Kinney & Wilt, P.S.C. 13800 Lake Point Circle Louisville, KY 40223-4219			502-244-7772
Equipment:	Rytec "Fast-Seal" model FS-1000 high speed overhead door.			
Description:	Door closed on head of user passing through the door.			
Deposition:	1/5/09	Trial:		Outcome: Settled on 5/10/11 for an undisclosed amount.

Case:	Andrew Morrissette <i>vs.</i> Dynamic Dock & Door, Inc., and Albany International Corp. d/b/a Albany Door Systems; Massachusetts; Superior Court, Hampden County, Massachusetts; Civil Action HDCV2008-01164A			Seq. No. 380
Attorney:	Patrick J. McHugh Pellegrini, Seeley, Ryan & Blakesley, P.C. 1145 Main Street P. O. Box 30009 Springfield, MA 01103-0009			413-785-5300
Equipment:	Albany Rapid Roll 230 industrial door.			
Description:	Man walking through doorway struck on the top of head by the descending door.			
Deposition:		Trial:		Outcome: Case settled on, or about, 7/10/13. Amount currently unknown.

Miscellaneous cases – Industrial Roll Up

Case:	Marcelino Maldonado <i>v.</i> Japan Airlines, Co., Ltd., Port Authority of New York and New Jersey, and Japan Airlines Management Corp.; State of New York, Supreme Court, County of Queens; Index No. 706105-13				Seq. No. 381
Attorney:	John Dalli Dalli & Marino, L.L.P. 231 Mineola Boulevard, Suite 1 Mineola, NY 11501-2476				516-292-4700
Equipment:	Rytec Fast Seal™ overhead roll up door.				
Description:	Descending door struck man on top of head as he walked through door opening.				
Deposition:		Trial:		Outcome:	

Case:	Darryl Jones <i>v.</i> The Trustees of the University of Pennsylvania, The University of Pennsylvania, 3451 Walnut Street, Philadelphia, PA 19104-3410; Court of Common Pleas, Philadelphia County, Pennsylvania; No. 140200603				Seq. No. 382
Attorney:	Brian F. George Simon & Simon, P.C. 1515 Market Street, Suite 1600 Philadelphia, PA 19102-1919				215-467-4666
Equipment:	Dynaco model M2 high-speed roll-up door.				
Description:	Man knocked down and injured as consequence of being struck by descending overhead door.				
Deposition:		Trial:		Outcome:	Settled on 7/15/16 for an undisclosed amount.

Miscellaneous cases – Manual

Case:	Lisa Gail Harper <i>vs.</i> Mason County Exxon, Inc., d/b/a Point Pleasant Food Mart, and City Ice and Fuel Company of Point Pleasant; Circuit Court of Mason County, West Virginia Civil Action No. 10-C-12-N			Seq. No. 383
Attorney:	Chad Hatcher Hatcher Law Office 363 Fifth Avenue Huntington, WV 25701-2009			304-523-3217
Equipment:	Double manual swinging door with Norton hydraulic closer. Kawneer door panels.			
Description:	Woman struck by left hand panel (seen looking into bldg.) as she was exiting from building. Severed Achilles tendon.			
Deposition:		Trial:		Outcome:

Case:	Shannon Thibeaux-Burgess <i>v.</i> Simon Property Group, Inc., Copley Place Associates, Inc, LLC, and Newmark Knight Financial; Suffolk Superior Court, Suffolk County, Massachusetts; Civil Action No.: MICV 10-0128F			Seq. No. 384
Attorney:	Todd D. Beauregard The Law Office of Todd D. Beauregard, P.C. 25 Central Street Lowell, MA 01852-1905			978-275-1919
Equipment:	Manual revolving door.			
Description:	Left heel of woman entering building clipped revolving door, resulting in fall and injuries.			
Deposition:		Trial:		Outcome:

Case:	Dominika Jedrzejczyk <i>vs.</i> Sears, Roebuck & Co.; Circuit Court of Cook County, Illinois, Department - Law Division; Case No. 2012 L 009958			Seq. No. 385
Attorney:	George L. Acosta Acosta & Skawski, P.C. 40W310 LaFox Road, Suite H2 St. Charles, IL 60175-6588			630-871-6161
Equipment:	Crane Clearview™ 6' diameter manual revolving door.			
Description:	Woman entering building through revolving door struck from behind, knocked down and injured by door accelerated by another patron.			
Deposition:	7/24/14	Trial:		Outcome: Settled on 1/26/15 for a confidential amount.

Case:	Bernettie V. Krieger <i>v.</i> CB Building Corp., <i>et al.</i>			Seq. No. 386
Attorney:	Adam T. Suroff Walters, Bender, Strohbehn, Vaughan, P.C. 1100 Main Street, Suite 2500 Kansas City, MO 64105-5193			816-421-6620
Equipment:	International Revolving Door Co., manual revolving door			
Description:	Pedestrian within manual revolving door struck from behind when door pushed too fast.			
Deposition:		Trial:		Outcome: Settled on, or about, January 3, 2003.

Miscellaneous cases – Manual

Case:	Sally R. Aguilar <i>v.</i> Walgreens; Walgreen Co., <i>v.</i> Dynamic Door Service, Inc.; Circuit Court of Cook County, County Department - Law Division; State of Illinois; Case No. 99 L 14486				Seq. No. 387
Attorney:	John J. Seno Executive Towers 5901 N. Cicero Avenue, Suite 310 Chicago, IL 60646-5719				773-545-9000
Equipment:	Crane 6' 6" diameter manual revolving door.				
Description:	Elderly woman struck from behind by door panel.				
Deposition:	4/5/02	Trial:		Outcome:	Settled on, or about, April 1, 2003.

Case:	Reginald W. Watkins (deceased)				Seq. No. 388
Attorney:	Howard L. Pomerantz Abramowitz Pomerantz & Coffey, P.A. 7800 W. Oakland Park Boulevard, Suite 101 Sunrise, FL 33351-6742				954-572-7200
Equipment:	4 panel manual revolving door.				
Description:	Man killed by revolving door while attempting to enter hotel through revolving door.				
Deposition:		Trial:		Outcome:	Case settled. Date and amount unknown.

Case:	Kellee Movizzo <i>vs.</i> Wawa, Inc.; Superior Court of New Jersey, Law Division Hunterdon County; Docket No.: HNT-L-412-11				Seq. No. 389
Attorney:	Anthony J. Murgatroyd Law Offices of Anthony J. Murgatroyd 361 State Route 31, Bldg. C, Suite 801 Flemington, NJ 08822-5797				908-788-7011
Equipment:	Manual swinging door with Norton 8510 closer.				
Description:	Woman's toes fractured by a manual swinging door while exiting through an exterior door of the Wawa store.				
Deposition:		Trial:		Outcome:	Settled on May 19, 2014, for \$200,000.

Case:	Enid Barron <i>vs.</i> University Club of Chicago				Seq. No. 390
Attorney:	S. Jerome Levy S. Jerome Levy & Associates, P.C. 33 North Dearborn Street, Suite 1617 Chicago, IL 60602-3866				312-832-1616
Equipment:	General Bronze Corp. 4-wing 6' diameter manual revolving door.				
Description:	Woman struck by accelerated manual revolving door.				
Deposition:		Trial:		Outcome:	

Miscellaneous cases – Other

Case:	Gold <i>v.</i> Panasonic			Seq. No. 391
Attorney:	Paul R. Schneider ARDIFF & MORSE, P.C. One Corporate Place 55 Ferncroft Road Danvers, MA 01923			508-774-7123
Equipment:	Panasonic microwave oven			
Description:	Woman developed skin and blood symptoms that may have resulted from radiation from defective seal on microwave oven.			
Deposition:		Trial:		Outcome: Case abandoned by plaintiff for lack of cause.

Case:	Hawley <i>v.</i> Wonder Market Companies, AAEC, <i>et al.</i>			Seq. No. 392
Attorney:	Roger J. Brunelle 7 State Street Worcester, MA 01609-2895			508-755-2277
Equipment:	American Automatic Entrance Corporation (AAEC) "Power-Slide" with Microwave Sensors, Inc. D7W microwave motion sensor. Presence sensor is "photobeam and reflector" of currently unknown manufacturer.			
Description:	Woman struck by left slider panel as she attempted to get around a man who preceded her through the door.			
Deposition:		Trial:		Outcome: Case settled on or about January 20, 2000.

Case:	Jean Louise Tennihill <i>v.</i> Delta Airlines, Inc., Cause No. 93-5079-B. District Court, Nueces County, TX, 117th Judicial District			Seq. No. 393
Attorney:	Paul J. Raleigh RALEIGH & VELA 545 N. Upper Broadway, Suite 1000 Corpus Christi, TX 78476			512-887-1888 800-835-3521
Equipment:	Refurbished 3-wing, 8-foot revolving door set up as one-way security door originally manufactured by RESS (Related Energy and Security Systems) International. Microwave motion sensor on activate side only. Sectorial control mat and metal detectors within door preventing use in reverse direction.			
Description:	Middle aged woman sustained brain damage when struck on head due to sudden reversal of door as a result of security stop and reversal sequence.			
Deposition:		Trial:		Outcome: Settled in mediation on 10/12/95 in favor of Plaintiff for approximately \$250,000.

Case:	Mildred Russo <i>v.</i> Handicap Mobility			Seq. No. 394
Attorney:	David P. Angueira Swartz & Swartz 10 Marshall Street Boston, MA 02108-2490			617-742-1900
Equipment:	Swinging door. Manufacturer unknown at this time.			
Description:				
Deposition:		Trial:		Outcome: Settled for an undisclosed amount.

Miscellaneous cases – Other

Case:	Glenn J. Hookham <i>vs.</i> Walt Disney Co.; Superior Court of California Orange County Central Justice Center; Case No. 04CC10509				Seq. No. 395
Attorney:	Stephanie K. Nathanson Romanucci & Blandin, L.L.C. 33 North LaSalle Street, Suite 2200 Chicago, IL 60602-2616				312-458-1000
Equipment:	Single slider door on Disneyland monorail vehicle.				
Description:	9 year old boy struck and injured by Disneyland monorail sliding door as he attempted to exit from the vehicle.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Selma Hirshberg <i>vs.</i> Maggio's Famous Pizzas, Inc., <i>et al.</i> ; Court of Common Pleas Philadelphia County, March term 2009; No. 04984				Seq. No. 396
Attorney:	Christopher D. Hillsley Patrick D. MacAvoy Billet & Associates, LLC 2000 Market Street, Suite 2803 Philadelphia, PA 19103-3201				215-496-7500
Equipment:	Bi-parting sliding door. Manufacturer unknown at this time.				
Description:	Woman in 80's with recent hip replacement using walker struck by door while exiting from restaurant.				
Deposition:		Trial:		Outcome:	Settled. Date unknown. Defendants paid approx. \$10,000 each to plaintiff.

Case:	Shirley T. Ruehl; U. S. District Court for the Middle District of Pennsylvania; Case No.: No.: 1:15-cv-168				Seq. No. 397
Attorney:	Christopher J. Regan Bordas & Bordas, PLLC 1358 National Road Wheeling, WV 26003-5742				304-242-8410
Equipment:	Stanley Dura-Glide™ 2000 sliding door.				
Description:	Elderly woman knocked down and seriously injured by sliding door as she attempted to enter through the door from outside the bldg.				
Deposition:		Trial:		Outcome:	Unknown.

Case:	Madeline Richardson <i>v.</i> Ultimate Health Services, Inc., d/b/a Huntington Internal Medicine Group, New Tristate Ventures, LLC and Virray, LLC Circuit Court of Cabell County, West Virginia; Civil Action No. 07-C-1008				Seq. No. 398
Attorney:	Richard R. Fredeking II Fredeking & Fredeking Law Offices, L.C. 511 Eighth Street Huntington, WV 25701-2017				304-525-7701
Equipment:	Tormax SmartDrive™ 1101 (TTX II) single panel power assist swing door operator with handicapped button.				
Description:	Elderly woman struck and injured when door opened into her.				
Deposition:	6/8/10	Trial:	7/27/10	Outcome:	

Miscellaneous cases – Other

Case:	LaDonna Marie DeCoursey <i>vs.</i> Simon Property Group, Inc. and Retail Property Trust	Seq. No. 399
Attorney:	Peter J. Galasso Galasso Langione 600 Old Country Road, Suite 304 Garden City, NY 11530-2010	516-222-6500
Equipment:	Swinging door. Manufacturer unknown at this time.	
Description:	Elderly woman using walker struck by prematurely closing door.	
Deposition:	Trial:	Outcome:

Case:	Theresa M. Ghiloni <i>v.</i> New England Rehabilitation Hospital	Seq. No. 400
Attorney:	Theresa A. Welch Robert K. Rainer, P.C. 60 VFW Parkway Revere, MA 02151-2557	781-656-0351
Equipment:	Single slider using hold open beams and microwave motion sensor. Manufacturer unknown at this time.	
Description:	Woman using walker struck and injured while exiting through door.	
Deposition:	Trial:	Outcome:

Case:	Constance Cameron <i>vs.</i> Cost Plus of Kentucky, Inc., <i>et al.</i> Jefferson Circuit Court, Division 8; No. 06-CI-11252	Seq. No. 401
Attorney:	Eric M. Lamb Lamb & Lamb, PSC P. O. Box 34275 Louisville, KY 40232-4275	502-451-6881
Equipment:	Dorma automatic sliding door model ESA200 with BEA, Inc., Eagle TM motion sensors OEM'd to Dorma and dual hold open beams.	
Description:	82 year old woman struck while exiting exterior door and broke hip.	
Deposition:	Trial:	Outcome:

Case:	Natalie Zamirowski <i>vs.</i>	Seq. No. 402
Attorney:	Thomas J. Fedick Harman & Fedick, Ltd. 222 North LaSalle Street, Suite 430 Chicago, IL 60601-1012	312-263-6452
Equipment:	Single panel power assist swing door with handicapped button. No sensors. Mfgr unknown at this time.	
Description:	Elderly woman stuck by door and died as a consequence.	
Deposition:	Trial:	Outcome:

Miscellaneous cases – Other

Case:	Estate of Stephen J. Kaufman, deceased.			Seq. No. 403
Attorney:	J. Randolph Pickett Pickett Dummigan LLP 621 Southwest Morrison Street, Suite 900 Portland, OR 97205-3823			503-226-3628
Equipment:	2007 IMCO 53A102V Self-Unloader truck.			
Description:	Crushed to death by hydraulically controlled, top hinged trailer door while unloading truck.			
Deposition:		Trial:		Outcome:

Case:	Russell Woodbury <i>v.</i> First Center Southfield, L.L.C., <i>et al.</i> ; Oakland County, MI, Circuit Court Case No. 08-093828-NI			Seq. No. 404
Attorney:	Steven W. Wells Schnelz Wells, P.C. 280 North Old Woodward Avenue, Suite 250 Birmingham, MI 48009-5392			248-258-7074
Equipment:	Gunnebo Entrance Control, Inc., knowing-act security revolving door.			
Description:	Man caught in door, fell down and was injured.			
Deposition:		Trial:		Outcome:

Case:	Mary F. Holland <i>v.</i> Red Robin International, Inc., <i>et al.</i> , Hillsborough, SS, Southern District; Superior Court, State of New Hampshire; Docket No.: 226-2012-C-00284			Seq. No. 405
Attorney:	David S. V. Shirley McDowell Osburn, P.A. 282 River Road P. O. Box 3360 Manchester, NH 03105-3360			603-623-9300
Equipment:	Single side, single panel Tormax low energy swinging door.			
Description:	Door closed on woman while exiting from restaurant, causing serious injuries.			
Deposition:		Trial:		Outcome: Settled on 9/3/14 for an amount confidential at the request of the plaintiff.

Case:	Alison Reichert			Seq. No. 406
Attorney:	Marc D. Kornitsky Antico, Barrett, Burke & Kornitsky, L.L.P. One Essex Green Drive Peabody, MA 01960-2928			978-532-5140
Equipment:	Large 3-wing automatic revolving door. Manufacturer unknown at this time.			
Description:	Woman struck and knocked down while entering through door.			
Deposition:		Trial:		Outcome:

Miscellaneous cases – Other

Case:	Verna DeMartin <i>vs.</i> The Regents of the University of Michigan, d/b/a University of Michigan Dental School; Court of Claims; State of Michigan; Case No: 12-127-MZ			Seq. No. 407
Attorney:	James S. Craig Fieger, Fieger, Kenney, Giroux & Danzig 19390 West Ten Mile Road Southfield, MI 48075-2463			248-355-5555
Equipment:	Low Energy door with LCN 4600 series closer.			
Description:	86 year old woman leaving vestibule struck and injured..			
Deposition:		Trial:		Outcome:

Case:	Virginia C. Turek <i>vs.</i> Sargent Manufacturing Company, Automatic Door Systems, Inc., and Town of West Hartford; Superior Court, Judicial District of Hartford, Connecticut; Docket No.: HHD CV 13 6039180 S			Seq. No. 408
Attorney:	Ralph J. Monaco Conway, Londregan, Sheehan & Monaco, P.C. 38 Huntington Street P. O. Box 1351 New London, CT 06320-1351			860-447-3171
Equipment:	Low energy door. Sargent Mfg'ing MPower 4000.			
Description:	90 year old woman struck by low energy door as she stood on walk outside the building after exiting.			
Deposition:		Trial:		Outcome: Settled in December, 2014, for \$75,000.

Case:	Michele Amoia <i>vs.</i> Sandy Spring Bank, Inc., <i>et al.</i> ; Circuit Court for Montgomery County, Maryland; Case No.: 391746-V			Seq. No. 409
Attorney:	John R. Garza The Garza Law Firm, P.A. 17 West Jefferson Street, Suite 100 Rockville, MD 20850-4233			301-340-8200
Equipment:	Manual swinging door with Rixson 2790 floor closer.			
Description:	Door opened over and severely cut first toe of right foot of approx. 50 year old woman entering building.			
Deposition:		Trial:		Outcome:

Case:	Rhoda Stone <i>v.</i> SPE Virginia I, LLC, Commercial Real Estate Associates, Inc., and Capitol Door Repair Company, Inc.; Circuit Court of Fairfax County, State of Virginia; Case No. 2015-15900			Seq. No. 410
Attorney:	J. Michael Brown Weiner, Spivey & Miller, P.L.C. 10605 Judicial Drive, Suite B6 Fairfax, VA 22030-5167			703-273-9500
Equipment:	Low energy swing door. (Mfgr as yet unknown).			
Description:	Elderly woman using walker struck and injured by inner door of vestibule while attempting to enter bldg.			
Deposition:		Trial:		Outcome: Settled on, or about, 6/6/17, for an unknown amount.

Miscellaneous cases – Other

Case:	Mildred Miele <i>vs.</i> Wash Mass, LLC; 197, LLC; and Whelan Associates, LLC, Dorma-Carolina Door Controls, Inc., F/K/A Door Control, Inc., and Door Tech, <i>et al.</i> ; Commonwealth of Massachusetts, Superior Court, Plymouth County; Civil Action No.: PLCV 2014-09555				Seq. No. 411
Attorney:	Albert E. Grady Law Office of Albert E. Grady 226 Montello Street Brockton, MA 02301-5305				508-583-8562
Equipment:	Dorma ED-700 low energy swing door.				
Description:	91 year old woman using walker struck and knocked down by exterior door of vestibule while exiting building.				
Deposition:		Trial:	11/19/15	Outcome:	Jury found for defendants on, or about, 11/23/15.

Case:	Kenneth A. La Russo <i>v.</i> Greenville Hospital System and Scuffletown CCC, LLC; Court of Common Pleas, Greenville County, South Carolina; Civil Action No.: 2015-CP-23-00711				Seq. No. 412
Attorney:	Andrew D. Gowdown Rosen, Rosen & Hagood, LLC 151 Meeting Street, Suite 400 Charleston, SC 29401-2239				843-577-6726
Equipment:	Dorma ED400 low energy door, no sensors. Horton operator.				
Description:	Interior door timed out and struck and knocked down man (polio victim) entering using crutches.				
Deposition:		Trial:		Outcome:	Settled in mediation on 3/22/16 for a confidential amount.

Case:	Ascencion Escobar and Ramon G. Escobar <i>vs.</i> Max & Mac, LLC d/b/a Ramada, District Court of the 63rd Judicial District, Val Verde County, TX; Cause No. 32032				Seq. No. 413
Attorney:	Jesus M. Dovalina Law Office of Jesus M. Dovalina, P.C. 117 East Garfield Avenue Del Rio, TX 78840-5507				830-774-5252
Equipment:	Tormax 9300 series bi-parting sliding door with dual Optex i-sensors and no hold open beams.				
Description:	Elderly woman using cane injured by automatic sliding door while attempting to exit from building.				
Deposition:	4/8/16	Trial:		Outcome:	Settled on 3/10/17.

Case:	Estate of Theresa L. Sheloski <i>v.</i> The Rutland Hospital d/b/a Rutland Regional Medical Center; Superior Court, Rutland Unit, State of Vermont; Civil Division, Docket No. 561-11-16 Rdcv				Seq. No. 414
Attorney:	Gary R. Kupferer Weber, Chapman & Kupferer, Ltd. 25 Washington Street, Suite 1 Rutland, VT 05701-5060				802-773-9109
Equipment:	Wooden low energy swinging door with MS-Sedco DH94 presence sensor and BEA, Inc., Eagle™ microwave motion sensor. (Door mfg as yet unknown).				
Description:	Approx. 80 year old woman knocked down by subject door. Sustained broken hip.				
Deposition:		Trial:		Outcome:	

Miscellaneous cases – Other

Case:	Eleanor Jones <i>v.</i> Brixmor GA Freshwater/Stateliine LLC, Dollar Tree Stores, Inc., Tormax USA Inc., and Automatic Door Doctor, Inc.; Superior Court, J. D. of Tolland at Rockville, Connecticut; Docket No. TTD CV 16 6010570 S			Seq. No. 415
Attorney:	James J. Walker Leighton, Katz & Drapeau 20 East Main Street Rockville, CT 06066-3255			860-875-7000
Equipment:	Folding door. (Door mfg as yet unknown).			
Description:	Woman struck and injured while entering through door.			
Deposition:		Trial:		Outcome:

Case:	Janet Fell.			Seq. No. 416
Attorney:	Maria C. Janoski Goldberg, Goldberg & Janoski 213 West Miner Street Westchester, PA 19382-2924			610-436-6220
Equipment:	Low energy swinging door. (Door mfg as yet unknown).			
Description:	Door timed out and closed on plaintiff while attempting to enter the bldg.			
Deposition:		Trial:		Outcome:

Case:	Mary and Joseph Luketich <i>v.</i> Menard, Inc.; Genesee County Circuit Court; Genesee County, Michigan; Case # 2018-110973-NO			Seq. No. 417
Attorney:	George R. Hamo Hamo Law Firm 614 S. Grand Traverse Street Flint, MI 48502-1209			810-234-3667
Equipment:	(Door mfg as yet unknown).			
Description:	Elderly woman struck and injured by door.			
Deposition:		Trial:		Outcome:

ATTORNEYS

Acker, Michael A.	79	Brenner, Gregory R.	83
Acosta, George L.	114	Brennwald, Stephen F.	31
Adams, Robert C.	94	Bromagen, William L.	15
Alexander, Bradley D.	64	Brooks, Robert M.	11
Allman, Joseph E.	112	Brown, Alex J.	106
Anderson, Gregory T.	13	Brown, J. Michael	120
Anderson, Robert S.	37	Brunelle, Roger J.	67, 89, 116
Angueira, David P.	4, 23, 116	Bublewicz, John J.	42
Arleo, Frank P.	22	Burke, John M.	87
Armstrong, Ron W.	97	Burke, Robert L.	52
Aurichio, Patricia	49	Burney, J. Brent	49
Awbrey, Nolan E.	71	Butler, Kevin	10
Baird, Deborah S.	110	Caldwell, John W.	3
Barton, W. Harvey	25	Cain, Jr., David S.	48
Bauer, Lane D.	67	Cardillo, Matthew J.	71
Beauregard, Todd D.	114	Carvalho, Daniel E.	107
Beausay, T. Jeffery	67	Catalano, Ralph P.	31
Begelman, Ross	78	Chambers, Jeffrey K.	10
Bell, James L.	66	Chandler, Richard (consultant)	90
Bentson, Teri E.	82	Chapin, Charles S.	20
Berger, Daniel M.	88	Chapin, Donald E.	20
Beveridge, William	69	Cherry, Craig D.	56
Biggam, Patrick L.	37	Chirokas, Thomas J.	34
Bird, William, III	44	Clark, Jeffrey L.	75
Bishop, L. Randall	71	Clisby, Barrett J.	76
Blank, Adam J.	84	Clouser, Justin M.	93
Bloomenthal, Leslie E.	3	Cochran, Les	81
Blumberg, Edward R.	4	Coldwell, Colbert N.	80
Bongiovani, Mark	102	Coles, Jason L.	74
Bordas, James G.	76	Collins, John L.	33
Borré, Alexander P.	89	Conboy, Timothy	27
Bottone, Dennis M.	110	Cone, Robert C.	26, 55, 76
Bourbeau, Brian J.	107	Cordisco, John F.	111
Bowers, John D.	64	Coren, E. Steven	72
Bradley, Brent F.	62, 69	Cossi, A. Dennis	88
Brady, Michael G.	89	Craig, James S.	120
Branam, James T.	7	Cramer, James J.	34
Bratton, Shawn F.	90	Crockett, Michael A.	99
Breggia, Stephen E.	65	Crow, Michael J.	40, 70
		Crumpton, Charles W.	24
		Curran, John A.	73, 74

Dalli, John	113	Garza, Richard L.	72
Dascenzo, Daniel P.	108	Gathings, Honora M.	64
Davis, Jack D.	34	Geffen, David G.	12
Davis, Mark W.	2	George, Brian F.	113
Day, Steven L.	108	Germeroth, Thomas P.	5
Dean, Daniel P.	74	Gerr, Harold J.	94
DeFrank, Peter J.	7	Gierach, James E.	25
Deitzler, Harry G.	89	Gill, Jeffrey P.	62
DeLattre, Thomas	60	Giosa, Anthony J.	7
Depew, Craig V.	68	Glanton, Luvell L.	39
Desmond, Joseph T.	36	Godbout, Kevin M.	68
Devoti, Matthew J.	55	Goldstein, Stuart	96
Dochney, Kevin R.	53	Gonzalez, Jaime A.	91
Dovalina, Jesus M.	121	Gorman, John R.	46
Duncan, Richard L.	57	Gowdown, Andrew D.	121
Dykstra, C. Kevin	93	Grady, Albert E.	121
		Gratz, Michael B., Jr.	105
Ebin, Michael J.	9	Greco, Carl J.	79
Eged, Alex L.	80	Greenberg, Edward A.	78
		Gregg, Chandler	109
Faultless, Scott A.	90	Griffith, John L.	61
Fedick, Thomas J.	118	Grimes, Gant	83
Feiner, Michael A.	53	Grimm, Eric C.	7
Ficaj, Roman J.	41	Grisi, Charles E.	79
Fincher, Roger D.	43	Guerke, I. Barry	56
Fine, Norman J.	38		
Fitzgerald, William P.	47	Hamo, George R.	122
Floyd, Mark E.	93	Hasbrook, T. David	70
Fonash, John J.	44	Hatala, Robert S.	20
Forchione, Frank G.	3	Hatcher, Chad	114
Foster, Richard A.	91	Haubrich, Greg	53
Fraser, Stuart A.	110	Haverstock, Gary R.	73
Fredeking, Richard R., II	117	Hay, Richard W.	17
Fredrickson, Robert A.	35	Hayes, John	71
Frerichs, Thomas P.	13	Hearne, David A.	3
Friedlander, William S.	47	Heatherman, Paul B.	108
Friend, Gregory M.	65	Hendrix, Jr., Garnett E.	86
		Henratty, Scott L.	46
Gair, Anthony H.	64	Hersh, Harry D.	63
Galasso, Peter J.	118	Heyer, David J.	96
Garcia, Adolf J.	74	Hicks, T. Lawrence	41
Garza, John R.	120	Hillsley, Christopher D.	117

Hoch, Timothy M.	67	Kunken, Stephen	16
Hof, Philip M.	63	Kupferer, Gary R.	121
Hoffman, Edward F.	100	Kushlefsky, Noah H.	23
Hoffmann, Amanda M.	83	Kutinsky, Brian A.	20, 97, 105
Holzberg, Glenn J.	54	Kutinsky, Leslie H.	107
Hooks, Kenneth H.	59		
Howerton, Hugh J.	9, 35	Lalikos, Michael S.	109
Humbrecht, Joshua A.	45	Lamb, Eric M.	118
Hunnicut, Daniel A.	9	Lambert, Christopher	22
Hunter, F. Dore'	93	Lambert, Pamela A.	32
		Lancione, John A.	52
Janoski, Maria C.	122	Lantz, Michael W.	54
Jensen, Travis N.	66	Layser, Derek R.	105
Johnson, Michael S.	70	Lechner, Albert H.	38
Johnson, Ronald E.	83	Ledbetter, Mark P.	28
Joyce, William P.	99	Levy, S. Jerome	115
		Leydon, Brenden P.	39
Kagan, Daniel G.	29, 54	Lipsky, Joseph I.	32
Kaplan, Robert J.	10	Loftis, James D.	4
Karon, Jonathan A.	40, 77, 94	Long, Benjamin P.	51
Karz, Laurence M.	81	Long, David K.	5
Katz, Brian D.	81	Lord, Greg R.	16
Kellner, John L.	28	Lott, Philip S.	109
Kendell, Jordan P.	105	Lowe, Leslie	39
Keogh, Linda J.	111	Lucas, Thomas E., Jr.	42
Kepner, Daniel E.	86	Lyman, Christopher B.	23
Kerrick, Thomas N.	57	Lyons, E. Megan	44
Kessler, Stuart W.	104		
Khourey, Louis H.	99	MacAvoy, Patrick D.	117
King, Benjamin T.	90	Mackoff, Leslie J.	80
King, Brandon R.	42	Madison, Kevin R.	24
Kirk, E. Clyde	66	Magdenko, Nadia von	98
Kirtman, Ian M.	50	Majors, D. G.	100
Klibaner, David A.	42	Malloy, Kevin M.	31
Knafo, Jerry R.	29	Manchester, Cynthia Ann K.	77
Kobren, Matthew W.	57	Mandell, Robert J.	111
Koch, J. Michael	17	Maniloff, Howard R.	25
Kopsick, Richard S.	24	Marano, Joseph	65
Kornitsky, Marc D.	119	Martin, Reid Wm.	78
Kowalski, Michael J.	22	Martinez, David B.	27
Krein, J. Scott	32	Martinovich, Bogdan	27
Krist, Kevin D.	111	Massey, Edward R.	72

McCarthy, John J.	91	Pakenas, Thomas E.	30
McElhaney, Rocky	6	Palmer, Charles W.	86
McGarry, Julieann	47	Payne, R. Mark	48
McGarry, Richard L.	77	Peacock, Malorie J.	37
McGuire, Kent R.	13	Pepicelli, Alan L.	45
McHugh, Patrick J.	112	Peraldo, Jeffrey K.	21
McLaughlin, Alex D.	51	Perales-Piña, J. Marcos	41
McNally, Thomas J.	23	Perry, Henry Lawrence	66
McNeice, Ryan	95	Pickett, J. Randolph	119
McSweeney, Rebecca	40	Pittman, Keith A.	18
Meinecke, M. Jalie	50	Poliakoff, Gary W.	62
Mensch, Jacob	58	Pomerantz, Howard L.	115
Metzger, Kari A.	12	Porritt, Russell W., II	77
Mills, Floyd S.	56	Potter, Steven B.	63
Mohan, Daniel J.	55	Pottinger, Robert C.	61
Molnar, Edward S.	15	Powell, James C.	59
Monaco, Ralph J.	120	Previte, Paul V.	88
Moore, Jr., Edward H.	25	Primerano, Andrew J.	49
Morgan, Arthur L.	78	Pullen, Donald C.	97
Morgan, Stephen G.	73		
Mullins, Stacey D.	36	Rafferty, Edson H.	19
Mummolo, Dante G.	98	Raleigh, Paul J.	116
Murgatroyd, Anthony J.	115	Ramey, Hardin R.	82
Musleh, Victor J. & Kelly H.	102	Regan, Christopher J.	117
		Reid, Timm W.	101
Najeway, John Patrick	53	Rico, Andres O.	22
Najjar, Michael C.	50	Ritigstein, Eric S.	36
Nathanson, Stephanie K.	117	Roberts, Wendell S.	108
Newcombe, Paul	6	Robin, Stephanie E.	102
Nielsen, Richard D.	49	Ronaldson, Glenn C.	33
Noll, Carl F.	36	Rosato, James R.	18
Noriega, James E.	17	Rose, Kevin M.	72
Norman, Royce E.	59	Ross, Dwayne E.	86
Norvell, David L.	19	Rossi, Michael J.	65
		Rossman, Neil	11
O'Brien, Ann Marie	60	Rothermel, Frank A.	26
Ohlander, Jan H.	98	Russell, P. Scott	75
O'Donnell, Wm. M, III	92		
O'Neil, Daniel P.	48, 98	St. Denis, Donald	69
O'Rourke, Shawn P.	38, 91	Salinas, Marco A.	30
Ovoian, Robert S.	26	Salzman, Robert M.	9, 82
		Sanders, David M.	18, 68

Sarrouf, Camille F.	110	Sybel, Sharon D.	79
Schmoll, Jon F.	84		
Schneider, Kent B.	2	Tabakin, Brad S.	60, 103
Schneider, Paul R.	116	Taenzer, Uri H.	6
Schreiber, J. Allen	102	Taglieri, James W.	38
Schydlower, Leon	5	Taylor, Scott B.	14
Scull, Robert L.	33	Thetford, John M.	54
Seach, Stephen A.	8	Thorson, J. Brandt	6
Sedgewick, John E.	96	Todd, Terry	21
Segal, Kenneth	21	Tollison, Gray	62
Seno, John J.	115	Toutant, Phillip B.	12
Serra, Samuel	43	Trombly, Kenneth M.	15
Seuthe, Eric Bryan	15		
Sewell, Ryan M.	94	Vecchio, Richard S.	47
Shabbick, Barry C.	52	Vertetis, Thomas B.	76
Shaheen, David R.	87	Vocelle, Louis B.	8
Shebell, Thomas F.	4, 63		
Sheldon, Donald S.	60	Wadington, Robert N.	58
Shirley, David S. V.	119	Walker, James J.	122
Shiver, Chuck W., II	51	Walker, John F. (Jack)	69
Shulman, Joshua	5	Watson, Leila H.	24
Siegel, David A.	45	Weinberger, Robert A.	48
Sigler, Daniel J.	2	Weiner, Neil S.	84
Silverstein, Darryn L.	95	Weiss, Leonard D.	61
Simonson, Terry A.	30	Welch, Theresa A.	118
Slutkin, Andrew G.	85	Wells, Steven W.	119
Small, Douglas D.	2	Wilhite, George W.	19
Smith, D. Tysen	112	Williams, Steven J.	83
Smith, Donald H.	75	Williams, Timothy C.	70
Smith, Edward J., III	58	Wilson, James O.	96
Smith, W. Holt	29	Wilson, James R.	43
Smith, Houston M.	35	Winthers, Melissa J.	100
Smith, Lawrence J.	109	Wold, Alexander A.	8, 55
Smith, Michael S.	73	Wolfe, Steven E.	37
Smith, W. Thomas	107	Wood, Tamara L.	75
Smith, William W.	104	Wright, Matthew E.	28
Smock, Thomas F.	16		
Smolar, Yehuda	50	Yarnell, David M.	21, 52, 112
Strasfeld, Stuart A.	108	Young, Thomas J.	19
Strubbe, William B.	97		
Sullivan, Paul V.	89	Zolot, Lawrence P.	46
Suroff, Adam T.	114		

REPRESENTTEES

Aguilar, Sally	115	Brosque, Patricia A. & John	91
Ali, Taladin & Riza	57	Brown, Elizabeth	56
Allard	53	Brown, Ronald E.	90
Allen, Lucy	2	Brown, Sheryl	90
Ammons, Flora Carzeal	29	Bryant, David A.	23
Amoia, Michele	120	Buckey, Sarah	68
Andrews, Lewis	45	Burgess/Thibeaux, Shannon	114
Anselm, Traci	97	Burke, Linda & Michael	78
Asbed, Mona	5	Burnham, Joan and Keith	109
Atkinson, Georgia & Larry	59	Busch, Grace	50
Augustus	36	Bush, Preston	48
		Butler	66
Bailey, Mariam	40	Cain, Julia	3
Balizer, Trudy & Joel	16	Caines, Lisa & Perry	42
Ball	18	Cameron, Constance	118
Ballard, Vicki	59	Cannon, Bonnie	83
Barajas, Javier	30	Carl, Richard D., Sr.	105
Barron, Enid	115	Carl, Shirley J.	105
Barton, Lemma L.	93	Cartwright, Vlasta A.	71
Bartzer, Roseann & Timothy	104	Castro, Margene	79
Basurto, Delbert	111	Cerda, Ovidio	51
Baxter, Tommie Lou	6	Chapa, Enrique & Maria	30
Becker, Frederique	84	Charleston, Nancy	107
Becker, Sally	19	Chaudrhy, Abdullah	80
Bell, Beverly & Allen	77	Chertok, Paula	65
Berg, Glenda	12	Chipps, Kathryn	59
Bernin, Jean & Victor	55	Clark, Eula C. & Devon	21
Bettis, Virginia	73	Claus, Linda	96
Bibb, Bettie E.	102	Clawson, Richard E.	99
Bird, Lora	88	Cline, Linda & Gary	32
Blackwell, Marjorie	109	Cohen, Kitty	72
Block, Irvin	50	Connolly, Robert	16
Books, Ida M.	35	Cook, Merrill	73
Booth, Nancy	99	Cook, Patricia & Sam	75
Bouillon, Jr., Brooks J.	76	Cooper, Kathleen & Thomas	78
Bourgeois, Normie	102	Corral, Maria	41
Bowman, Marlene	76	Costantini, Linda	60
Bradshaw, Crystal	75	Cotayo, Haydee	87
Brooks, Doris L.	55	Cowart, Barney B.	35
Brookshire Grocery Company	69	Cowle, Mabel Lillian	99
		Crowe, Phyllis L.	93

Cullen, Clarissa	34	Fine, Roberta L.	98
Curry, William S.	20	Fitzgerald, Nancy	77
		Fitzgerald, Nancy & Arthur	72
Dahan, Mardoche M.	38	Ford, Agnes M. & Nate	48
Davis, James	78	Ford, Joseph	5
DeCoursey, LaDonna Marie	118	Foust, Pearl M. & Arthur	47
Dein, Shirley	13	Fox, Leon	110
DeLisi, Mary	110	Frahm, Geraldine	24
Delliquadri, Kenneth	37	Francisco, Bruce	47
Deloach, Tambra	81	Franke, Herman & Janice	82
DeMario, Celia & Joseph	88	Frazer, Jean	57
DeMartin, Verna	120		
DeMille, Helen L.	105	Gaines, Wayne & Shirley	105
Derginer, Evelyn M.	14	Galea, Joyce	54
Derogatis, Olga	53	Galitzer, Hymen	63
Devoti, Jeanette	27	Gamez, Frances F.	72
Dignan, Dorothy	67	Garson, Frances R. and Warfield	27
DiMarco, Mary & Craig	44	Gauldin, Ruby C.	64
Dobbs, Hyacinth	109	Gay, Elizabeth	17
Dobrowa, Elfrieda Doris	105	Geissinger, David A.	7
Doerr, Betty Rae	64	Ghiloni, Theresa M.	118
Doty, Harriet L.	67	Gillitzer, Betty J.	14
Driss, Ann	43	Gold	116
Dunfer, Lance & Michelle	111	Gonzales, Rebecca	100
Durrstein, Shirley	61	Gonzalez, Claudia	97
		Gorelick, May & Murray	40
Eastman, Janet	50	Goolsby, Mary	33
Ebersold, Pamela	71	Grassley, David	112
Edwards, Grace L.	52	Greene, Gary L.	13
Eisenstein, Grete	22	Griego, Joyce	8
Erhard, Kathryn & Jeff	42	Grimes, Mary Francis	19
Ernst, Mary and Irven	102	Groom, Ralph	111
Escobar, Ascencion & Ramon	121	Groom, Mary-Jo Piggott	111
Eubanks, Shirley A. & Aron	45	Grost, Mable Jo	4
		Gutekunst, Nancy S.	105
Fanion, Evelyn	22		
Farewell, Dorothy	100	Haines, Leila	6
Farnham, Judith W.	37	Halloran, Ellen	9
Farrin, Annette	29	Halpern, Lucille & Bernard	25
Feinberg, Naomi	38	Hanawitt, Sylvia	21
Fell, Janet	122	Harbison, Fay	100
Figueroa	58	Harkins, Sibyl	70

Harnar, Marlys	33	Jones, Willie Lee	35
Harper, Lisa Gail	114	Jordan, Geneva	68
Hart, Alice & John	88		
Hartigan, Barbara	94	Kascsak, Al	34
Hawley	116	Kaufman, Stephen J.	119
Hayes, Catherine	19	Kay, Louanne	10
Hayes, Leroy	36	Kerban, Michelle	12
Heft, Debbie	29	Kick, Laura	24
Henderson, Laurie	55	Kiefer, Lindsey	18
Henriquez, Anna	50	King, Alice	20
Hershey, Dee	34	King, Edward & Anne	90
Hess, Charlotte Ann	66	Klofkorn, Edith M.	68
Higgins, Mary B.	23	Klunck, Jenen	4
Hill, Gertrude	6	Knight, Hazel	62
Hirshberg, Selma	117	Knox, Hyla	69
Hofstader, Emeric	81	Kompoltowicz, Roberta Kay	12
Holland, Mary F.	119	Koonce, Angela	19
Holleman, Jay L.	112	Kopinski, Catherine	43
Holloway, Pauline D.	69	Kos, Lila	32
Holtzman, Ruth	47	Kouns, Donaletta Lisenby	86
Hooker, Beverly	15	Kozlowski, Frederick L.	7
Hookham, Glenn J.	117	Krieger, Bernettie V.	114
Hopper, Dorothy	5	Krzeminski, Donna & Edmund	86
Hovanec, Sandra L.	65	Kubach, Helen	2
Howard, Harold	95	Kuhlthau	96
Howe, Linda	8	Kull	17
Hughes, Nannie	41	Kurz	35
Hurst, Carl W. & Alta B.	66		
		Labbe, Pamela & Brian	18
Iacono, Mary M.	9	Labelle	67
Ihle, Mary Elizabeth	72	LaForest, Carolyn	107
Inman, Patricia	104	Lancaster, Jeff	78
		Langus-Galitzer, Ruth	63
Jacob, Colleen & David	51	LaRusso, Kenneth	121
Jacoby, Johanna	79	Lavoie	89
Janjigian, Joyce	49	Leahy, Mary Lou	77
Jedrzejczyk, Dominika	114	Leary, Carolyn D.	60
Jenkins	53	Legato, Teresa	63
Johnson, Mary	89	Lehman, Charles	67
Jones, Darryl	113	Lehrer, Gerard M.	107
Jones, Eleanor	122	Lepski, F. Michael	85
Jones, Gloria	15	Lester, George	92

Levesque, Valda	96	Miller, Lorraine	64
Libby, Lewis & Lorna	75	Minor, Juanita	42
Lindsay, Patrick	105	Miyazaki, Kikuko Zutrau	4
Long, Eva	62	Moffitt, Sue	73
Lovejoy, Everett	74	Monson, Verna	89
Lovitt, Floyd	76	Morin, June	42
Lu, Louis	75	Morrisette, Andrew	112
Lube, Robert	58	Morrone, Jean	43
Luketich, Mary & Joseph	122	Morsch	52
Lyons, Mary	38	Movizzo, Kellee	115
		Mulhall, Frances	96
Macke, Rita	70		
Macquilken, Dennis	102	Nelson, Elizabeth M.	98
Maddox, Hazel H.	90	Newton, Leigh	62
Maerten, Kathleen A.	6	Neyhard, Bonny	49
Magnuson, Guy	39		
Mahan, Farrah	7	O'Neill, Wendy	9
Maldonado, Marcelino	113	Odoms, Joyce Carletta	111
Marin, Arline	106	Ontiveros, Trinidad & Domingo	24
Marku, Jack & Fran	98	Oquendo, Rita	44
Marlow, Stephen & Lydia	58	Osher, Simon	108
Marshall, Alice	73		
Martin, Polly	49	Pacini	3
Martinez, Maria	37	Palek, Paul	22
Massa, Darlene	86	Palo, Frank (Estate of)	7
Masse, Setta	107	Patris, Donald	65
Massengale, Jean & Bryce	83	Payless Drug Stores	16
Masters, Margaret	68	Perez, Isolina	27
McAllister, Michael	95	Peselnick, Edith	93
McCann, Kathleen	40	Peterson, Geraldine & Albert	28
McCarthy, Debora & Michael	66	Pignona Estate	52
McComb, Hellen & Roger	41	Pike, Janet	78
McCowan, Carol A.	5	Pittman, Loretta	54
McDonald, Pamela	53	Placencia, Margarita	22
McLaughlin, Catherine H.	26	Poritzky	47
McLaughlin, Jeremy T.	56	Postizzi, Mary Jane	93
McMillen, Jean	25	Potwin, Donna	92
McMillen, Todd	112	Prescott, Adelaide	68
Meadow, Beverly	39	Price, Galen, Jr.	79
Menzo, Joyce & Nick	110	Pritchard, George P.	33
Merriott	97	Pritchard, Helen	3
Miele, Mildred	121	Prugo, Teresa	64

Pullis, Elizabeth	71	Siegel, Sharon	48
		Silver, Deborah R.	3
Ramsay, Margaret	20	Simmons, Beverly	60
Ray, Elizabeth	24	Simpson, Priscilla & John	10
Reichert, Alison	119	Skinner, James	26
Rettino, Marjorie A.	31	Skrovan, Elizabeth	35
Reynolds, Nohemi	91	Smith, Euliet	61
Rhodes, Gale & Kathy	51	Smithson, Nancy	94
Richardson, Madeline	117	Smock	74
Richardson, Virginia T.	70	Snyder, Viola	37
Rivera, Elizabeth & Edward	46	Sokolski, Estelle & Marion	74
Robbins, Ronald & Mary Sue	13	Speirs, Esther & Stanley	31
Robert, Margaret	109	Spencer, Dorris P.	28
Rodis, Eve	36	Staal, Aloysius and Antoinette	98
Rodriguez, Celia Vences	83	Starr, Bernard	31
Rodriguez, Valerie	36	Stein, Doris	84
Rojas, Julia	39	Stein, Evelyn	52
Rorick	52	Stephens, Irene E.	8
Rose, Diane B.	11	Stephens, Richard L.	45
Rosenblum, Alan & Robin	63	Stevie, Robert J.	97
Ross, Joan & Donald	86	Stickells, Henrietta	110
Roznovsky, Bertha	49	Stillman, Harold	84
Ruehl, Shirley	117	Stineman, Celia	34
Rupnik, Patricia	28	Stocker, Eleanor D.	45
Russo, Mildred	116	Stone, Rhoda	120
		Stuart, Phyllis	91
Salisbury, Beverly	90	Swett, Estate of	65
Salivaras, Flora	91		
Salzberg	94	Tarr, Paula	62
Sanders, Roben L. J.	69	Tears, Edward	81
Saunders, Evelyn & Glenn	108	Teitelbaum, Betty	63
Schlienz, Jean and Albert	25	Templeton, Sue Ann	61
Schnitzer, Jay, Dr.	103	Tennihill, Jean Louise	116
Schwartz, Yvonne <i>et al.</i>	10	Terajima, Michiko	82
Seebeck, Anne	26	Tessier, Rose	21
Seely, Mary K.	32	Thibeaux-Burgess, Shannon	114
Seidenberg, Elaine	79	Thompson, Mary Jean Carrico	44
Sellers, Marguerite A.	89	Tichenor, Mary L.	80
Sheloski, Theresa L.	121	Tidwell, Alice M.	57
Shetler, Elizabeth Ann	83	Tingen, Mark L.	32
Siedschlag, Susan	46	Toolan	23
Siegel, Nick	48	Tracey, Betty	9

Trenholm, Donald	65	Zamirowski, Natalie	118
Tricoli, Nellie	73	Zeier, Karl A.	71
Tritto, Tina	94	Zoss, Syd	108
Tromp, Ruth D.	108		
Tucker, Elizabeth and Ronald	101		
Tuman, Silvia	54		
Turek, Virginia C.	120		
Turoso, Patsy	15		
Turtora, Ronald	4		
Valentin, Harli	106		
Vega, Jasmin	87		
Verkuil, Beatrice	25		
Vitale, Carmela & Alberto	2		
Voelter, David	56		
Voelter, Martha	56		
Vowell, Constance P.	54		
Walker, Mary C.	5		
Walker, Shirley	82		
Washburn	21		
Washington, Ebony Dee	46		
Washington, Leslie	60		
Watkins, Reginald W.	115		
Weisinger, Ruby	48		
Wenner, Seymour	15		
Wheeler, Thomas	55, 76		
White, Jean M.	77		
Whiting	96		
Wilf, Michelle	38		
Williams, Stacy N.	71		
Winningham, Kay & Mike	7		
Wirell, Gudrun S.	23		
Wiswesser, Maria	74		
Witzke, Laurie R.	30		
Wojcikowski, Karen	84		
Wood, Audrey Laine	70		
Woodbury, Russell	119		
Woodward, Lillian	93		
Wolf, Elsie	2		
Wolfe, Mary	11		